



Tactical Throat Microphone

This microphone features the ability to transmit through transducers and includes quick-disconnect capability.

Model No: PMLN6828A

Description: ACCESSORY KIT,TACTICAL THROAT MICROPHONE

ROHS: Yes **CE:** Yes **Country of Origin:** CN

Price: €529.50

Weight (-)	-
Dimensions (IN-Inch)	0.38 (W) 4.5 (H) 4.25 (L)
Connector Type	6p connector
Earpiece Style	Single-ear
Headset Type	In-ear
Industry	N/A
Intelligent Audio	N/A
Intrinsic Safety Rating	N/A
Microphone	Embedded microphone
Noise Reduction Rating	N/A
Technology	Tactical
PTT	On interface module



Tactical Remote With Ring Switch PTT

The tactical remote ring PTT has been designed for a variety of Motorola bone conduction devices.

Model No: PMLN6830A

Description: ACCESSORY KIT,TACTICAL REMOTE PTT RING SWITCH

ROHS: Yes **CE:** Yes **Country of Origin:** CN

Price: €84.50

Weight (-)	-
Dimensions (IN-Inch)	0.5 (W) 1 (H) 1.25 (L)
Connector Type	6p connector
Earpiece Style	N/A
Headset Type	Headset accessories
Industry	N/A
Intelligent Audio	N/A
Intrinsic Safety Rating	N/A
Microphone	N/A
Noise Reduction Rating	N/A
Technology	Tactical
PTT	On interface module



Tactical Heavy-Duty Temple Transducer

Compatible with APX radios, this APX carry accessory is a mission-critical temple transducer / boom mic that requires interface module PMLN6765 or PMLN6827.

Model No: PMLN6833A

Description: ACCESSORY KIT,TACTICAL HVY DTY TEMPLE TRANSDUCER WITH BOOM MIC

ROHS: Yes **CE:** Yes **Country of Origin:** CN

Price: €455.50

Weight (-)	-
Dimensions (IN-Inch)	0.38 (W) 46 (H) 5 (L)
Connector Type	6p connector
Earpiece Style	Bone conduction
Headset Type	Temple transducer
Industry	N/A
Intelligent Audio	N/A
Intrinsic Safety Rating	N/A
Microphone	Boom mic
Noise Reduction Rating	N/A
Technology	Tactical
PTT	On interface module

PROFESSIONAL RADIOS

DP4800E ACCESSORIES

CABLESMISC



Micro-USB Data Cable for fleet management and programming

Model No: CB000458A07

Description: CABLE, DATA,CABLE, DATA,USB CABLE, 1300MM, FERRITE CHOKE, COLLABORATIVE MUC

ROHS: Yes **CE:** Yes **Country of Origin:** MY

Price: €22.00

Weight (-)	-
Dimensions (-)	- (W) - (H) - (L)
Cable Type	Data



Portable Telemetry Cable

Portable Telemetry Cable (6 foot) for MOTOTRBO Radios

Model No: PMKN4040A

Description: DMR PORTABLE TELEMETRY CABLE

ROHS: Yes **CE:** Yes **Country of Origin:** N/A

Price: €96.00

Weight (-)	-
Dimensions (IN-Inch)	0.75 (W) 2.25 (H) 1.75 (L)
Cable Type	Programming



Portable IMPRES Non-PC Adapter

MOTOTRBO Portable IMPRES Non-PC Adapter.

Model No: PMKN4071A

Description: IMPRES PORTABLE NON-PC ADAPTER

ROHS: Yes **CE:** Yes **Country of Origin:** CN

Price: €63.00

Weight (-)	-
Dimensions (IN-Inch)	1.75 (W) 15 (H) 2.25 (L)
Cable Type	Adapter



IMPRES RSM Replacement Coil Cord

This is an IMPRES replacement coil cord for remote Sspeaker microphones.

Model No: RLN6075A

Description: ACCESSORY KIT,IMPRES RSM REPL COIL CORD

ROHS: Yes **CE:** Yes **Country of Origin:** CN

Price: €93.00

Weight (-)	-
Dimensions (IN-Inch)	0.88 (W) 24 (H) 2.25 (L)
Cable Type	RSM

PROFESSIONAL RADIOS

DP4800E ACCESSORIES

CPSSOFTWARE

**IMPRES™ Battery Fleet Management EMEA Entitlement ID (EID)**

After ordering the BFM Entitlement ID (EID), you will receive an email with the EID License which will enable you to download the BFM 4.0 software through the MSI internal MYVIEW Portal. Refer to the Ordering and Deployment Guide in the resources section for more details.

Model No: HKVN4037A**Description:** EMEA FLEET MANAGEMENT LICENSE KEY**ROHS:** N/A**CE:** N/A**Country of Origin:** US**Price:** €0.00

Weight (-)	-
Dimensions (-)	- (W) - (H) - (L)
Software Delivery	Electronic
Software Release Version	N/A
Software Type	License

PROFESSIONAL RADIOS

DP4800E ACCESSORIES

LEGACY



MOTOTRBO Generic Option Board Kit

This generic option board enables MOTOTRBO radios to support application partner developed software applications.

Model No: PMLN7324AS

Description: U_GENERIC OPTION BOARD KIT

ROHS: Yes **CE:** Yes **Country of Origin:** MY

Price: €48.00

Weight (-)

-

Dimensions (-)

- (W) - (H) - (L)



KNOB,RFID VOL KNOB, DP4000 SERIES -20 PACK

Model No: PMLN7353A

Description: KNOB,RFID VOL KNOB, DP4000 SERIES -20 PACK

ROHS: Yes **CE:** N/A **Country of Origin:** SG

Price: €351.00

Weight (-)

-

Dimensions (-)

- (W) - (H) - (L)



MOTOTRBO MPT Option Board Kit

This option board enables MOTOTRBO radios to support MPT1327 analogue trunking.

On installing an MPT1327 option board, ensure that both the MPT1327 option board and the radio contain the latest available firmware versions.

Use the latest available version of MOTOTRBO MPT1327 GOB CPS with this MPT1327 option board.

Model No: PMLN7394AS

Description: U_MPT OPTION BOARD KIT

ROHS: Yes **CE:** Yes **Country of Origin:** MY

Price: €48.00

Weight (-)

-

Dimensions (IN-Inch)

0.06 (W) 1.75 (H) 1.13 (L)



MOTOTRBO Connect Plus Option Board Kit

This option board enables MOTOTRBO radios to support Connect Plus trunking.

Model No: PMLN7395AS

Description: U_CONNECT PLUS OPTION BOARD KIT

ROHS: Yes **CE:** Yes **Country of Origin:** MY

Price: €48.00

Weight (-)

-

Dimensions (-)

- (W) - (H) - (L)

PROFESSIONAL RADIOS

DP4800E ACCESSORIES

REMOTESPEAKERMICS


Windporting RSM, FM-TIA Rated, Programmable Button

Remote speaker microphone with audio jack. IP54, FM and UL/TIA 4950 rating

Model No: PMMN4024A

Description: REMOTE SPEAKER MIC

ROHS: Yes **CE:** Yes **Country of Origin:** N/A

Price: €96.00

Weight (-)	-
Dimensions (IN-Inch)	1.12 (W) 27 (H) 2.25 (L)
Channel Control	No
Display	No display
Industry	N/A
Intelligent Audio	N/A
Intrinsic Safety Rating	TIA4950(UL)
IP Rating	IP54
Microphone Type	Windporting
Programmable Button	No
Technology	Original
Volume Control	No
Audiobuchse	3.5mm non-threaded


IMPRES Remote Speaker Microphone

This IMPRES remote speaker microphone comes with a 3.5mm audio jack and offers IMPRES and Windporting audio benefits.

Model No: PMMN4025A

Description: IMPRES REMOTE SPEAKER MIC

ROHS: Yes **CE:** Yes **Country of Origin:** MY

Price: €127.00

Weight (-)	-
Dimensions (IN-Inch)	1.25 (W) 27 (H) 2.25 (L)
Channel Control	No
Display	No display
Industry	N/A
Intelligent Audio	N/A
Intrinsic Safety Rating	TIA4950(UL)
IP Rating	IP54
Microphone Type	Windporting
Programmable Button	Orange/emergency button only
Technology	IMPRES
Volume Control	No
Audiobuchse	3.5mm non-threaded



Noise-Canceling Remote Speaker Microphone

Noise-canceling Remote Speaker Microphone (RSM) with coiled cord, swivel clothing clip and 3.5mm audio jack—Intrinsically Safe (FM).

Model No: PMMN4039A

Description: MICROPHONE,REMOTE SPEAKER MIC, NC (PROF)

ROHS: Yes **CE:** Yes **Country of Origin:** MY

Price: €70.00

Weight (-)	-
Dimensions (IN-Inch)	1.13 (W) 26 (H) 2.25 (L)
Channel Control	No
Display	No display
Industry	N/A
Intelligent Audio	N/A
Intrinsic Safety Rating	No rating
IP Rating	IP54
Microphone Type	Noise-canceling
Programmable Button	No
Technology	Original
Volume Control	No
Audiobuchse	3.5mm non-threaded



Windporting Remote Speaker Microphone, IP57

This remote speaker microphone provides clear communication in severe wind and weather, thanks to Windporting technology and submersible capabilities.

Model No: PMMN4040A

Description: MICROPHONE,SUBMERSIBLE REMOTE SPEAKER MIC

ROHS: Yes **CE:** Yes **Country of Origin:** MY

Price: €91.00

Weight (-)	-
Dimensions (IN-Inch)	1.12 (W) 27 (H) 2.25 (L)
Channel Control	No
Display	No display
Industry	N/A
Intelligent Audio	N/A
Intrinsic Safety Rating	TIA4950(UL)
IP Rating	IP57
Microphone Type	Windporting
Programmable Button	No
Technology	Original
Volume Control	No
Audiobuchse	None



IMPRES Remote Speaker Microphone, IP57

Communicate clearly in severe weather with this IP57-rated remote speaker microphone, backed by IMPRES technology and advanced windporting features.

Model No: PMMN4046A

Description: MICROPHONE,IMPRES SPEAKER MIC W/VOL, IP57

ROHS: Yes **CE:** Yes **Country of Origin:** MY

Price: €151.00

Weight (-)	-
Dimensions (IN-Inch)	1.12 (W) 27 (H) 2.25 (L)
Channel Control	No
Display	No display
Industry	N/A
Intelligent Audio	N/A
Intrinsic Safety Rating	TIA4950(UL)
IP Rating	IP57
Microphone Type	Windporting
Programmable Button	Orange emergency and programmable button
Technology	IMPRES
Volume Control	Yes
Audiobuchse	None



IMPRES Windporting Remote Speaker Microphone

This IMPRES Remote Speaker Microphone (RSM) comes with a volume toggle switch and an emergency button for easy operation.

Model No: PMMN4099B

Description: AUDIO ACCESSORY-REMOTE SPEAKER MICROPHONE,IP68 REMOTE SPEAKER MICROPHONE,3.5MM,UL

ROHS: Yes **CE:** Yes **Country of Origin:** MY

Price: €166.00

Weight (-)	-
Dimensions (IN-Inch)	1.13 (W) 27 (H) 2.25 (L)
Channel Control	No
Display	No display
Industry	N/A
Intelligent Audio	N/A
Intrinsic Safety Rating	TIA4950(UL)
IP Rating	IP68
Microphone Type	Windporting
Programmable Button	Orange emergency and programmable button
Technology	IMPRES
Volume Control	Yes
Audiobuchse	3.5mm non-threaded



Large Active Noise Cancelling Remote Speaker Microphone (IMPRES) with Nexus plug

Model No: PMMN4102B

Description: ACCESSORY KIT,IMPRES ANC RSM UL/LONG CBL/NEX/3.5

ROHS: Yes **CE:** Yes **Country of Origin:** MY

Price: €515.00

Weight (-)	-
Dimensions (-)	- (W) - (H) - (L)
Channel Control	No
Display	No display
Industry	N/A
Intelligent Audio	N/A
Intrinsic Safety Rating	TIA4950(UL)
IP Rating	IP67
Microphone Type	Noise-canceling
Programmable Button	Orange emergency and programmable button
Technology	IMPRES
Volume Control	Yes
Audiobuchse	Nexus and 3.5mm locking



Large Omni-Directional Remote Speaker Microphone (IMPRES) with Nexus plug

Model No: PMMN4113A

Description: ACCESSORY KIT,ACCESSORY KIT,IMPRES OMNI RSM LONG CBL/NEX/3.5

ROHS: Yes **CE:** Yes **Country of Origin:** MY

Price: €509.00

Weight (-)	-
Dimensions (-)	- (W) - (H) - (L)
Channel Control	No
Display	No display
Industry	N/A
Intelligent Audio	N/A
Intrinsic Safety Rating	TIA4950(UL)
IP Rating	IP67
Microphone Type	Windporting
Programmable Button	Orange emergency and programmable button
Technology	IMPRES
Volume Control	Yes
Audiobuchse	Nexus and 3.5mm locking

PROFESSIONAL RADIOS

DP4800E ACCESSORIES

BATTERIES



IMPRES Li-Ion 3000 mAh Battery, IP68

Designed for the Silent Alert Belt Clip (PMLN7296), this IMPRES battery is ideal for loud environments where you otherwise would miss incoming communication. The IP68 rating means it can be fully submersed at one meter for 30 minutes.

Model No: PMNN4488A

Description: BATT IMPRES LIION HE DENS IP68 3000T FOR VIB BELT CLIP

ROHS: Yes **CE:** Yes **Country of Origin:** MY

Price: €196.00

Weight (-)	-
Dimensions (IN-Inch)	1 (W) 4.5 (H) 2 (L)
Chemistry	Li-Ion 3000 mAh
Intrinsic Safety Rating	No rating
IP Rating	IP68
Technology	IMPRES
Type	Battery



IMPRES Li-Ion 2900mAh UL-TIA4950 Battery

Model No: PMNN4489B

Description: BATT IMPRES LIION TIA4950 HE DENS IP68 2900T

ROHS: Yes **CE:** Yes **Country of Origin:** MY

Price: €255.00

Weight (LB-Pound)	0.46
Dimensions (IN-Inch)	1 (W) 4.42 (H) 2 (L)
Chemistry	Li-Ion 2900 mAh
Intrinsic Safety Rating	TIA4950(UL)
IP Rating	IP68
Technology	IMPRES
Type	Battery



IMPRES Li-Ion 2900mAh UL-TIA4950 Battery

Model No: PMNN4489C

Description: BATT IMPRES LIION TIA4950 HE DENS IP68 2900T

ROHS: Yes **CE:** Yes **Country of Origin:** MY

Price: €255.00

Weight (-)	-
Dimensions (-)	- (W) - (H) - (L)
Chemistry	Li-Ion 2900 mAh
Intrinsic Safety Rating	TIA4950(UL)
IP Rating	IP68
Technology	IMPRES
Type	Battery



IMPRES Li-Ion 2100mAh Battery

Model No: PMNN4491C

Description: BATT IMPRES LIION IP68 2100T

ROHS: Yes **CE:** Yes **Country of Origin:** MY

Price: €138.00

Weight (LB-Pound)	0.3
Dimensions (IN-Inch)	0.81 (W) 4.42 (H) 2 (L)
Chemistry	Li-Ion 2100 mAh
Intrinsic Safety Rating	No rating
IP Rating	IP68
Technology	IMPRES
Type	Battery

**BATT IMPRES LIION IP68 2100T****Model No:** PMNN4491D**Description:** BATT IMPRES LIION IP68 2100T**ROHS:** Yes **CE:** Yes **Country of Origin:** MY**Price:** €138.00

Weight (GM-Gram)	135
Dimensions (MM-Millimeter)	51.65 (W) 20.7 (H) 112.35 (L)
Chemistry	Li-Ion 2100 mAh
Intrinsic Safety Rating	No rating
IP Rating	IP68
Technology	IMPRES
Type	Battery

**BATT IMPRES LIION IP68 1950T****Model No:** PMNN4525B**Description:** BATT IMPRES LIION IP68 1950T**ROHS:** Yes **CE:** Yes **Country of Origin:** MY**Price:** €138.00

Weight (LB-Pound)	0.33
Dimensions (IN-Inch)	1 (W) 4.42 (H) 2 (L)
Chemistry	Li-Ion 1950 mAh
Intrinsic Safety Rating	No rating
IP Rating	IP68
Technology	IMPRES
Type	Battery

**IMPRES Li-Ion 2450mAh CE Battery**

Compatible with XPR 3000/3000e series and APX 7000/7000e series, this MOTOTRBO portable radio accessory is an IMPRES Li-Ion 2450 mAh IP68 battery.

Model No: PMNN4544A**Description:** BATT IMPRES LIION IP68 2450T**ROHS:** Yes **CE:** Yes **Country of Origin:** MY**Price:** €152.00

Weight (-)	-
Dimensions (IN-Inch)	0.88 (W) 4.38 (H) 2 (L)
Chemistry	Li-Ion 2450 mAh
Intrinsic Safety Rating	No rating
IP Rating	IP68
Technology	Original
Type	Battery

PROFESSIONAL RADIOS

DP4601E

MOTOTRBO™ DP4601e Digital Two-Way Radio VHF Model



With high-performance integrated voice and data, and advanced features for efficient operation, these radios deliver complete connectivity to your organisation.

With this dynamic evolution of MOTOTRBO digital two-way radios, you're better connected, safer and more productive. The DP4601e is designed for the skilled professional who refuses to compromise. With high-performance integrated voice and data, and advanced features for efficient operation, these next-generation radios deliver complete connectivity to your organisation.

The DP4601e features:

- Integrated accelerometer for optional Man Down
- Bluetooth® 4.0
- Indoor location tracking
- Integrated Wi-Fi®
- Over-the-air software updates
- Enhanced audio quality
- Improved expandability
- Better battery life (up to 28 hours)
- Better range (up to 8%)
- Better waterproofing (IP68)

Model No	Technical Description
MDH56JDQ9RA1AN	DP4601E VHF LKP GNSS BT WIFI PBER302FE ROHS: N/A CE: Yes Country of Origin: N/A

PRODUCT OPTIONS

Band Split	VHF
Display & Keypad Type	Display,Limited Keypad
Encryption Type	Basic Privacy,Enhanced Privacy
Enhanced Radio Features	GPS,Bluetooth,WiFi,Mandown,Indoor Location,Third Party Applications
Intrinsically Safe	No
IP Rating	IP68
Number of Channels	1000
Power	5W
Standard Package Includes:	1 x Radio,Battery,Charger,Antenna,Dust Cover,Belt Clip
System Compatibility	Analog Conventional,Digital Conventional,IP Site Connect,Capacity Plus Single,Capacity Plus Multi,Connect Plus,Capacity Max (Optional)
Type	Portable

PROFESSIONAL RADIOS

DP4601E

MOTOTRBO™ DP4601e Digital Two-Way Radio VHF Model

Model No	Technical Description	Price
MDH56JDQ9RA1AN	MOTOTRBO™ DP4601e Digital Two-Way Radio VHF Model	€773.00

MANDATORY OPTIONS:

	Option SKU	Description	Price
CLS ANT DP4X00 DP4X01 VHF	QA02425AA	ADD: VHF HELICAL ANT (136-155MHZ)	€0.00
	QA02426AA	ADD: VHF HELICAL ANT (144-165MHZ)	€0.00
	QA02427AA	ADD: VHF HELICAL ANT (152-174MHZ)	€0.00
	QA02428AA	ADD: VHF STUBBY ANT (136-148 MHZ)	€0.00
	QA02429AA	ADD: VHF STUBBY ANT (146-160 MHZ)	€0.00
	QA02430AA	ADD: VHF STUBBY ANT (160-174 MHZ)	€0.00
	QA06055AA	ADD: VHF WHIP ANT (136-174MHZ)	€13.00
CLS CHG DP4X00 DP4X01	QA02435AA	ADD: IMPRES SUC SMPS-CE UK 230V	€0.00
	QA02436AA	ADD: IMPRES SUC SMPS-CE EU 220/240V	€0.00
	QA02437AA	DEL: CHARGER	-€53.00
CLS MAN DP4X00 DP4X01	QA02440AA	ADD: DP4000 SERIES PORTABLE QRG	€3.00
	QA02441AA	DEL: QUICK REFERENCE GUIDE	€0.00
CLS RAD DP4601E VHF GNSS	QA06065AA	ADD: DP4601E STANDARD	€0.00
CLS BAT DP4000E HIGH TIER	QA06101AA	ADD: DP BATT IMP IP68 LIION 3000T (VIBRATING CLIP VER)	€96.00
	QA06102AA	ADD: DP BATT IMP IP68 LIION 2100T	€0.00
	QA06763AA	ADD: DP BATT IMP IP68 LIION 1950T (-30C)	€47.00
	QA07548AA	ADD: DP BATT IMP LIION 2450T	€71.00
PCR SERV OPTION	QA07706AB	STD: 5YR ENHANCED WARRANTY	€0.00
	QA07707AB	ADD: 5YR ENH WARR W REPAIR	€90.00

Option SKU	Description	Price
QA07708AB	ADD:5YR ENH WARR W REPAIR/ACC DMG	€185.00

PROFESSIONAL RADIOS

DP4601E

MOTOTRBO™ DP4601e Digital Two-Way Radio VHF Bulk Model



With high-performance integrated voice and data, and advanced features for efficient operation, these radios deliver complete connectivity to your organisation.

With this dynamic evolution of MOTOTRBO digital two-way radios, you're better connected, safer and more productive. The DP4601e is designed for the skilled professional who refuses to compromise. With high-performance integrated voice and data, and advanced features for efficient operation, these next-generation radios deliver complete connectivity to your organisation.

The DP4601e features:

- Integrated accelerometer for optional Man Down
- Bluetooth® 4.0
- Indoor location tracking
- Integrated Wi-Fi®
- Over-the-air software updates
- Enhanced audio quality
- Improved expandability
- Better battery life (up to 28 hours)
- Better range (up to 8%)
- Better waterproofing (IP68)

Model No	Technical Description
MDH56JDQ9RA1ANB	DP4601E VHF LKP GNSS BT WIFI PBER302FE ROHS: N/A CE: Yes Country of Origin: N/A

PRODUCT OPTIONS

Band Split	VHF
Display & Keypad Type	Display,Limited Keypad
Encryption Type	Basic Privacy,Enhanced Privacy
Enhanced Radio Features	GPS,Bluetooth,WiFi,Mandown,Indoor Location,Third Party Applications
Intrinsically Safe	No
IP Rating	IP68
Number of Channels	1000
Power	5W
Standard Package Includes:	1 x Radio,Battery,Charger,Antenna,Dust Cover,Belt Clip
System Compatibility	Analog Conventional,Digital Conventional,IP Site Connect,Capacity Plus Single,Capacity Plus Multi,Connect Plus,Capacity Max (Optional)
Type	Portable

PROFESSIONAL RADIOS

DP4601E

MOTOTRBO™ DP4601e Digital Two-Way Radio VHF Bulk Model

Model No	Technical Description	Price
MDH56JDQ9RA1ANB	MOTOTRBO™ DP4601e Digital Two-Way Radio VHF Bulk Model	€752.00

MANDATORY OPTIONS:

	Option SKU	Description	Price
CLS ANT DP4X00 DP4X01 VHF	QA02425AA	ADD: VHF HELICAL ANT (136-155MHZ)	€0.00
	QA02426AA	ADD: VHF HELICAL ANT (144-165MHZ)	€0.00
	QA02427AA	ADD: VHF HELICAL ANT (152-174MHZ)	€0.00
	QA02428AA	ADD: VHF STUBBY ANT (136-148 MHZ)	€0.00
	QA02429AA	ADD: VHF STUBBY ANT (146-160 MHZ)	€0.00
	QA02430AA	ADD: VHF STUBBY ANT (160-174 MHZ)	€0.00
	QA06055AA	ADD: VHF WHIP ANT (136-174MHZ)	€13.00
CLS MAN DP4X00 DP4X01	QA02440AA	ADD: DP4000 SERIES PORTABLE QRG	€3.00
	QA02441AA	DEL: QUICK REFERENCE GUIDE	€0.00
CLS CHG DP4X00 DP4X01 BULK	QA02633AA	ADD: IMPRES SUC SMPS-CE UK 230V	€0.00
	QA02634AA	ADD: IMPRES SUC SMPS-CE EU 220/240V	€0.00
	QA02635AA	DEL: CHARGER	-€53.00
CLS RAD DP4601E VHF GNSS	QA06065AA	ADD: DP4601E STANDARD	€0.00
CLS BAT DP4000E HIGH TIER	QA06101AA	ADD: DP BATT IMP IP68 LIION 3000T (VIBRATING CLIP VER)	€96.00
	QA06102AA	ADD: DP BATT IMP IP68 LIION 2100T	€0.00
	QA06763AA	ADD: DP BATT IMP IP68 LIION 1950T (-30C)	€47.00
	QA07548AA	ADD: DP BATT IMP LIION 2450T	€71.00
PCR SERV OPTION	QA07706AB	STD: 5YR ENHANCED WARRANTY	€0.00
	QA07707AB	ADD: 5YR ENH WARR W REPAIR	€90.00

Option SKU	Description	Price
QA07708AB	ADD:5YR ENH WARR W REPAIR/ACC DMG	€185.00

NON-MANDATORY OPTIONS:

	Option SKU	Description	Price
CLS 2ND BAT DP4000E HIGH TIER	QA06113AA	ADD: 2ND DP BATT IMP IP68 LIION 3000T (VIBRATING CLIP VER)	€188.00
	QA06114AA	ADD: 2ND DP BATT IMP IP68 LIION 2100T	€100.00
	QA06764AA	ADD: 2ND DP BATT IMP IP68 LIION 1950T (-30C)	€139.00
	QA07549AA	ADD: 2ND DP BATT IMP LIION 2450T	€147.00

PROFESSIONAL RADIOS

DP4601E

MOTOTRBO™ DP4601e Digital Two-Way Radio VHF TIA Bulk Model



With high-performance integrated voice and data, and advanced features for efficient operation, these radios deliver complete connectivity to your organisation.

With this dynamic evolution of MOTOTRBO digital two-way radios, you're better connected, safer and more productive. The DP4601e is designed for the skilled professional who refuses to compromise. With high-performance integrated voice and data, and advanced features for efficient operation, these next-generation radios deliver complete connectivity to your organisation.

The DP4601e features:

- Integrated accelerometer for optional Man Down
- Bluetooth® 4.0
- Indoor location tracking
- Integrated Wi-Fi®
- Over-the-air software updates
- Enhanced audio quality
- Improved expandability
- Better battery life (up to 28 hours)
- Better range (up to 8%)
- Better waterproofing (IP68)

Model No	Technical Description
MDH56JDQ9RA1ANBTIA	DP4601E VHF LKP GNSS BT WIFI TIA PBER302FE ROHS: N/A CE: Yes Country of Origin: N/A

PRODUCT OPTIONS

Band Split	VHF
Display & Keypad Type	Display,Limited Keypad
Encryption Type	Basic Privacy,Enhanced Privacy
Enhanced Radio Features	GPS,Bluetooth,WiFi,Mandown,Indoor Location,Third Party Applications
Intrinsically Safe	Yes (TIA)
IP Rating	IP68
Number of Channels	1000
Power	5W
Standard Package Includes:	1 x Radio,Battery,Charger,Antenna,Dust Cover,Belt Clip
System Compatibility	Analog Conventional,Digital Conventional,IP Site Connect,Capacity Plus Single,Capacity Plus Multi,Connect Plus,Capacity Max (Optional)
Type	Portable

PROFESSIONAL RADIOS

DP4601E

MOTOTRBO™ DP4601e Digital Two-Way Radio VHF TIA Bulk Model

Model No	Technical Description	Price
MDH56JDQ9RA1ANBTIA	MOTOTRBO™ DP4601e Digital Two-Way Radio VHF TIA Bulk Model	€752.00

MANDATORY OPTIONS:

	Option SKU	Description	Price
CLS ANT DP4X00 DP4X01 VHF	QA02425AA	ADD: VHF HELICAL ANT (136-155MHZ)	€0.00
	QA02426AA	ADD: VHF HELICAL ANT (144-165MHZ)	€0.00
	QA02427AA	ADD: VHF HELICAL ANT (152-174MHZ)	€0.00
	QA02428AA	ADD: VHF STUBBY ANT (136-148 MHZ)	€0.00
	QA02429AA	ADD: VHF STUBBY ANT (146-160 MHZ)	€0.00
	QA02430AA	ADD: VHF STUBBY ANT (160-174 MHZ)	€0.00
	QA06055AA	ADD: VHF WHIP ANT (136-174MHZ)	€13.00
CLS MAN DP4X00 DP4X01	QA02440AA	ADD: DP4000 SERIES PORTABLE QRG	€3.00
	QA02441AA	DEL: QUICK REFERENCE GUIDE	€0.00
CLS CHG DP4X00 DP4X01 BULK	QA02633AA	ADD: IMPRES SUC SMPS-CE UK 230V	€0.00
	QA02634AA	ADD: IMPRES SUC SMPS-CE EU 220/240V	€0.00
	QA02635AA	DEL: CHARGER	-€53.00
CLS BAT DP4000E HIGH TIER TIA	QA05791AA	ADD: DP BATT IMP TIA4950 LIION 2900T	€141.00
CLS RAD DP4601E VHF GNSS TIA	QA06065AB	ADD: DP4601E TIA STANDARD	€0.00
PCR SERV OPTION	QA07706AB	STD: 5YR ENHANCED WARRANTY	€0.00
	QA07707AB	ADD: 5YR ENH WARR W REPAIR	€90.00
	QA07708AB	ADD: 5YR ENH WARR W REPAIR/ACC DMG	€185.00

PROFESSIONAL RADIOS

DP4601E

MOTOTRBO™ DP4601e Digital Two-Way Radio VHF TIA Model



With high-performance integrated voice and data, and advanced features for efficient operation, these radios deliver complete connectivity to your organisation.

With this dynamic evolution of MOTOTRBO digital two-way radios, you're better connected, safer and more productive. The DP4601e is designed for the skilled professional who refuses to compromise. With high-performance integrated voice and data, and advanced features for efficient operation, these next-generation radios deliver complete connectivity to your organisation.

The DP4601e features:

- Integrated accelerometer for optional Man Down
- Bluetooth® 4.0
- Indoor location tracking
- Integrated Wi-Fi®
- Over-the-air software updates
- Enhanced audio quality
- Improved expandability
- Better battery life (up to 28 hours)
- Better range (up to 8%)
- Better waterproofing (IP68)

Model No	Technical Description
MDH56JDQ9RA1ANTIA	DP4601E VHF LKP GNSS BT WIFI TIA PBER302FE ROHS: N/A CE: Yes Country of Origin: N/A

PRODUCT OPTIONS

Band Split	VHF
Display & Keypad Type	Display,Limited Keypad
Encryption Type	Basic Privacy,Enhanced Privacy
Enhanced Radio Features	GPS,Bluetooth,WiFi,Mandown,Indoor Location,Third Party Applications
Intrinsically Safe	Yes (TIA)
IP Rating	IP68
Number of Channels	1000
Power	5W
Standard Package Includes:	1 x Radio,Battery,Charger,Antenna,Dust Cover,Belt Clip
System Compatibility	Analog Conventional,Digital Conventional,IP Site Connect,Capacity Plus Single,Capacity Plus Multi,Connect Plus,Capacity Max (Optional)
Type	Portable

PROFESSIONAL RADIOS

DP4601E

MOTOTRBO™ DP4601e Digital Two-Way Radio VHF TIA Model

Model No	Technical Description	Price
MDH56JDQ9RA1ANTIA	MOTOTRBO™ DP4601e Digital Two-Way Radio VHF TIA Model	€773.00

MANDATORY OPTIONS:

	Option SKU	Description	Price
CLS ANT DP4X00 DP4X01 VHF	QA02425AA	ADD: VHF HELICAL ANT (136-155MHZ)	€0.00
	QA02426AA	ADD: VHF HELICAL ANT (144-165MHZ)	€0.00
	QA02427AA	ADD: VHF HELICAL ANT (152-174MHZ)	€0.00
	QA02428AA	ADD: VHF STUBBY ANT (136-148 MHZ)	€0.00
	QA02429AA	ADD: VHF STUBBY ANT (146-160 MHZ)	€0.00
	QA02430AA	ADD: VHF STUBBY ANT (160-174 MHZ)	€0.00
	QA06055AA	ADD: VHF WHIP ANT (136-174MHZ)	€13.00
CLS CHG DP4X00 DP4X01	QA02435AA	ADD: IMPRES SUC SMPS-CE UK 230V	€0.00
	QA02436AA	ADD: IMPRES SUC SMPS-CE EU 220/240V	€0.00
	QA02437AA	DEL: CHARGER	-€53.00
CLS MAN DP4X00 DP4X01	QA02440AA	ADD: DP4000 SERIES PORTABLE QRG	€3.00
	QA02441AA	DEL: QUICK REFERENCE GUIDE	€0.00
CLS BAT DP4000E HIGH TIER TIA	QA05791AA	ADD: DP BATT IMP TIA4950 LIION 2900T	€141.00
CLS RAD DP4601E VHF GNSS TIA	QA06065AB	ADD: DP4601E TIA STANDARD	€0.00
PCR SERV OPTION	QA07706AB	STD: 5YR ENHANCED WARRANTY	€0.00
	QA07707AB	ADD: 5YR ENH WARR W REPAIR	€90.00
	QA07708AB	ADD: 5YR ENH WARR W REPAIR/ACC DMG	€185.00

PROFESSIONAL RADIOS

DP4601E

MOTOTRBO™ DP4601e Digital Two-Way Radio UHF Model



With high-performance integrated voice and data, and advanced features for efficient operation, these radios deliver complete connectivity to your organisation.

With this dynamic evolution of MOTOTRBO digital two-way radios, you're better connected, safer and more productive. The DP4601e is designed for the skilled professional who refuses to compromise. With high-performance integrated voice and data, and advanced features for efficient operation, these next-generation radios deliver complete connectivity to your organisation.

The DP4601e features:

- Integrated accelerometer for optional Man Down
- Bluetooth® 4.0
- Indoor location tracking
- Integrated Wi-Fi®
- Over-the-air software updates
- Enhanced audio quality
- Improved expandability
- Better battery life (up to 28 hours)
- Better range (up to 8%)
- Better waterproofing (IP68)

Model No	Technical Description
MDH56RDQ9RA1AN	DP4601E UHF LKP GNSS BT WIFI PBER502FE ROHS: N/A CE: Yes Country of Origin: N/A

PRODUCT OPTIONS

Band Split	UHF
Display & Keypad Type	Display,Limited Keypad
Encryption Type	Basic Privacy,Enhanced Privacy
Enhanced Radio Features	GPS,Bluetooth,WiFi,Mandown,Indoor Location,Third Party Applications
Intrinsically Safe	No
IP Rating	IP68
Number of Channels	1000
Power	4W
Standard Package Includes:	1 x Radio,Battery,Charger,Antenna,Dust Cover,Belt Clip
System Compatibility	Analog Conventional,Digital Conventional,IP Site Connect,Capacity Plus Single,Capacity Plus Multi,Connect Plus,Capacity Max (Optional)
Type	Portable

PROFESSIONAL RADIOS

DP4601E

MOTOTRBO™ DP4601e Digital Two-Way Radio UHF Model

Model No	Technical Description	Price
MDH56RDQ9RA1AN	MOTOTRBO™ DP4601e Digital Two-Way Radio UHF Model	€773.00

MANDATORY OPTIONS:

	Option SKU	Description	Price
CLS ANT DP4X00 DP4X01 UHF	QA02431AA	ADD: UHF WHIP ANT (403-527MHZ)	€0.00
	QA02432AA	ADD: UHF STUBBY ANT (405-450MHZ)	€0.00
	QA02433AA	ADD: UHF STUBBY ANT (440-490MHZ)	€0.00
	QA02434AA	ADD: UHF STUBBY ANT (470-527MHZ)	€0.00
CLS CHG DP4X00 DP4X01	QA02435AA	ADD: IMPRES SUC SMPS-CE UK 230V	€0.00
	QA02436AA	ADD: IMPRES SUC SMPS-CE EU 220/240V	€0.00
	QA02437AA	DEL: CHARGER	-€53.00
CLS MAN DP4X00 DP4X01	QA02440AA	ADD: DP4000 SERIES PORTABLE QRG	€3.00
	QA02441AA	DEL: QUICK REFERENCE GUIDE	€0.00
CLS RAD DP4601E UHF GNSS	QA06086AA	ADD: DP4601E STANDARD	€0.00
CLS BAT DP4000E HIGH TIER	QA06101AA	ADD: DP BATT IMP IP68 LIION 3000T (VIBRATING CLIP VER)	€96.00
	QA06102AA	ADD: DP BATT IMP IP68 LIION 2100T	€0.00
	QA06763AA	ADD: DP BATT IMP IP68 LIION 1950T (-30C)	€47.00
	QA07548AA	ADD: DP BATT IMP LIION 2450T	€71.00
PCR SERV OPTION	QA07706AB	STD: 5YR ENHANCED WARRANTY	€0.00
	QA07707AB	ADD: 5YR ENH WARR W REPAIR	€90.00
	QA07708AB	ADD: 5YR ENH WARR W REPAIR/ACC DMG	€185.00

PROFESSIONAL RADIOS

DP4601E

MOTOTRBO™ DP4601e Digital Two-Way Radio UHF Bulk Model



With high-performance integrated voice and data, and advanced features for efficient operation, these radios deliver complete connectivity to your organisation.

With this dynamic evolution of MOTOTRBO digital two-way radios, you're better connected, safer and more productive. The DP4601e is designed for the skilled professional who refuses to compromise. With high-performance integrated voice and data, and advanced features for efficient operation, these next-generation radios deliver complete connectivity to your organisation.

The DP4601e features:

- Integrated accelerometer for optional Man Down
- Bluetooth® 4.0
- Indoor location tracking
- Integrated Wi-Fi®
- Over-the-air software updates
- Enhanced audio quality
- Improved expandability
- Better battery life (up to 28 hours)
- Better range (up to 8%)
- Better waterproofing (IP68)

Model No	Technical Description
MDH56RDQ9RA1ANB	DP4601E UHF LKP GNSS BT WIFI PBER502FE ROHS: N/A CE: Yes Country of Origin: N/A

PRODUCT OPTIONS

Band Split	UHF
Display & Keypad Type	Display,Limited Keypad
Encryption Type	Basic Privacy,Enhanced Privacy
Enhanced Radio Features	GPS,Bluetooth,WiFi,Mandown,Indoor Location,Third Party Applications
Intrinsically Safe	No
IP Rating	IP68
Number of Channels	1000
Power	4W
Standard Package Includes:	1 x Radio,Battery,Charger,Antenna,Dust Cover,Belt Clip
System Compatibility	Analog Conventional,Digital Conventional,IP Site Connect,Capacity Plus Single,Capacity Plus Multi,Connect Plus,Capacity Max (Optional)
Type	Portable

PROFESSIONAL RADIOS

DP4601E

MOTOTRBO™ DP4601e Digital Two-Way Radio UHF Bulk Model

Model No	Technical Description	Price
MDH56RDQ9RA1ANB	MOTOTRBO™ DP4601e Digital Two-Way Radio UHF Bulk Model	€752.00

MANDATORY OPTIONS:

	Option SKU	Description	Price
CLS ANT DP4X00 DP4X01 UHF	QA02431AA	ADD: UHF WHIP ANT (403-527MHZ)	€0.00
	QA02432AA	ADD: UHF STUBBY ANT (405-450MHZ)	€0.00
	QA02433AA	ADD: UHF STUBBY ANT (440-490MHZ)	€0.00
	QA02434AA	ADD: UHF STUBBY ANT (470-527MHZ)	€0.00
CLS MAN DP4X00 DP4X01	QA02440AA	ADD: DP4000 SERIES PORTABLE QRG	€3.00
	QA02441AA	DEL: QUICK REFERENCE GUIDE	€0.00
CLS CHG DP4X00 DP4X01 BULK	QA02633AA	ADD: IMPRES SUC SMPS-CE UK 230V	€0.00
	QA02634AA	ADD: IMPRES SUC SMPS-CE EU 220/240V	€0.00
	QA02635AA	DEL: CHARGER	-€53.00
CLS RAD DP4601E UHF GNSS	QA06086AA	ADD: DP4601E STANDARD	€0.00
CLS BAT DP4000E HIGH TIER	QA06101AA	ADD: DP BATT IMP IP68 LIION 3000T (VIBRATING CLIP VER)	€96.00
	QA06102AA	ADD: DP BATT IMP IP68 LIION 2100T	€0.00
	QA06763AA	ADD: DP BATT IMP IP68 LIION 1950T (-30C)	€47.00
	QA07548AA	ADD: DP BATT IMP LIION 2450T	€71.00
PCR SERV OPTION	QA07706AB	STD: 5YR ENHANCED WARRANTY	€0.00
	QA07707AB	ADD: 5YR ENH WARR W REPAIR	€90.00
	QA07708AB	ADD: 5YR ENH WARR W REPAIR/ACC DMG	€185.00

NON-MANDATORY OPTIONS:

	Option SKU	Description	Price
CLS 2ND BAT DP4000E HIGH TIER	QA06113AA	ADD: 2ND DP BATT IMP IP68 LIION 3000T (VIBRATING CLIP VER)	€188.00
	QA06114AA	ADD: 2ND DP BATT IMP IP68 LIION 2100T	€100.00
	QA06764AA	ADD: 2ND DP BATT IMP IP68 LIION 1950T (-30C)	€139.00
	QA07549AA	ADD: 2ND DP BATT IMP LIION 2450T	€147.00

PROFESSIONAL RADIOS

DP4601E

MOTOTRBO™ DP4601e Digital Two-Way Radio UHF TIA Bulk Model



With high-performance integrated voice and data, and advanced features for efficient operation, these radios deliver complete connectivity to your organisation.

With this dynamic evolution of MOTOTRBO digital two-way radios, you're better connected, safer and more productive. The DP4601e is designed for the skilled professional who refuses to compromise. With high-performance integrated voice and data, and advanced features for efficient operation, these next-generation radios deliver complete connectivity to your organisation.

The DP4601e features:

- Integrated accelerometer for optional Man Down
- Bluetooth® 4.0
- Indoor location tracking
- Integrated Wi-Fi®
- Over-the-air software updates
- Enhanced audio quality
- Improved expandability
- Better battery life (up to 28 hours)
- Better range (up to 8%)
- Better waterproofing (IP68)

Model No	Technical Description
MDH56RDQ9RA1ANBTIA	DP4601E UHF LKP GNSS BT WIFI TIA PBER502FE ROHS: N/A CE: Yes Country of Origin: N/A

PRODUCT OPTIONS

Band Split	UHF
Display & Keypad Type	Display,Limited Keypad
Encryption Type	Basic Privacy,Enhanced Privacy
Enhanced Radio Features	GPS,Bluetooth,WiFi,Mandown,Indoor Location,Third Party Applications
Intrinsically Safe	Yes (TIA)
IP Rating	IP68
Number of Channels	1000
Power	4W
Standard Package Includes:	1 x Radio,Battery,Charger,Antenna,Dust Cover,Belt Clip
System Compatibility	Analog Conventional,Digital Conventional,IP Site Connect,Capacity Plus Single,Capacity Plus Multi,Connect Plus,Capacity Max (Optional)
Type	Portable

PROFESSIONAL RADIOS

DP4601E

MOTOTRBO™ DP4601e Digital Two-Way Radio UHF TIA Bulk Model

Model No	Technical Description	Price
MDH56RDQ9RA1ANBTIA	MOTOTRBO™ DP4601e Digital Two-Way Radio UHF TIA Bulk Model	€752.00

MANDATORY OPTIONS:

	Option SKU	Description	Price
CLS ANT DP4X00 DP4X01 UHF	QA02431AA	ADD: UHF WHIP ANT (403-527MHZ)	€0.00
	QA02432AA	ADD: UHF STUBBY ANT (405-450MHZ)	€0.00
	QA02433AA	ADD: UHF STUBBY ANT (440-490MHZ)	€0.00
	QA02434AA	ADD: UHF STUBBY ANT (470-527MHZ)	€0.00
CLS MAN DP4X00 DP4X01	QA02440AA	ADD: DP4000 SERIES PORTABLE QRG	€3.00
	QA02441AA	DEL: QUICK REFERENCE GUIDE	€0.00
CLS CHG DP4X00 DP4X01 BULK	QA02633AA	ADD: IMPRES SUC SMPS-CE UK 230V	€0.00
	QA02634AA	ADD: IMPRES SUC SMPS-CE EU 220/240V	€0.00
	QA02635AA	DEL: CHARGER	-€53.00
CLS BAT DP4000E HIGH TIER TIA	QA05791AA	ADD: DP BATT IMP TIA4950 LIION 2900T	€141.00
CLS RAD DP4601E UHF GNSS TIA	QA06086AB	ADD: DP4601E TIA STANDARD	€0.00
PCR SERV OPTION	QA07706AB	STD: 5YR ENHANCED WARRANTY	€0.00
	QA07707AB	ADD: 5YR ENH WARR W REPAIR	€90.00
	QA07708AB	ADD: 5YR ENH WARR W REPAIR/ACC DMG	€185.00

PROFESSIONAL RADIOS

DP4601E

MOTOTRBO™ DP4601e Digital Two-Way Radio UHF TIA Model



With high-performance integrated voice and data, and advanced features for efficient operation, these radios deliver complete connectivity to your organisation.

With this dynamic evolution of MOTOTRBO digital two-way radios, you're better connected, safer and more productive. The DP4601e is designed for the skilled professional who refuses to compromise. With high-performance integrated voice and data, and advanced features for efficient operation, these next-generation radios deliver complete connectivity to your organisation.

The DP4601e features:

- Integrated accelerometer for optional Man Down
- Bluetooth® 4.0
- Indoor location tracking
- Integrated Wi-Fi®
- Over-the-air software updates
- Enhanced audio quality
- Improved expandability
- Better battery life (up to 28 hours)
- Better range (up to 8%)
- Better waterproofing (IP68)

Model No	Technical Description
MDH56RDQ9RA1ANTIA	DP4601E UHF LKP GNSS BT WIFI TIA PBER502FE ROHS: N/A CE: Yes Country of Origin: N/A

PRODUCT OPTIONS

Band Split	UHF
Display & Keypad Type	Display,Limited Keypad
Encryption Type	Basic Privacy,Enhanced Privacy
Enhanced Radio Features	GPS,Bluetooth,WiFi,Mandown,Indoor Location,Third Party Applications
Intrinsically Safe	Yes (TIA)
IP Rating	IP68
Number of Channels	1000
Power	4W
Standard Package Includes:	1 x Radio,Battery,Charger,Antenna,Dust Cover,Belt Clip
System Compatibility	Analog Conventional,Digital Conventional,IP Site Connect,Capacity Plus Single,Capacity Plus Multi,Connect Plus,Capacity Max (Optional)
Type	Portable

PROFESSIONAL RADIOS

DP4601E

MOTOTRBO™ DP4601e Digital Two-Way Radio UHF TIA Model

Model No	Technical Description	Price
MDH56RDQ9RA1ANTIA	MOTOTRBO™ DP4601e Digital Two-Way Radio UHF TIA Model	€773.00

MANDATORY OPTIONS:

	Option SKU	Description	Price
CLS ANT DP4X00 DP4X01 UHF	QA02431AA	ADD: UHF WHIP ANT (403-527MHZ)	€0.00
	QA02432AA	ADD: UHF STUBBY ANT (405-450MHZ)	€0.00
	QA02433AA	ADD: UHF STUBBY ANT (440-490MHZ)	€0.00
	QA02434AA	ADD: UHF STUBBY ANT (470-527MHZ)	€0.00
CLS CHG DP4X00 DP4X01	QA02435AA	ADD: IMPRES SUC SMPS-CE UK 230V	€0.00
	QA02436AA	ADD: IMPRES SUC SMPS-CE EU 220/240V	€0.00
	QA02437AA	DEL: CHARGER	-€53.00
CLS MAN DP4X00 DP4X01	QA02440AA	ADD: DP4000 SERIES PORTABLE QRG	€3.00
	QA02441AA	DEL: QUICK REFERENCE GUIDE	€0.00
CLS BAT DP4000E HIGH TIER TIA	QA05791AA	ADD: DP BATT IMP TIA4950 LIION 2900T	€141.00
CLS RAD DP4601E UHF GNSS TIA	QA06086AB	ADD: DP4601E TIA STANDARD	€0.00
PCR SERV OPTION	QA07706AB	STD: 5YR ENHANCED WARRANTY	€0.00
	QA07707AB	ADD: 5YR ENH WARR W REPAIR	€90.00
	QA07708AB	ADD: 5YR ENH WARR W REPAIR/ACC DMG	€185.00

PROFESSIONAL RADIOS

DP4601E ACCESSORIES

CHARGERS



Europe Cable

CBL,EUROPE

Model No: 3004209T01

Description: CBL,EUROPE

ROHS: Yes

CE: Yes

Country of Origin: CN

Price: €16.00

Weight (-)	-
Dimensions (-)	- (W) - (H) - (L)
Number of Displays	0
Number of Pockets	1
Plug Type	EURO
Power Source	N/A
Technology	Line cord
Type	Charger component



CBL,GB

Model No: 3004209T02

Description: CBL,GB

ROHS: Yes

CE: Yes

Country of Origin: CN

Price: €16.00

Weight (-)	-
Dimensions (-)	- (W) - (H) - (L)
Number of Displays	0
Number of Pockets	1
Plug Type	UK/HK
Power Source	N/A
Technology	Line cord
Type	Charger component



Wall Mount Bracket

This bracket is used to mount your multi-unit charger on the wall.

Model No: BR000272A01

Description: BRACKET, WALL MOUNT, 6WAY MAINTENANCE MUC

ROHS: Yes

CE: N/A

Country of Origin: MY

Price: €74.00

Weight (KG-Kilogram)	2.2
Dimensions (IN-Inch)	16 (W) 6.8 (H) 8.5 (L)
Number of Displays	0
Number of Pockets	1
Plug Type	N/A
Power Source	N/A
Technology	Mounting component(s)
Type	Charger component



IMPRES Compatible Vehicular Charger

This IMPRES vehicular charger has full IMPRES charger-to-battery communication capability to optimize the life of your battery.

Model No: NNTN7616D

Description: CHR IMP VEH EXT EU

ROHS: Yes

CE: Yes

Country of Origin: MX

Price: €737.00

Weight (-)	-
Dimensions (IN-Inch)	3.5 (W) 5.25 (H) 3.5 (L)
Number of Displays	0
Number of Pockets	1
Plug Type	N/A
Power Source	Vehicle power hardware
Technology	IMPRES™
Type	Vehicular charger kit



Single unit charger with Euro power supply

Rapid rate charger with LED to indicate charge status, comes with Euro specification power supply and cord

Model No: NNTN8273A

Description: ACCESSORY KIT,CHARGER STD SUC W/ POWER SUPPLY, SWITCH-MODE-21W, EURO

ROHS: Yes **CE:** Yes **Country of Origin:** N/A

Price: €80.00

Weight (GM-Gram)	165
Dimensions (MM-Millimeter)	114 (W) 26 (H) 115 (L)
Number of Displays	0
Number of Pockets	1
Plug Type	EURO
Power Source	N/A
Technology	Motorola original
Type	Single unit charger



Core Single Unit Charger (UK)

Rapid rate standard charger for non-IMPRES MOTOTRBO batteries. Note that if IMPRES batteries are charged in a non-IMPRES charger, additional six month warranty is voided.

Model No: NNTN8274A

Description: ACCESSORY KIT,CHARGER STD SUC W/ POWER SUPPLY, SWITCH-MODE-21W, UK/HONG KONG

ROHS: Yes **CE:** Yes **Country of Origin:** MY

Price: €80.00

Weight (GM-Gram)	165
Dimensions (MM-Millimeter)	114 (W) 26 (H) 115 (L)
Number of Displays	0
Number of Pockets	1
Plug Type	UK/HK
Power Source	N/A
Technology	Motorola original
Type	Single unit charger



Vehicular Travel Charger Adapter With Mounting Base and Coil Cord

Model No: NNTN8525A

Description: CHARGER TRAVEL

ROHS: Yes **CE:** Yes **Country of Origin:** MY

Price: €207.00

Weight (GM-Gram)	160
Dimensions (MM-Millimeter)	57 (W) 63 (H) 67 (L)
Number of Displays	0
Number of Pockets	1
Plug Type	N/A
Power Source	Vehicle power outlet
Technology	Motorola original
Type	Vehicular charger kit



IMPRES™ 2 Multi-Unit Charger, Base Only

Model No: PMPN4283A

Description: CHARGER DESKTOP MULTI-UNIT IMPRES 2 1 DISPLAY EXT PS 100-240VAC

ROHS: Yes **CE:** Yes **Country of Origin:** MY

Price: €791.00

Weight (GM-Gram)	2200
Dimensions (MM-Millimeter)	95 (W) 116 (H) 445 (L)
Number of Displays	1
Number of Pockets	6
Plug Type	N/A
Power Source	N/A
Technology	IMPRES™ 2
Type	Charger base



CHARGER DESKTOP MULTI-UNIT IMPRES 2 1 DISPLAY EXT PS 100-240VAC

Model No: PMPN4283B

Description: CHARGER DESKTOP MULTI-UNIT IMPRES 2 1 DISPLAY EXT PS 100-240VAC

ROHS: Yes **CE:** Yes **Country of Origin:** MY

Price: €791.00

Weight (-)	-
Dimensions (-)	- (W) - (H) - (L)
Number of Displays	1
Number of Pockets	6
Plug Type	N/A
Power Source	100-240 VAC
Technology	IMPRES™
Type	Charger base

**IMPRES™ 2 Multi-Unit Charger, w/Power Supply US**

Simultaneously charges up to 6 batteries or devices with IMPRES(TM) extended service life algorithms. Includes one display to view battery information. Built in USB interface for charger firmware upgrades and connectivity to Fleet Management application. See below for compatible solutions and field service items.

Model No: PMPN4284A

Description: CHARGER DESKTOP MULTI-UNIT IMPRES 2 1 DISPLAY EXT PS 100-240VAC US/NA

ROHS: Yes **CE:** Yes **Country of Origin:** MY

Price: €823.00

Weight (GM-Gram)	2200
Dimensions (MM-Millimeter)	95 (W) 116 (H) 445 (L)
Number of Displays	1
Number of Pockets	6
Plug Type	US
Power Source	N/A
Technology	IMPRES™ 2
Type	Multi unit charger

**IMPRES™ 2 Multi-Unit Charger, w/Power Supply EU**

Compatible with XPR and DP series radios, this MOTOTRBO charger is an IMPRES 2 multi-unit fast charger with 1 display, EURO plug.

Model No: PMPN4289A

Description: CHARGER DESKTOP MULTI-UNIT IMPRES 2 1 DISPLAY EXT PS 100-240VAC EU

ROHS: Yes **CE:** Yes **Country of Origin:** MY

Price: €823.00

Weight (GM-Gram)	2200
Dimensions (MM-Millimeter)	95 (W) 116 (H) 445 (L)
Number of Displays	1
Number of Pockets	6
Plug Type	EURO
Power Source	N/A
Technology	IMPRES™ 2
Type	Multi unit charger

**CHARGER DESKTOP MULTI-UNIT IMPRES 2 1 DISPLAY EXT PS 100 - 240VAC EU**

Model No: PMPN4289B

Description: CHARGER DESKTOP MULTI-UNIT IMPRES 2 1 DISPLAY EXT PS 100 - 240VAC EU

ROHS: Yes **CE:** Yes **Country of Origin:** N/A

Price: €823.00

Weight (-)	-
Dimensions (-)	- (W) - (H) - (L)
Number of Displays	1
Number of Pockets	6
Plug Type	EURO
Power Source	100-240 VAC
Technology	IMPRES™
Type	Multi unit charger

**IMPRES™ 2 Multi-Unit Charger, w/Power Supply UK/HK**

Model No: PMPN4290A

Description: CHARGER DESKTOP MULTI-UNIT IMPRES 2 1 DISPLAY EXT PS 100-240VAC UK/HK

ROHS: Yes **CE:** Yes **Country of Origin:** MY

Price: €823.00

Weight (GM-Gram)	2200
Dimensions (MM-Millimeter)	95 (W) 116 (H) 445 (L)
Number of Displays	1
Number of Pockets	6
Plug Type	UK/HK
Power Source	N/A
Technology	IMPRES™ 2
Type	Multi unit charger

**CHARGER DESKTOP MULTI-UNIT IMPRES 2 1 DISPLAY EXT PS 100 - 240VAC UK/HK**

Model No: PMPN4290B

Description: CHARGER DESKTOP MULTI-UNIT IMPRES 2 1 DISPLAY EXT PS 100 - 240VAC UK/HK

ROHS: Yes **CE:** Yes **Country of Origin:** N/A

Price: €823.00

Weight (-)	-
Dimensions (-)	- (W) - (H) - (L)
Number of Displays	1
Number of Pockets	6
Plug Type	UK/HK
Power Source	N/A
Technology	IMPRES™ 2
Type	Multi unit charger

**IMPRES™ Single Unit Charger, Base Only**

The IMPRES™ single-unit charger offers extended talk time, thanks to optimized battery life and reliable IMPRES technology.

Model No: PMPN4527A

Description: CHARGER,CHGR DESKTOP SINGLE UNIT IMPRES BASE ONLY EXT PS

ROHS: Yes **CE:** Yes **Country of Origin:** MY

Price: €80.00

Weight (GM-Gram)	110
Dimensions (MM-Millimeter)	94 (W) 51 (H) 88 (L)
Number of Displays	0
Number of Pockets	1
Plug Type	N/A
Power Source	N/A
Technology	IMPRES™
Type	Charger base

**IMPRES™ Single Unit Charger, w/Power Supply UK/HK**

The IMPRES™ single-unit charger offers extended talk time, thanks to optimized battery life and reliable IMPRES technology.

Model No: PMPN4572A

Description: CHARGER,CHGR DESKTOP SINGLE UNIT IMPRES EXT PS UK/HK

ROHS: Yes **CE:** Yes **Country of Origin:** MY

Price: €96.00

Weight (GM-Gram)	110
Dimensions (MM-Millimeter)	94 (W) 51 (H) 88 (L)
Number of Displays	0
Number of Pockets	1
Plug Type	UK/HK
Power Source	N/A
Technology	IMPRES™
Type	Single unit charger

**IMPRES™ Single Unit Charger w/Power Supply, North America plug**

The IMPRES™ single-unit charger offers extended talk time, thanks to optimized battery life and reliable IMPRES technology.

Model No: PMPN4576A

Description: CHARGER,CHGR DESKTOP SINGLE UNIT IMPRES EXT PS US/NA/TW

ROHS: Yes **CE:** Yes **Country of Origin:** N/A

Price: €96.00

Weight (GM-Gram)	110
Dimensions (MM-Millimeter)	94 (W) 51 (H) 88 (L)
Number of Displays	0
Number of Pockets	1
Plug Type	US/NA
Power Source	N/A
Technology	IMPRES™
Type	Single unit charger

**IMPRES™ Single Unit Charger, w/Power Supply EU**

The IMPRES™ single-unit charger offers extended talk time, thanks to optimized battery life and reliable IMPRES technology.

Model No: PMPN4577A

Description: CHARGER,CHGR DESKTOP SINGLE UNIT IMPRES EXT PS EU

ROHS: Yes **CE:** Yes **Country of Origin:** MY

Price: €96.00

Weight (GM-Gram)	110
Dimensions (MM-Millimeter)	94 (W) 51 (H) 88 (L)
Number of Displays	0
Number of Pockets	1
Plug Type	EURO
Power Source	N/A
Technology	IMPRES™
Type	Single unit charger

**Micro-USB Wall Cube Charger**

This is a power supply for Motorola SL 7550 radios.

Model No: PS000042A11

Description: POWER SUPPLY ADAPTOR,POWER- WALL CUBE,AC,DC,PWR SUPPLY ADPT,WALL CUBE,AC,DC,SWITCH MODE,5W,100V-240V,MICRO-USB,US/JP

ROHS: Yes **CE:** No **Country of Origin:** CN

Price: €22.50

Weight (-)	-
Dimensions (IN-Inch)	1.75 (W) 2.63 (H) 1.25 (L)
Number of Displays	0
Number of Pockets	1
Plug Type	US
Power Source	N/A
Technology	Power supply
Type	Charger component

**Micro-USB Rapid-Rate Plug-In Charger**

Micro-USB rapid-rate plug-in charger for SL1600 series radios;
5V/1A EURO plug.

Model No: PS000042A12

Description: POWER SUPPLY ADAPTOR,POWER- WALL CUBE,AC,DC,SWITCH MODE, 5W, 100 V - 240 V, MICRO-USB, EU

ROHS: Yes **CE:** Yes **Country of Origin:** CN

Price: €32.00

Weight (-)	-
Dimensions (-)	- (W) - (H) - (L)
Number of Displays	0
Number of Pockets	1
Plug Type	EURO
Power Source	N/A
Technology	Power supply
Type	Charger component

**Switch Mode Power Supply (UK)**

•Operating Temperature(°C):0°C to +40°C •Storage Temperature(°C):-40°C to 70°C •Operating Voltage (Vac): 100-240

Model No: PS000042A13

Description: POWER SUPPLY ADAPTOR,POWER- WALL CUBE,AC,DC,SWITCH MODE, 5W, 100 V - 240 V, MICRO-USB, UK/HK

ROHS: Yes **CE:** Yes **Country of Origin:** CN

Price: €32.00

Weight (-)	-
Dimensions (-)	- (W) - (H) - (L)
Number of Displays	0
Number of Pockets	1
Plug Type	UK/HK
Power Source	N/A
Technology	Power supply
Type	Charger component

**POWER SUPPLY ADAPTOR,AC,DC, 5W, 100V - 240V, MICROUSB, EU**

Model No: PS000227A12

Description: POWER SUPPLY ADAPTOR,AC,DC, 5W, 100V - 240V, MICROUSB, EU

ROHS: Yes **CE:** Yes **Country of Origin:** CN

Price: €32.00

Weight (-)	-
Dimensions (-)	- (W) - (H) - (L)
Number of Displays	0
Number of Pockets	1
Plug Type	EURO
Power Source	N/A
Technology	Power supply
Type	Charger component

**POWER SUPPLY ADAPTOR,AC,DC, 5W, 100V - 240V, MICROUSB, UK/HK**

Model No: PS000227A13

Description: POWER SUPPLY ADAPTOR,AC,DC, 5W, 100V - 240V, MICROUSB, UK/HK

ROHS: Yes **CE:** Yes **Country of Origin:** CN

Price: €32.00

Weight (-)	-
Dimensions (-)	- (W) - (H) - (L)
Number of Displays	0
Number of Pockets	1
Plug Type	UK/HK
Power Source	N/A
Technology	Power supply
Type	Charger component

PROFESSIONAL RADIOS

DP4601E ACCESSORIES

ANTENNAS



Antenna ID Bands, 10 Pack

Compatible with XPR series 3000,3000e,7000 and 7000e series, these MOTOTRBO antenna ID bands come in gray and ships in pack of 10.

Model No: 32012144001

Description: ANTENNA ID BAND (GREY- PACK OF 10PCS)

ROHS: Yes **CE:** N/A **Country of Origin:** CN

Price: €14.00

Weight (-)	-
Dimensions (IN-Inch)	0.38 (W) 0.5 (H) 0.5 (L)
Frequency Band	N/A
Frequency Range (MHz)	N/A
Integrated GPS	N/A
Intrinsic Safety Rating	N/A
Mounting Style	N/A
Type	Antenna id bands



Antenna ID Bands, 10 Pack

Compatible with XPR 3000, 3000e, 7000 and 7000e series, this MOTOTRBO antenna accessory ID band comes in yellow and ships as a pack of 10.

Model No: 32012144002

Description: ANTENNA ID BAND (YELLOW-PACK OF 10PCS)

ROHS: Yes **CE:** N/A **Country of Origin:** CN

Price: €14.00

Weight (-)	-
Dimensions (IN-Inch)	0.38 (W) 0.5 (H) 0.5 (L)
Frequency Band	N/A
Frequency Range (MHz)	N/A
Integrated GPS	N/A
Intrinsic Safety Rating	N/A
Mounting Style	N/A
Type	Antenna id bands



Antenna ID Bands, 10 Pack

Compatible with XPR series 3000,3000e,7000 and 7000e series, these MOTOTRBO antenna ID bands come in green and ships in pack of 10.

Model No: 32012144003

Description: ANTENNA ID BAND (GREEN- PACK OF 10PCS)

ROHS: Yes **CE:** N/A **Country of Origin:** CN

Price: €14.00

Weight (-)	-
Dimensions (IN-Inch)	0.38 (W) 0.5 (H) 0.5 (L)
Frequency Band	N/A
Frequency Range (MHz)	N/A
Integrated GPS	N/A
Intrinsic Safety Rating	N/A
Mounting Style	N/A
Type	Antenna id bands



Antenna ID Bands, 10 Pack

Compatible with XPR series 3000,3000e,7000 and 7000e series, these MOTOTRBO antenna ID bands come in blue and ships in pack of 10.

Model No: 32012144004

Description: ANTENNA ID BAND (BLUE- PACK OF 10PCS)

ROHS: Yes **CE:** N/A **Country of Origin:** CN

Price: €14.00

Weight (-)	-
Dimensions (IN-Inch)	0.38 (W) 0.5 (H) 0.5 (L)
Frequency Band	N/A
Frequency Range (MHz)	N/A
Integrated GPS	N/A
Intrinsic Safety Rating	N/A
Mounting Style	N/A
Type	Antenna id bands



Antenna ID Bands, 10 Pack

Compatible with XPR series 3000,3000e,7000 and 7000e series, these MOTOTRBO antenna ID bands come in purple and ships in pack of 10.

Model No: 32012144005

Description: ANTENNA ID BAND (PURPLE- PACK OF 10PCS)

ROHS: Yes **CE:** N/A **Country of Origin:** CN

Price: €14.00

VHF Helical Antenna (144-165MHz)

Get the best possible reception wherever you operate.

Model No: PMAD4116A

Description: VHF HELICAL ANTENNA (144-165 MHZ)

ROHS: Yes **CE:** N/A **Country of Origin:** MY

Price: €11.00

VHF Helical Antenna (136-155MHz)

Get the best possible reception wherever you operate.

Model No: PMAD4117A

Description: VHF HELICAL ANTENNA (136-155 MHZ)

ROHS: Yes **CE:** N/A **Country of Origin:** MY

Price: €11.00

VHF Helical Antenna (152-174MHz)

Get the best possible reception wherever you operate.

Model No: PMAD4118A

Description: VHF HELICAL ANTENNA (152-174 MHZ)

ROHS: Yes **CE:** N/A **Country of Origin:** MY

Price: €11.00

UHF Stubby Antenna (136-148MHz)

Get the best possible reception wherever you operate.

Model No: PMAD4119A

Description: VHF STUBBY ANTENNA (136-148 MHZ)

ROHS: Yes **CE:** N/A **Country of Origin:** MY

Price: €11.00

Weight (-)	-
Dimensions (IN-Inch)	0.38 (W) 0.5 (H) 0.5 (L)
Frequency Band	N/A
Frequency Range (MHz)	N/A
Integrated GPS	N/A
Intrinsic Safety Rating	N/A
Mounting Style	N/A
Type	Antenna id bands

Weight (-)	-
Dimensions (IN-Inch)	- (W) 6.13 (H) 0.5 (L)
Frequency Band	VHF
Frequency Range (MHz)	144-165 MHz
Integrated GPS	Yes
Intrinsic Safety Rating	N/A
Mounting Style	SMA-FEMALE
Type	Portable radio antenna

Weight (-)	-
Dimensions (IN-Inch)	- (W) 6.25 (H) 0.5 (L)
Frequency Band	VHF
Frequency Range (MHz)	136-155 MHz
Integrated GPS	Yes
Intrinsic Safety Rating	N/A
Mounting Style	SMA-FEMALE
Type	Portable radio antenna

Weight (-)	-
Dimensions (IN-Inch)	- (W) 6.13 (H) 0.5 (L)
Frequency Band	VHF
Frequency Range (MHz)	155-174 MHz
Integrated GPS	Yes
Intrinsic Safety Rating	N/A
Mounting Style	Ferrule
Type	Portable radio antenna

Weight (-)	-
Dimensions (IN-Inch)	- (W) 3.75 (H) 0.5 (L)
Frequency Band	VHF
Frequency Range (MHz)	136-174 MHz
Integrated GPS	Yes
Intrinsic Safety Rating	N/A
Mounting Style	Stud
Type	Portable radio antenna

VHF Stubby Antenna (146–160MHz)

Get the best possible reception wherever you operate.

Model No: PMAD4120A

Description: VHF STUBBY ANTENNA (146-160 MHz)

ROHS: Yes **CE:** N/A **Country of Origin:** MY

Price: €11.00

VHF Stubby Antenna (160–174MHz)

Get the best possible reception wherever you operate.

Model No: PMAD4121B

Description: VHF STUBBY ANTENNA (160-174 MHz)

ROHS: Yes **CE:** N/A **Country of Origin:** MY

Price: €11.00

Stubby Antenna (360-400MHz)

•Colour Code: Blue •Intrinsic Safety Standard: UL-TIA4950 for DP2000e/DP4000e series

Model No: PMAD4133A

Description: STUBBY ANTENNA (360-400MHz)

ROHS: Yes **CE:** Yes **Country of Origin:** MY

Price: €10.00

Stubby Antenna (320-360MHz)

•Colour Code: Yellow •Intrinsic Safety Standard: UL-TIA4950 for DP2000e/DP4000e series

Model No: PMAD4135A

Description: STUBBY ANTENNA (320-360MHz)

ROHS: Yes **CE:** Yes **Country of Origin:** MY

Price: €10.00

Stubby Antenna (350-380MHz)

•Colour Code: Green •Intrinsic Safety Standard: UL-TIA4950 for DP2000e/DP4000e series

Model No: PMAD4136A

Description: STUBBY ANTENNA (350-380MHz)

ROHS: Yes **CE:** Yes **Country of Origin:** MY

Price: €14.00

Weight (-)	-
Dimensions (IN-Inch)	- (W) 3.75 (H) 0.5 (L)
Frequency Band	VHF
Frequency Range (MHz)	147-160 MHz
Integrated GPS	Yes
Intrinsic Safety Rating	N/A
Mounting Style	Stud
Type	Portable radio antenna

Weight (-)	-
Dimensions (IN-Inch)	- (W) 3.75 (H) 0.5 (L)
Frequency Band	VHF
Frequency Range (MHz)	160-174 MHz
Integrated GPS	Yes
Intrinsic Safety Rating	N/A
Mounting Style	Stud
Type	Portable radio antenna

Weight (-)	-
Dimensions (-)	- (W) - (H) - (L)
Frequency Band	UHF
Frequency Range (MHz)	N/A
Integrated GPS	Yes
Intrinsic Safety Rating	N/A
Mounting Style	N/A
Type	Portable radio antenna

Weight (-)	-
Dimensions (-)	- (W) - (H) - (L)
Frequency Band	UHF
Frequency Range (MHz)	N/A
Integrated GPS	Yes
Intrinsic Safety Rating	N/A
Mounting Style	N/A
Type	Portable radio antenna

Weight (-)	-
Dimensions (-)	- (W) - (H) - (L)
Frequency Band	UHF
Frequency Range (MHz)	N/A
Integrated GPS	Yes
Intrinsic Safety Rating	N/A
Mounting Style	N/A
Type	Portable radio antenna

Stubby Antenna (300-337MHz)

•Colour Code: Orange •Intrinsic Safety Standard: UL-TIA4950 for DP2000e/DP4000e series

Model No: PMAD4137A

Description: STUBBY ANTENNA (300-337MHZ)

ROHS: Yes **CE:** Yes **Country of Origin:** MY

Price: €10.00

Weight (-)	-
Dimensions (-)	- (W) - (H) - (L)
Frequency Band	UHF
Frequency Range (MHz)	N/A
Integrated GPS	Yes
Intrinsic Safety Rating	N/A
Mounting Style	N/A
Type	Portable radio antenna



Whip Antenna (300-360MHz)

•Colour Code: Purple .4 •Intrinsic Safety Standard: UL-TIA4950 for DP2000e/DP4000e series

Model No: PMAD4138A

Description: VHF WHIP ANTENNA (300-360MHZ)

ROHS: Yes **CE:** Yes **Country of Origin:** MY

Price: €32.00

Weight (-)	-
Dimensions (-)	- (W) - (H) - (L)
Frequency Band	UHF
Frequency Range (MHz)	N/A
Integrated GPS	Yes
Intrinsic Safety Rating	N/A
Mounting Style	N/A
Type	Portable radio antenna



Whip Antenna (350-400MHz)

•Colour Code: Pink .4 •Intrinsic Safety Standard: UL-TIA4950 for DP2000e/DP4000e series

Model No: PMAD4139A

Description: VHF WHIP ANTENNA (350-400MHZ)

ROHS: Yes **CE:** Yes **Country of Origin:** MY

Price: €22.00

Weight (-)	-
Dimensions (-)	- (W) - (H) - (L)
Frequency Band	UHF
Frequency Range (MHz)	N/A
Integrated GPS	Yes
Intrinsic Safety Rating	N/A
Mounting Style	N/A
Type	Portable radio antenna

VHF Wideband Whip Antenna (136-174MHz)

Get the best possible reception wherever you operate.

Model No: PMAD4147A

Description: VHF WHIP ANT ,136-174MHZ

ROHS: Yes **CE:** N/A **Country of Origin:** MY

Price: €15.00

Weight (GM-Gram)	40
Dimensions (MM-Millimeter)	13.5 (W) 206 (H) 13.5 (L)
Frequency Band	VHF
Frequency Range (MHz)	136-174 MHz
Integrated GPS	Yes
Intrinsic Safety Rating	N/A
Mounting Style	Ferrule
Type	Portable radio antenna

UHF Stubby Antenna (400-450MHz)

Get the best possible reception wherever you operate.

Model No: PMAE4069A

Description: ANTENNA, STAMPED METAL,UHF STUBBY ANTENNA (400-450 MHZ)

ROHS: Yes **CE:** N/A **Country of Origin:** MY

Price: €11.00

Weight (-)	-
Dimensions (IN-Inch)	- (W) 3.75 (H) 0.5 (L)
Frequency Band	UHF
Frequency Range (MHz)	400-450 MHz
Integrated GPS	No
Intrinsic Safety Rating	N/A
Mounting Style	Ferrule
Type	Portable radio antenna

UHF Stubby Antenna (440-490MHz)

Get the best possible reception wherever you operate.

Model No: PMAE4070A

Description: UHF STUBBY ANTENNA (440-490 MHZ)

ROHS: Yes **CE:** N/A **Country of Origin:** N/A

Price: €11.00

Weight (-)	-
Dimensions (IN-Inch)	- (W) 3.75 (H) 0.5 (L)
Frequency Band	UHF
Frequency Range (MHz)	440-490 MHz
Integrated GPS	No
Intrinsic Safety Rating	N/A
Mounting Style	Ferrule
Type	Portable radio antenna

UHF Stubby Antenna (470-527MHz)

Get the best possible reception wherever you operate.

Model No: PMAE4071A

Description: UHF STUBBY ANTENNA (470-527 MHZ)

ROHS: Yes **CE:** N/A **Country of Origin:** MY

Price: €11.00

Weight (-)	-
Dimensions (IN-Inch)	- (W) 3.75 (H) 0.5 (L)
Frequency Band	UHF
Frequency Range (MHz)	470-527 MHz
Integrated GPS	No
Intrinsic Safety Rating	N/A
Mounting Style	Ferrule
Type	Portable radio antenna

UHF Wideband Whip Antenna (400-527MHz)

Get the best possible reception wherever you operate.

Model No: PMAE4079A

Description: ANTENNA, STAMPED METAL,UHF SLIM WHIP ANTENNA (400-527MHZ)

ROHS: Yes **CE:** N/A **Country of Origin:** MY

Price: €11.00

Weight (-)	-
Dimensions (IN-Inch)	- (W) 6.25 (H) 0.5 (L)
Frequency Band	UHF
Frequency Range (MHz)	400-527 MHz
Integrated GPS	No
Intrinsic Safety Rating	N/A
Mounting Style	Ferrule
Type	Portable radio antenna

PROFESSIONAL RADIOS

DP4601E ACCESSORIES

REPAIR-PARTS


Fitting Seal

FITTING SEAL

Model No: 3271133M01

Description: FITTING SEAL

ROHS: Yes

CE: N/A

Country of Origin: MY

Price: €2.43

Weight (-)

-

Dimensions (MM-Millimeter)

6 (W) 3.5 (H) 6 (L)


Portable Programming Cable

PORTABLE PROGRAMMING CABLE

Model No: PMKN4012B

Description: PORTABLE PROGRAMMING CABLE

ROHS: Yes

CE: Yes

Country of Origin: CN

Price: €79.00

Weight (-)

-

Dimensions (-)

- (W) - (H) - (L)

Cable Type

Programming


Test & Alignment Programming Cable

PROGRAMMING, TEST & ALIGNMENT CABLE

Model No: PMKN4013C

Description: PROGRAMMING, TEST & ALIGNMENT CABLE

ROHS: Yes

CE: Yes

Country of Origin: CN

Price: €95.00

Weight (-)

-

Dimensions (-)

- (W) - (H) - (L)

Cable Type

Programming

PROFESSIONAL RADIOS

DP4601E ACCESSORIES

CARRY



Black Leather Belt

Compatible with XPR 3000, 3000e, 6000, 7000 and 7000e series, this MOTOTRBO wide belt, reaching a length of 1.75 inches, is designed with a leather material to allow for durability and security.

Model No: 4200865599

Description: MOUNT-SUPPORT,BELT WAIST BLK

ROHS: Yes **CE:** N/A **Country of Origin:** IN

Price: €43.00

Weight (-)	-
Dimensions (IN-Inch)	0.13 (W) 41 (H) 1.75 (L)
Belt Loop / Clip Dimension (in)	1.75 inch
Compatible Batteries	N/A
Display	N/A
Material	Hard leather
Type	Belts and straps



Universal Chest Pack

Compatible with both APX and MOTOTRBO radios, this carry accessory is a universal chest pack with radio holder, pen holder and velcro secured patch made with a nylon material.

Model No: HLN6602A

Description: UNIVERSAL CHESTPACK

ROHS: Yes **CE:** N/A **Country of Origin:** CN

Price: €63.00

Weight (GM-Gram)	113.4
Dimensions (IN-Inch)	2 (W) 10 (H) 5 (L)
Belt Loop / Clip Dimension (in)	N/A
Compatible Batteries	N/A
Display	N/A
Material	Nylon
Type	Chest packs



Waterproof Baggie

This waterproof bag fits any Motorola two-way radio and includes a convenient carrying strap.

Model No: HLN9985B

Description: WEATHERPOOF BAGGIE

ROHS: Yes **CE:** N/A **Country of Origin:** MY

Price: €54.00

Weight (GM-Gram)	70
Dimensions (MM-Millimeter)	0.02 (W) 15 (H) 5 (L)
Belt Loop / Clip Dimension (in)	N/A
Compatible Batteries	N/A
Display	Display visible
Material	Plastic
Type	Specialty



Shoulder Strap

Shoulder Strap for Carry Cases

Model No: NTN5243A

Description: STRAP

ROHS: Yes **CE:** N/A **Country of Origin:** US

Price: €27.00

Weight (GM-Gram)	125
Dimensions (IN-Inch)	0.13 (W) 36 (H) 0.63 (L)
Belt Loop / Clip Dimension (in)	N/A
Compatible Batteries	N/A
Display	N/A
Material	Nylon
Type	Belts and straps



2" Belt Clip

This rugged, spring-action belt clip allows you to keep your radio on your hip and instantly access it.

Model No: PMLN4651A

Description: 2 INCH BELT CLIP

ROHS: Yes **CE:** N/A **Country of Origin:** ID

Price: €5.50

Weight (GM-Gram)	22.7
Dimensions (IN-Inch)	0.25 (W) 3 (H) 1.25 (L)
Belt Loop / Clip Dimension (in)	2 inch
Compatible Batteries	N/A
Display	N/A
Material	Plastic
Type	Belt Clip



2.5" Swivel Belt Loop

This swivel latch system allows the radio to swing freely from side to side and ensures that the radio remains securely in place during a foot chase.

Model No: PMLN5610A

Description: ACCESSORY KIT,2.5 INCH SWIVEL BELT LOOP

ROHS: Yes **CE:** N/A **Country of Origin:** IN

Price: €12.00

Weight (GM-Gram)	47
Dimensions (IN-Inch)	1 (W) 3.75 (H) 2.5 (L)
Belt Loop / Clip Dimension (in)	2.5 inch
Compatible Batteries	N/A
Display	N/A
Material	Hard leather
Type	Swivel



3" Swivel Belt Loop

This swivel latch system allows the radio to swing freely from side to side and ensures that the radio remains securely in place during a foot chase.

Model No: PMLN5611A

Description: ACCESSORY KIT,3.0 INCH SWIVEL BELT LOOP

ROHS: Yes **CE:** N/A **Country of Origin:** N/A

Price: €13.00

Weight (GM-Gram)	46.7
Dimensions (IN-Inch)	1 (W) 4 (H) 2.38 (L)
Belt Loop / Clip Dimension (in)	3 inch
Compatible Batteries	N/A
Display	N/A
Material	Hard leather
Type	Swivel



Hard Leather Case With 3-Inch Fixed Belt loop (Non-Display)

Compatibe with XPR 7000 and 7000e series, this MOTOTRBO carry accessory is a hard leather case with a 3-inch fixed belt loop (non-display model).

Model No: PMLN5839A

Description: HARD LEATHER CC 3INCH FIX PLAIN

ROHS: Yes **CE:** N/A **Country of Origin:** N/A

Price: €51.00

Weight (-)	-
Dimensions (IN-Inch)	2 (W) 5.5 (H) 2 (L)
Belt Loop / Clip Dimension (in)	3 inch
Compatible Batteries	N/A
Display	No display visible
Material	Hard leather
Type	Belt loop



Hard Leather Case With 2.5-Inch Swivel Belt Loop (Non-Display)

Compatibe with XPR 7000 and 7000e series, this MOTOTRBO carry accessory is a hard leather case with a 2.5-inch swivel belt loop(non-display model).

Model No: PMLN5843A

Description: HARD LEATHER CC 2.5INCH SWL PLAIN

ROHS: Yes **CE:** N/A **Country of Origin:** N/A

Price: €59.00

Weight (-)	-
Dimensions (IN-Inch)	2 (W) 5.5 (H) 2.5 (L)
Belt Loop / Clip Dimension (in)	2.5 inch
Compatible Batteries	N/A
Display	No display visible
Material	Hard leather
Type	Swivel

**Nylon Case With 3-Inch Fixed Belt Loop (Full Keypad)**

Compatible with XPR 7000 and 7000e series, this MOTOTRBO carry accessory is a nylon case with a 3-inch fixed belt loop (full keypad model).

Model No: PMLN5844A

Description: NYLON CC 3INCH FIX LKP FKP

ROHS: Yes **CE:** N/A **Country of Origin:** IN

Price: €39.00

Weight (-)	-
Dimensions (IN-Inch)	1.88 (W) 5.5 (H) 2.13 (L)
Belt Loop / Clip Dimension (in)	3 inch
Compatible Batteries	N/A
Display	Display visible
Material	Nylon
Type	Belt loop

**Nylon Case With 3-Inch Fixed Belt Loop (Non-Display)**

Compatible with XPR 7000 and 7000e series, this MOTOTRBO carry accessory is a nylon case with a 3-inch fixed belt loop (non-display model).

Model No: PMLN5845A

Description: NYLON CC 3INCH FIX PLAIN

ROHS: Yes **CE:** N/A **Country of Origin:** IN

Price: €39.00

Weight (-)	-
Dimensions (IN-Inch)	2 (W) 5.5 (H) 2.25 (L)
Belt Loop / Clip Dimension (in)	3 inch
Compatible Batteries	N/A
Display	No display visible
Material	Nylon
Type	Belt loop

**Hard Leather Case With 3-Inch Swivel Belt loop (Non-Display)**

Compatible with XPR 7000 and 7000e series, this MOTOTRBO carry accessory is a hard leather case with a 3-inch fixed belt loop (non-display model).

Model No: PMLN5846A

Description: HARD LEATHER CC 3INCH SWL PLAIN

ROHS: Yes **CE:** N/A **Country of Origin:** CN

Price: €61.00

Weight (-)	-
Dimensions (IN-Inch)	2 (W) 5.5 (H) 2.5 (L)
Belt Loop / Clip Dimension (in)	3 inch
Compatible Batteries	N/A
Display	No display visible
Material	Hard leather
Type	Swivel

**2.5" Belt Clip**

This rugged spring-action belt clip allows you to instantly access your radio. When paired with a remote speaker microphone or other audio accessory, you can securely keep the radio in the clip while communicating.

Model No: PMLN7008A

Description: 2.5-INCH BELT CLIP

ROHS: Yes **CE:** N/A **Country of Origin:** MY

Price: €8.00

Weight (GM-Gram)	88.7
Dimensions (IN-Inch)	0.19 (W) 3.62 (H) 1.25 (L)
Belt Loop / Clip Dimension (in)	2.5 inch
Compatible Batteries	N/A
Display	N/A
Material	Plastic
Type	Belt Clip

**Vibra Alert Belt Clip**

This belt clip vibrates to notify you of incoming calls, making it ideal for noisy environments where you are likely to miss call alerts. It is also beneficial in quiet environments, because it allows you to quickly respond while not disturbing others with the sound of incoming notifications. Requires the PMNN4488 battery.

Model No: PMLN7296A

Description: CARRY ACCESSORY-BELT CLIP,VIBRATING BELT CLIP FOR USE WITH PMNN4488 BATTERY

ROHS: Yes **CE:** Yes **Country of Origin:** MY

Price: €23.00

Weight (-)	-
Dimensions (IN-Inch)	0.25 (W) 3.75 (H) 1.25 (L)
Belt Loop / Clip Dimension (in)	2.5 inch
Compatible Batteries	N/A
Display	N/A
Material	Plastic
Type	Belt Clip



Break-a-Way Chest Pack

Compatible with APX 8000/8000XE, 7000/7000XE and 6000/6000XE, this APX carry solution is a break-a-way chest pack with radio holder pen holder and velcro secured pouch.

Model No: RLN4570A

Description: BREAKAWAY CHEST PACK

ROHS: Yes **CE:** Yes **Country of Origin:** US

Price: €101.00

Weight (-)	-
Dimensions (IN-Inch)	13.5 (W) 9 (H) 7.5 (L)
Belt Loop / Clip Dimension (in)	N/A
Compatible Batteries	N/A
Display	N/A
Material	Nylon
Type	Chest packs



Universal Radio Pack Utility Case

The radio pack is lightweight and comfortable. Worn around the waist, it keeps radios and phones at hand.

Model No: RLN4815A

Description: FANNY PACK CARRY ACCESSORY

ROHS: Yes **CE:** N/A **Country of Origin:** US

Price: €125.00

Weight (-)	-
Dimensions (IN-Inch)	1.13 (W) 8.5 (H) 6.25 (L)
Belt Loop / Clip Dimension (in)	N/A
Compatible Batteries	N/A
Display	Display visible
Material	Nylon
Type	Chest packs

PROFESSIONAL RADIOS

DP4601E ACCESSORIES

EARPIECES


EARTIP, STANDARD CLEAR

EARTIP, STANDARD CLEAR

Model No: 5080370E97

Description: EARTIP, STANDARD CLEAR

ROHS: Yes **CE:** N/A **Country of Origin:** CN

Price: €2.70

Weight (-)	-
Dimensions (IN-Inch)	0.25 (W) 0.5 (H) 0.38 (L)
Earpiece Type	Earpiece part
Industry	N/A
Intrinsic Safety Rating	N/A
Microphone	N/A
PTT	N/A


Replacement Foam Ear Plugs

These replacement foam plugs feature noise reduction (24 dB).

Model No: 5080384F72

Description: NOISE ATTENUATING PLUGS

ROHS: Yes **CE:** N/A **Country of Origin:** CN

Price: €1.12

Weight (-)	-
Dimensions (IN-Inch)	0.5 (W) 1.75 (H) 0.5 (L)
Earpiece Type	Earpiece part
Industry	N/A
Intrinsic Safety Rating	N/A
Microphone	N/A
PTT	N/A


EAR CUSION, FOAM,SINGLE

EAR CUSION, FOAM,SINGLE

Model No: 7580372E11

Description: EAR CUSION, FOAM,SINGLE

ROHS: Yes **CE:** N/A **Country of Origin:** N/A

Price: €5.49

Weight (-)	-
Dimensions (IN-Inch)	0.13 (W) 1.25 (H) 1.25 (L)
Earpiece Type	Earpiece part
Industry	N/A
Intrinsic Safety Rating	N/A
Microphone	N/A
PTT	N/A


Earbud with 3.5mm Plug

Receive-only covered earbud with coiled cord. Compatible with all remote speaker microphones that have a 3.5mm audio jack.

Model No: MDRLN4885B

Description: EARBUD WITH 3.5MM PLUG

ROHS: Yes **CE:** Yes **Country of Origin:** CN

Price: €49.00

Weight (-)	-
Dimensions (-)	- (W) - (H) - (L)
Earpiece Type	RSM 3.5mm unthreaded rx only
Industry	N/A
Intrinsic Safety Rating	TIA4950(UL)
Microphone	N/A
PTT	N/A


Receive only Earpiece with Translucent Tube and Eartip - UL

-Receive Only •VOX capability: No •Programmable Button: No
•Intrinsic Safety Standard: UL-TIA4950

Model No: MDRLN4941A

Description: RECEIVE-ONLY EARP. W. TRANSC. TUBE

ROHS: Yes **CE:** Yes **Country of Origin:** US

Price: €81.00

Weight (-)	-
Dimensions (-)	- (W) - (H) - (L)
Earpiece Type	RSM 3.5mm unthreaded rx only
Industry	N/A
Intrinsic Safety Rating	TIA4950(UL)
Microphone	N/A
PTT	N/A



Fast PTT Module without Charger

Large PTT and volume control with 25ms Fast PTT. Fits easily in the hand or pocket. Audible and visual status indicators for Pairing,Bluetooth link,Battery status (low and critical) and Charging status.

Model No: NNTN8191D

Description: ACCESSORY KIT,ACCESSORY KIT,ASSY,ACCY,BT ACCY KIT, STD PAIR, NCHGR

ROHS: Yes **CE:** Yes **Country of Origin:** MX

Price: €266.00



2-Wire Earbud With In-Line Microphone, Black

This two-wire earbud from Motorola Solutions includes a 46-inch cord with in-line microphone.

Model No: NNTN8298A

Description: 2-WIRE EARBUD,116CM CORD,BLACK

ROHS: Yes **CE:** Yes **Country of Origin:** CN

Price: €74.00



Replacement Ear Tips

Designed for operations-critical wireless earbuds.

Model No: NNTN8299A

Description: EARTIPS, REPLACEMENT

ROHS: Yes **CE:** N/A **Country of Origin:** CN

Price: €11.00



Bulk Replacement Ear Tips

Motorola NNTN8361A replacement eartips, bulk pack kit.

Model No: NNTN8361A

Description: EARTIPS, BULK REPLACEMENT

ROHS: Yes **CE:** N/A **Country of Origin:** CN

Price: €74.00



Wireless Neckloop Y-Adapter

Wireless Neckloop Y-adapter and retention hook.

Model No: NNTN8385A

Description: Y-ADAPTER FOR WRLS BLUETOOTH PTT POD

ROHS: Yes **CE:** Yes **Country of Origin:** CN

Price: €80.00



Discreet Operational Critical Wireless Surveillance Kit

Model No: NNTN8433A

Description: ACCESSORY KIT,OCW COMPLETELY DISCREET SURVEILLANCE KIT

ROHS: Yes **CE:** Yes **Country of Origin:** MX

Price: €1,364.00

Weight (-)	-
Dimensions (-)	- (W) - (H) - (L)
Earpiece Type	Wireless
Industry	N/A
Intrinsic Safety Rating	N/A
Microphone	Integrated ear mic
PTT	In-line

Weight (-)	-
Dimensions (IN-Inch)	0.63 (W) 48 (H) 0.5 (L)
Earpiece Type	Wireless
Industry	N/A
Intrinsic Safety Rating	N/A
Microphone	In-line
PTT	On PTT pod and mcw keyfob

Weight (-)	-
Dimensions (IN-Inch)	0.38 (W) 0.5 (H) 0.75 (L)
Earpiece Type	Wireless
Industry	N/A
Intrinsic Safety Rating	N/A
Microphone	N/A
PTT	N/A

Weight (-)	-
Dimensions (IN-Inch)	- (W) 0.63 (H) 0.5 (L)
Earpiece Type	Earpiece part
Industry	N/A
Intrinsic Safety Rating	N/A
Microphone	N/A
PTT	N/A

Weight (-)	-
Dimensions (IN-Inch)	0.06 (W) 52 (H) 2.5 (L)
Earpiece Type	Wireless
Industry	N/A
Intrinsic Safety Rating	N/A
Microphone	In-line
PTT	N/A

Weight (-)	-
Dimensions (-)	- (W) - (H) - (L)
Earpiece Type	Wireless
Industry	N/A
Intrinsic Safety Rating	N/A
Microphone	In-line
PTT	On PTT pod