

MOTOTRBO R2 MOTOTRBO R2 Portable Two-Way Radio



MOTOTRBO R2 marries durability and ergonomics in a portable, two-way radio with superior range and audio.

MOTOTRBO R2's configurable audio ensures clear communication, and its sleek and durable construction is ready for challenging environments. The R2 is built with the user in mind; a simplified, reliable addition to an uninterrupted workday.

Model No	Technical Description
MDH11JDC9JA2AN	MOTOTRBO R2 VHF NKP PNI302C ROHS: N/A CE: Yes Country of Origin: N/A
PRODUCT OPTIONS	
Band Split	VHF
Display Type	Non-Display / No Keypad
Encryption Type	Basic Privacy,Enhanced Privacy
Enhanced Radio Features	Noise cancelation,101 Phon loud audio
Intrinsically Safe	No
IP Rating	IP55
Number of Channels	64
Power	5W
Radio Protocol	Analog Conventional,Digital Conventional,IP Site Connect,Limited Capacity Plus - One site,Two repeaters
Standard Package Includes	Radio,Battery,Charger,Belt Clip,Antenna
Туре	Portable



MOTOTRBO R2

MOTOTRBO R2 Portable Two-Way Radio

Model No	Technical Description	Price
MDH11JDC9JA2AN	MOTOTRBO R2 Portable Two-Way Radio	€403.00

MANDATORY OPTIONS:

	Option SKU	Description	Price
VHF ANTENNA SELECTION	QA09067AA	ADD: VHF WHIP 21CM ANTENNA (136-174 MHZ) (PMAD4147A)	€13.00
	QA09068AA	ADD: VHF HELICAL 15CM ANTENNA (136-155 MHZ) (PMAD4117A)	€0.00
	QA09069AA	ADD: VHF HELICAL 15CM ANTENNA (144-165 MHZ) (PMAD4116A)	€0.00
	QA09070AA	ADD: VHF HELICAL 15CM ANTENNA (152-174 MHZ) (PMAD4118A)	€0.00
	QA09071AA	ADD: VHF STUBBY 9CM ANTENNA (136-148 MHZ) (PMAD4119A)	€0.00
	QA09072AA	ADD: VHF STUBBY 9CM ANTENNA (144-160 MHZ) (PMAD4120A)	€0.00
	QA09073AA	ADD: VHF STUBBY 9CM ANTENNA (160-174 MHZ) (PMAD4121B)	€0.00
BATTERY SELECTION	QA09074AA	ADD: LI-ION IP55 2100T BATTERY (PMNN4600A)	€55.00
	QA09075AA	ADD: LI-ION IP55 2300T BATTERY (PMNN4598A)	€0.00
CHARGER SELECTION	QA09076AA	ADD: CHARGER, UK PLUG, SINGLE PACK MODEL (PMLN5191B)	€0.00
	QA09077AA	ADD: CHARGER, EU PLUG, SINGLE PACK MODEL (PMLN5192B)	€0.00
	QA09078AA	DEL: CHARGER SINGLE PACK MODEL	-€ 33.00
	QA09079AA	ADD: CHARGER, UK PLUG, BULK PACK MODEL (PMLN5191B)	€0.00
	QA09080AA	ADD: CHARGER, EU PLUG, BULK PACK MODEL (PMLN5192B)	€0.00
	QA09081AA	DEL: CHARGER BULK PACK MODEL	<i>-</i> €33.00
MANUAL SELECTION	QA09082AA	ADD: QUICK REFERENCE GUIDE	€3.00
	QA09083AA	DEL: QUICK REFERENCE GUIDE	€0.00



MOTOTRBO R2 MOTOTRBO R2 Portable Two-Way Radio



MOTOTRBO R2 marries durability and ergonomics in a portable, two-way radio with superior range and audio.

MOTOTRBO R2's configurable audio ensures clear communication, and its sleek and durable construction is ready for challenging environments. The R2 is built with the user in mind; a simplified, reliable addition to an uninterrupted workday.

Model No	Technical Description
MDH11JDC9JC2AN	MOTOTRBO R2 VHF NKP ANALOG PNI302C ROHS: N/A CE: Yes Country of Origin: N/A
PRODUCT OPTIONS	
Band Split	VHF
Display Type	Non-Display / No Keypad
Encryption Type	NA
Enhanced Radio Features	Noise cancelation,101 Phon loud audio
Intrinsically Safe	No
IP Rating	IP55
Number of Channels	64
Power	5W
Radio Protocol	Analog Conventional,IP Site Connect,Upgradable to Digital,Limited Capacity Plus - One site,Two repeaters
Standard Package Includes	Radio,Battery,Charger,Belt Clip,Antenna
Туре	Portable



MOTOTRBO R2

MOTOTRBO R2 Portable Two-Way Radio

Model No	Technical Description	Price
MDH11JDC9JC2AN	MOTOTRBO R2 Portable Two-Way Radio	€316.00

MANDATORY OPTIONS:

	Option SKU	Description	Price
VHF ANTENNA SELECTION	QA09067AA	ADD: VHF WHIP 21CM ANTENNA (136-174 MHZ) (PMAD4147A)	€13.00
	QA09068AA	ADD: VHF HELICAL 15CM ANTENNA (136-155 MHZ) (PMAD4117A)	€0.00
	QA09069AA	ADD: VHF HELICAL 15CM ANTENNA (144-165 MHZ) (PMAD4116A)	€0.00
	QA09070AA	ADD: VHF HELICAL 15CM ANTENNA (152-174 MHZ) (PMAD4118A)	€0.00
	QA09071AA	ADD: VHF STUBBY 9CM ANTENNA (136-148 MHZ) (PMAD4119A)	€0.00
	QA09072AA	ADD: VHF STUBBY 9CM ANTENNA (144-160 MHZ) (PMAD4120A)	€0.00
	QA09073AA	ADD: VHF STUBBY 9CM ANTENNA (160-174 MHZ) (PMAD4121B)	€0.00
BATTERY SELECTION	QA09074AA	ADD: LI-ION IP55 2100T BATTERY (PMNN4600A)	€55.00
	QA09075AA	ADD: LI-ION IP55 2300T BATTERY (PMNN4598A)	€0.00
CHARGER SELECTION	QA09076AA	ADD: CHARGER, UK PLUG, SINGLE PACK MODEL (PMLN5191B)	€0.00
	QA09077AA	ADD: CHARGER, EU PLUG, SINGLE PACK MODEL (PMLN5192B)	€0.00
	QA09078AA	DEL: CHARGER SINGLE PACK MODEL	-€ 33.00
	QA09079AA	ADD: CHARGER, UK PLUG, BULK PACK MODEL (PMLN5191B)	€0.00
	QA09080AA	ADD: CHARGER, EU PLUG, BULK PACK MODEL (PMLN5192B)	€0.00
	QA09081AA	DEL: CHARGER BULK PACK MODEL	-€ 33.00
MANUAL SELECTION	QA09082AA	ADD: QUICK REFERENCE GUIDE	€3.00
	QA09083AA	DEL: QUICK REFERENCE GUIDE	€0.00



MOTOTRBO R2 MOTOTRBO R2 Portable Two-Way Radio



MOTOTRBO R2 marries durability and ergonomics in a portable, two-way radio with superior range and audio.

MOTOTRBO R2's configurable audio ensures clear communication, and its sleek and durable construction is ready for challenging environments. The R2 is built with the user in mind; a simplified, reliable addition to an uninterrupted workday.

Model No	Technical Description
MDH11YDC9JA2AN	MOTOTRBO R2 UHF NKP PNI502C ROHS: N/A CE: Yes Country of Origin: N/A
PRODUCT OPTIONS	
Band Split	UHF
Display Type	Non-Display / No Keypad
Encryption Type	Basic Privacy, Enhanced Privacy
Enhanced Radio Features	Noise cancelation,101 Phon loud audio
Intrinsically Safe	No
IP Rating	IP55
Number of Channels	64
Power	4W
Radio Protocol	Analog Conventional,Digital Conventional,IP Site Connect,Limited Capacity Plus - One site,Two repeaters
Standard Package Includes	Radio,Battery,Charger,Belt Clip,Antenna
Туре	Portable



MOTOTRBO R2

MOTOTRBO R2 Portable Two-Way Radio

Model No	Technical Description	Price
MDH11YDC9JA2AN	MOTOTRBO R2 Portable Two-Way Radio	€403.00

MANDATORY OPTIONS:

	Option SKU	Description	Price
UHF ANTENNA SELECTION	QA09064AA	ADD: UHF WHIP 16CM ANTENNA (400-527 MHZ) (PMAE4079A)	€0.00
	QA09065AA	ADD: UHF STUBBY 9CM ANTENNA (400-450 MHZ) (PMAE4069A)	€0.00
	QA09066AA	ADD: UHF STUBBY 9CM ANTENNA (440-490 MHZ) (PMAE4070A)	€0.00
BATTERY SELECTION	QA09074AA	ADD: LI-ION IP55 2100T BATTERY (PMNN4600A)	€55.00
	QA09075AA	ADD: LI-ION IP55 2300T BATTERY (PMNN4598A)	€0.00
CHARGER SELECTION	QA09076AA	ADD: CHARGER, UK PLUG, SINGLE PACK MODEL (PMLN5191B)	€0.00
	QA09077AA	ADD: CHARGER, EU PLUG, SINGLE PACK MODEL (PMLN5192B)	€0.00
	QA09078AA	DEL: CHARGER SINGLE PACK MODEL	-€ 33.00
	QA09079AA	ADD: CHARGER, UK PLUG, BULK PACK MODEL (PMLN5191B)	€0.00
	QA09080AA	ADD: CHARGER, EU PLUG, BULK PACK MODEL (PMLN5192B)	€0.00
	QA09081AA	DEL: CHARGER BULK PACK MODEL	<i>-</i> €33.00
MANUAL SELECTION	QA09082AA	ADD: QUICK REFERENCE GUIDE	€3.00
	QA09083AA	DEL: QUICK REFERENCE GUIDE	€0.00



MOTOTRBO R2 MOTOTRBO R2 Portable Two-Way Radio



MOTOTRBO R2 marries durability and ergonomics in a portable, two-way radio with superior range and audio.

MOTOTRBO R2's configurable audio ensures clear communication, and its sleek and durable construction is ready for challenging environments. The R2 is built with the user in mind; a simplified, reliable addition to an uninterrupted workday.

Model No	Technical Description
MDH11YDC9JC2AN	MOTOTRBO R2 UHF NKP ANALOG PNI502C ROHS: N/A CE: Yes Country of Origin: N/A
PRODUCT OPTIONS	
Band Split	UHF
Display Type	Non-Display / No Keypad
Encryption Type	NA
Enhanced Radio Features	Noise cancelation,101 Phon loud audio
Intrinsically Safe	No
IP Rating	IP55
Number of Channels	64
Power	4W
Radio Protocol	Analog Conventional,IP Site Connect,Upgradable to Digital,Limited Capacity Plus - One site,Two repeaters
Standard Package Includes	Radio,Battery,Charger,Belt Clip,Antenna
Туре	Portable



MOTOTRBO R2

MOTOTRBO R2 Portable Two-Way Radio

Model No	Technical Description	Price
MDH11YDC9JC2AN	MOTOTRBO R2 Portable Two-Way Radio	€316.00

MANDATORY OPTIONS:

	Option SKU	Description	Price
UHF ANTENNA SELECTION	QA09064AA	ADD: UHF WHIP 16CM ANTENNA (400-527 MHZ) (PMAE4079A)	€0.00
	QA09065AA	ADD: UHF STUBBY 9CM ANTENNA (400-450 MHZ) (PMAE4069A)	€0.00
	QA09066AA	ADD: UHF STUBBY 9CM ANTENNA (440-490 MHZ) (PMAE4070A)	€0.00
BATTERY SELECTION	QA09074AA	ADD: LI-ION IP55 2100T BATTERY (PMNN4600A)	€55.00
	QA09075AA	ADD: LI-ION IP55 2300T BATTERY (PMNN4598A)	€0.00
CHARGER SELECTION	QA09076AA	ADD: CHARGER, UK PLUG, SINGLE PACK MODEL (PMLN5191B)	€0.00
	QA09077AA	ADD: CHARGER, EU PLUG, SINGLE PACK MODEL (PMLN5192B)	€0.00
	QA09078AA	DEL: CHARGER SINGLE PACK MODEL	-€ 33.00
	QA09079AA	ADD: CHARGER, UK PLUG, BULK PACK MODEL (PMLN5191B)	€0.00
	QA09080AA	ADD: CHARGER, EU PLUG, BULK PACK MODEL (PMLN5192B)	€0.00
	QA09081AA	DEL: CHARGER BULK PACK MODEL	<i>-</i> €33.00
MANUAL SELECTION	QA09082AA	ADD: QUICK REFERENCE GUIDE	€3.00
	QA09083AA	DEL: QUICK REFERENCE GUIDE	€0.00



CHARGERS

_		\sim	ς.
1	0	Κ.	1
	\sim)	
U	\simeq		۶.
7			

Switch Mode Power Supply for Single Unit Charge	gers, US
Plug	-

Replacement Power Supply for IMPRES Single-Unit Charger, US Plug.

Weight (-)

Number of

Displays

Inch)

Dimensions (IN-

Number of Pockets

_

0

1

....

2.13 (W) 2.63 (H) 1.25 (L)

Model No: 25009297001

Description: POWER SUPPLY ADAPTOR, POWER- WALL CUBE, AC, POWER SUPPLY, SWITCH-MODE , LOW NOISE, 18W, US/NA

ROHS: Yes	CE: No	Country of Origin: CN
Price: €22.00		

Power Cord, E	U	
Replacement E	U power cord	for the Multi-Unit Chargers
Model No: 300	4209T01	
Description: C	BL,EUROPE	
ROHS: Yes	CE: Yes	Country of Origin: CL
Price: €16.00		

Replacement UK power cord for the Multi-Unit Chargers

Plug Type	US
Power Source	N/A
Technology	Power supply
Туре	Charger component
Weight (-)	-
Dimensions (-)	- (W) - (H) - (L)
Number of Displays	0
Number of Pockets	1
Plug Type	EURO
Power Source	N/A
Technology	Line cord
Туре	Charger component
Weight (-)	-
Dimensions (-)	- (W) - (H) - (L)
Number of Displays	0
Number of Pockets	1
Plug Type	UK/HK
Power Source	N/A
Technology	Line cord
Туре	Charger component
Weight (-)	
Dimensions (IN- Inch)	0.25 (W) 46 (H) 2.25 (L)
Number of Displays	0
Number of Pockets	1
Plug Type	US
Power Source	Electrical mains
Technology	Line cord
Туре	Charger component



48-Inch Cable Assemb	ly With U.S. Power Cord

CE: Yes

This is the Motorola 3004209T04 spare power cord for the CP-series multi-unit charger.

Country of Origin: CN

Model No: 3004209T04

Power Cord, UK

ROHS: Yes

Price: €16.00

Model No: 3004209T02 Description: CBL,GB

Description: CABLE ASSEMBLY,USA,48IN L,US POWER CORD,4FT

ROHS: YesCE: YesCountry of Origin: CNPrice: €13.00

AC CORD

to a wall.

ROHS: No

Price: €264.50

Model No: 30	04209T08	
Description:	AC CORD	
ROHS: Yes	CE: Yes	Country of Origin: CN
Price: €8.79		

Wall Mount Bracket for Multi-Unit Chargers

CE: No

Weight (-)	-
Dimensions (-)	- (W) - (H) - (L)
Number of Displays	0
Number of Pockets	1
Plug Type	Argentina
Power Source	Electrical mains
Technology	Line cord
Туре	Charger component
Weight(-)	-
Dimensions (IN- Inch)	6.25 (W) 17 (H) 7.75 (L)
Number of Displays	0
Number of Pockets	0
Plug Type	N/A
Power Source	N/A
Technology	Mounting component(s)
Туре	Charger component
Weight (-)	-
Dimensions (IN- Inch)	3 (W) 17 (H) 6 (L)
Number of Displays	0
Number of Pockets	6
Plug Type	N/A
i lag i jpo	
Power Source	100-240 VAC
Power Source	100-240 VAC
Power Source Technology	100-240 VAC Motorola original
Power Source Technology	100-240 VAC Motorola original
Power Source Technology Type	100-240 VAC Motorola original
Power Source Technology Type Weight (-)	100-240 VAC Motorola original Multi unit charger
Power Source Technology Type Weight (-) Dimensions (-) Number of	100-240 VAC Motorola original Multi unit charger - - (W) - (H) - (L)
Power Source Technology Type Weight (-) Dimensions (-) Number of Displays	100-240 VAC Motorola original Multi unit charger - - (W) - (H) - (L) 0
Power Source Technology Type Weight (-) Dimensions (-) Number of Displays Number of Pockets	100-240 VAC Motorola original Multi unit charger - - (W) - (H) - (L) 0 1
Power Source Technology Type Weight (-) Dimensions (-) Number of Displays Number of Pockets Plug Type	100-240 VAC Motorola original Multi unit charger - - (W) - (H) - (L) 0 1 UK/HK
Power Source Technology Type Weight (-) Dimensions (-) Number of Displays Number of Pockets Plug Type Power Source	100-240 VAC Motorola original Multi unit charger - - (W) - (H) - (L) 0 1 UK/HK N/A
Power Source Technology Type Weight (-) Dimensions (-) Number of Displays Number of Pockets Plug Type Power Source Technology	100-240 VAC Motorola original Multi unit charger - - (W) - (H) - (L) 0 1 UK/HK N/A Motorola original
Power Source Technology Type Weight (-) Dimensions (-) Number of Displays Number of Pockets Plug Type Power Source Technology Type	100-240 VAC Motorola original Multi unit charger - - (W) - (H) - (L) 0 1 UK/HK N/A Motorola original Single unit charger
Power Source Technology Type Weight (-) Dimensions (-) Number of Displays Number of Pockets Plug Type Power Source Technology Type Weight (-)	100-240 VAC Motorola original Multi unit charger - - (W) - (H) - (L) 0 1 UK/HK N/A Motorola original Single unit charger -
Power Source Technology Type Weight (-) Dimensions (-) Number of Displays Number of Pockets Plug Type Power Source Technology Type Weight (-) Dimensions (-) Number of	100-240 VAC Motorola original Multi unit charger - - (W) - (H) - (L) 0 1 UK/HK N/A Motorola original Single unit charger - - (W) - (H) - (L)
Power Source Technology Type Weight (-) Dimensions (-) Number of Displays Number of Pockets Plug Type Power Source Technology Type Weight (-) Dimensions (-) Number of Displays	100-240 VAC Motorola original Multi unit charger - - (W) - (H) - (L) 0 1 UK/HK N/A Motorola original Single unit charger - - (W) - (H) - (L) 0
Power Source Technology Type Weight (-) Dimensions (-) Number of Displays Number of Pockets Plug Type Power Source Technology Type Weight (-) Dimensions (-) Number of Displays Number of Pockets	100-240 VAC Motorola original Multi unit charger - - (W) - (H) - (L) 0 1 UK/HK N/A Motorola original Single unit charger - - (W) - (H) - (L) 0 1
Power Source Technology Type Weight (-) Dimensions (-) Number of Displays Number of Pockets Plug Type Power Source Technology Type Weight (-) Dimensions (-) Number of Displays Number of Pockets Plug Type	100-240 VAC Motorola original Multi unit charger - - (W) - (H) - (L) 0 1 UK/HK N/A Motorola original Single unit charger - - (W) - (H) - (L) 0 1 EURO
Power Source Technology Type Weight (-) Dimensions (-) Number of Displays Number of Pockets Plug Type Power Source Technology Type Weight (-) Dimensions (-) Number of Displays Number of Pockets Plug Type Power Source	100-240 VAC Motorola original Multi unit charger - - (W) - (H) - (L) 0 1 UK/HK N/A Motorola original Single unit charger - - (W) - (H) - (L) 0 1 EURO N/A



Multi-Unit Charger (Base Only)

Replacement multi-unit base (no cords included). This is a six pocket rapid rate charger with individual LEDs for each pocket indicating charging status.

This accessory allows easy mounting of the Multi-Unit Chargers

Country of Origin: US

Description: TETRA MUC - WALL MOUNT BRACKET

Model No: NNTN8410A

Model No: NNTN6844A

Description: CHR STD MUC INT

ROHS: Yes	CE: Yes	Country of Origin: MY
Price: €531.00		



Desktop Rapid Single Unit Charger (UK)

Quickly and conveniently charge your batteries within 3 hours in this compact desktop charger. This rapid rate standard charger kit comes with a switchmode power supply with UK plug and a Charger Base WPLN4137.

Model No: PMLN5191B

Description:	CORE SUC	LEVEL V	SMPS	UK CORD
--------------	----------	---------	------	---------

 ROHS: Yes
 CE: Yes
 Country of Origin: N/A

 Price: €83.00



Desktop Rapid Single Unit Charger (Euro)

Quickly and conveniently charge your batteries within 3 hours in this compact desktop charger. This rapid rate standard charger kit comes with a switchmode power supply with EU plug and a Charger Base WPLN4137.

Model No: PMLN5192B

Description: C	ORE SUC I	LEVEL V SMPS EU CORD
ROHS: Yes	CE: Yes	Country of Origin: MY
Price: €83.00		



Desktop Rapid Single Unit Charger (US)

Quickly and conveniently charge your batteries within 3 hours in this compact desktop charger. This rapid rate standard charger kit comes with a switchmode power supply with US plug and a Charger Base WPLN4137.

Model No: PMLN5193B

Description: CORE SUC LEVEL V SMPS NA/LA CORD

ROHS: YesCE: YesCountry of Origin: N/APrice: €83.00

Multi-Unit Charger (EU)

Six pocket rapid rate charger with individual LEDs for each pocket indicating charging status. This MUC charger kit comes with EU power cord and a Charger Base NNTN8410.

Model No: PMLN6598A

Description: CHR STD MUC INT EU

ROHS: Yes CE: Yes Country of Origin: CN Price: €557.00

1	Concella State			
2.7		27	1.1	
	B			

Multi-Unit Charger (UK)

Six pocket rapid rate charger with individual LEDs for each pocket indicating charging status. This MUC charger kit comes with UK power cord and a Charger Base NNTN8410.

Model No: PMLN6600A

Description: CHR STD MUC INT UK

ROHS: Yes	CE: Yes	Country of Origin: MY
Price: €557.00		



Vehicular Battery Charger

 Battery charger powered from vehicle 12v power outlet.

 Model No: PMLN7089A

 Description: CHR STD TRVL EXT

 ROHS: Yes
 CE: Yes

 Country of Origin: CN

 Price: €157.00

Weight (-)	-
Dimensions (-)	- (W) - (H) - (L)
Number of Displays	0
Number of Pockets	1
Plug Type	US
Power Source	N/A
Technology	Motorola original
Туре	Single unit charger
Weight (-)	-
Dimensions (IN- Inch)	2.5 (W) 17.5 (H) 6.7 (L)
Number of Displays	0
Number of Pockets	6
Plug Type	EURO
Power Source	N/A
Technology	Motorola original
Туре	Multi unit charger
Weight (-)	
Dimensions (-)	- (W) - (H) - (L)
Number of Displays	0
Number of Pockets	6
Plug Type	UK
Power Source	N/A
Technology	Motorola original
Туре	Multi unit charger
Weight (-)	-
Dimensions (IN- Inch)	2.5 (W) 19 (H) 2.25 (L)
Number of Displays	0
Number of Pockets	1
Plug Type	N/A
Power Source	N/A
Technology	Motorola original
Туре	Vehicular charger kit
Weight (GM-Gram)	90
Dimensions (MM- Millimeter)	33.4 (W) 69.7 (H) 70 (L)
Number of Displays	0
Number of Pockets	1
Number of Pockets Plug Type	1 EURO
Plug Type	EURO

Switch Mode Power Supply for Single Unit Chargers, EU Plug

Replacement Switch Mode 14 Watt AC Power Supply for Single-Unit Chargers.

Model No: PS000037A01

Description: POWER SUPPLY ADAPTOR, POWER- WALL CUBE, AC, DC, SWITCH MODE, 14W, 207 V - 253 V, EU

ROHS: YesCE: YesCountry of Origin: CNPrice: €22.00



Switch Mode Power Supply for Single Unit Chargers, UK/HK Plug

Replacement Switch Mode 14 Watt AC Power Supply for Single Unit Chargers.

Model No: PS000037A02

Description: POWER SUPPLY ADAPTOR, POWER- WALL CUBE, AC, DC, SWITCH MODE, 14W, 207 V - 253 V, UK/HK

ROHS: Yes CE: Yes Country of Origin: CN Price: €22.00



Replacement Single-Unit Charger Base

This is the replacement charger base for the WPLN4138AR 90min rapid-rate Tri-Chemistry desktop charger.

Model No: WPLN4137BR

Description: CHARGER SINGLE UNIT BASE

ROHS: Yes CE: Yes Country of Origin: MY Price: €34.00

Weight (GM-Gram)	97
Dimensions (MM- Millimeter)	50.5 (W) 57.3 (H) 70 (L)
Number of Displays	0
Number of Pockets	1
Plug Type	UK/HK
Power Source	N/A
Technology	Power supply
Туре	Charger component
Weight (-)	-
Dimensions (IN- Inch)	1.75 (W) 4.38 (H) 4.38 (L)
Number of Displays	0
Number of Pockets	1
Plug Type	N/A
Power Source	N/A
Technology	Motorola original
Туре	Charger base



ANTENNAS

		Weight (-)	-
	Antenna ID Bands, Grey (10 Pack) These antenna bands help to identify assigned radios. These	Dimensions (IN- Inch)	0.38 (W) 0.5 (H) 0.5 (L)
come in Grey and ship in a pack	come in Grey and ship in a pack of 10.	Frequency Band	N/A
	Model No: 32012144001 Description: ANTENNA ID BAND (GREY- PACK OF 10PCS)	Frequency Range (MHz)	N/A
	ROHS: Yes CE: N/A Country of Origin: CN	Integrated GPS	N/A
	Price: €14.00	Intrinsic Safety Rating	N/A
		Mounting Style	N/A
		Туре	Antenna id bands
		Weight(-)	-
	Antenna ID Bands, Yellow (10 Pack) Antenna ID Bands, Yellow (10 Pack) These antenna bands	Dimensions (IN- Inch)	0.38 (W) 0.5 (H) 0.5 (L)
0	help to identify assigned radios. These come in Yellow and ship in a pack of 10.	Frequency Band	N/A
	Model No: 32012144002	Frequency Range (MHz)	N/A
	Description: ANTENNA ID BAND (YELLOW-PACK OF 10PCS)	Integrated GPS	N/A
	ROHS: Yes CE: N/A Country of Origin: CN Price: €14.00	Intrinsic Safety Rating	N/A
		Mounting Style	N/A
		Туре	Antenna id bands
		Weight (-)	-
	Antenna ID Bands, Green (10 Pack) These antenna bands help to identify assigned radios. These	Dimensions (IN- Inch)	0.38 (W) 0.5 (H) 0.5 (L)
0	come in Green and ship in a pack of 10.	Frequency Band	N/A
	Model No: 32012144003 Description: ANTENNA ID BAND (GREEN- PACK OF 10PCS)	Frequency Range (MHz)	N/A
	ROHS: Yes CE: N/A Country of Origin: CN	Integrated GPS	N/A
	Price: €14.00	Intrinsic Safety Rating	N/A
		Mounting Style	N/A
		Туре	Antenna id bands
		Weight (-)	-
	Antenna ID Bands, Blue (10 Pack) These antenna bands help to identify assigned radios. These	Dimensions (IN- Inch)	0.38 (W) 0.5 (H) 0.5 (L)
0	come in Blue and ship in a pack of 10.	Frequency Band	N/A
	Model No: 32012144004	Frequency Range	N/A
	Description: ANTENNA ID BAND (BLUE- PACK OF 10PCS)	(MHz)	N/A
	ROHS: Yes CE: N/A Country of Origin: CN Price: €14.00	Integrated GPS	N/A
		Intrinsic Safety Rating	
		Mounting Style	N/A

Туре

Antenna id bands

Antenna ID Bands, Purple (10 Pack)

These antenna bands help to identify assigned radios. These come in Purple and ship in a pack of 10. **Model No:** 32012144005

Description: ANTENNA ID BAND (PURPLE- PACK OF 10PCS)ROHS: YesCE: N/ACountry of Origin: CNPrice: €14.00

Weight (-)	-
Dimensions (IN- Inch)	0.38 (W) 0.5 (H) 0.5 (L)
Frequency Band	N/A
Frequency Range (MHz)	N/A
Integrated GPS	N/A
Intrinsic Safety Rating	N/A
Mounting Style	N/A
Туре	Antenna id bands
Weight (-)	-
Dimensions (IN- Inch)	- (W) 6.13 (H) 0.5 (L)
Frequency Band	VHF
Frequency Range (MHz)	144-165 MHz
Integrated GPS	Yes
Intrinsic Safety Rating	N/A
Mounting Style	SMA-FEMALE
Туре	Portable radio antenna
Weight (-)	
Dimensions (IN- Inch)	- (W) 6.25 (H) 0.5 (L)
Frequency Band	VHF
Frequency Range (MHz)	136-155 MHz
Integrated GPS	Yes
Intrinsic Safety Rating	N/A
	N/A SMA-FEMALE
Rating	
Rating Mounting Style Type	SMA-FEMALE
Rating Mounting Style	SMA-FEMALE
Rating Mounting Style Type Weight (-) Dimensions (IN-	SMA-FEMALE Portable radio antenna
Rating Mounting Style Type Weight (-) Dimensions (IN- Inch)	SMA-FEMALE Portable radio antenna - - - (W) 6.13 (H) 0.5 (L)
Rating Mounting Style Type Weight (-) Dimensions (IN- Inch) Frequency Band Frequency Range	SMA-FEMALE Portable radio antenna - - (W) 6.13 (H) 0.5 (L) VHF
Rating Mounting Style Type Weight (-) Dimensions (IN- Inch) Frequency Band Frequency Range (MHz)	SMA-FEMALE Portable radio antenna - - (W) 6.13 (H) 0.5 (L) VHF 155-174 MHz
Rating Mounting Style Type Weight (-) Dimensions (IN- Inch) Frequency Band Frequency Range (MHz) Integrated GPS Intrinsic Safety	SMA-FEMALE Portable radio antenna - - (W) 6.13 (H) 0.5 (L) VHF 155-174 MHz Yes
Rating Mounting Style Type Weight (-) Dimensions (IN- Inch) Frequency Band Frequency Range (MHz) Integrated GPS Intrinsic Safety Rating	SMA-FEMALE Portable radio antenna - - (W) 6.13 (H) 0.5 (L) VHF 155-174 MHz Yes N/A
Rating Mounting Style Type Weight (-) Dimensions (IN- Inch) Frequency Band Frequency Range (MHz) Integrated GPS Intrinsic Safety Rating Mounting Style	SMA-FEMALE Portable radio antenna - - (W) 6.13 (H) 0.5 (L) VHF 155-174 MHz Yes N/A Ferrule
RatingMounting StyleTypeWeight (-)Dimensions (IN- Inch)Frequency BandFrequency Range (MHz)Integrated GPSIntrinsic Safety RatingMounting StyleType	SMA-FEMALE Portable radio antenna - - (W) 6.13 (H) 0.5 (L) VHF 155-174 MHz Yes N/A Ferrule
RatingMounting StyleTypeWeight (-)Dimensions (IN- Inch)Frequency BandFrequency Range (MHz)Integrated GPSIntrinsic Safety RatingMounting StyleTypeWeight (-)Dimensions (IN- Inch)	SMA-FEMALE Portable radio antenna - - (W) 6.13 (H) 0.5 (L) VHF 155-174 MHz Yes N/A Ferrule Portable radio antenna - - (W) 3.75 (H) 0.5 (L)
RatingMounting StyleTypeWeight (-)Dimensions (IN- Inch)Frequency BandFrequency Range (MHz)Integrated GPSIntrinsic Safety RatingMounting StyleTypeWeight (-)Dimensions (IN- Inch)Frequency Band	SMA-FEMALEPortable radio antenna (W) 6.13 (H) 0.5 (L)VHF155-174 MHzYesN/AFerrulePortable radio antenna (W) 3.75 (H) 0.5 (L)VHF
RatingMounting StyleTypeWeight (-)Dimensions (IN- Inch)Frequency BandFrequency Range (MHz)Integrated GPSIntrinsic Safety RatingMounting StyleTypeWeight (-)Dimensions (IN- Inch)Frequency BandFrequency BandFrequency BandFrequency Range (MHz)	SMA-FEMALEPortable radio antenna (W) 6.13 (H) 0.5 (L)VHF155-174 MHzYesN/AFerrulePortable radio antenna (W) 3.75 (H) 0.5 (L)VHF136-174 MHz
RatingMounting StyleTypeWeight (-)Dimensions (IN- Inch)Frequency BandFrequency Range (MHz)Integrated GPSIntrinsic Safety RatingMounting StyleTypeWeight (-)Dimensions (IN- Inch)Frequency BandFrequency BandFrequency BandFrequency BandFrequency Range (MHz)Integrated GPS	SMA-FEMALEPortable radio antenna (W) 6.13 (H) 0.5 (L)VHF155-174 MHzYesN/AFerrulePortable radio antenna (W) 3.75 (H) 0.5 (L)VHF136-174 MHzYes
RatingMounting StyleTypeWeight (-)Dimensions (IN- Inch)Frequency BandFrequency Range (MHz)Integrated GPSIntrinsic Safety RatingMounting StyleTypeWeight (-)Dimensions (IN- Inch)Frequency BandFrequency BandFrequency Range (MHz)Integrated GPSIntegrated GPSIntegrated GPSIntegrated GPSIntegrated GPSIntrinsic Safety Rating	SMA-FEMALEPortable radio antenna (W) 6.13 (H) 0.5 (L)VHF155-174 MHzYesN/AFerrulePortable radio antenna (W) 3.75 (H) 0.5 (L)VHF136-174 MHzYesN/A
RatingMounting StyleTypeWeight (-)Dimensions (IN- Inch)Frequency BandFrequency Range (MHz)Integrated GPSIntrinsic Safety RatingMounting StyleTypeWeight (-)Dimensions (IN- Inch)Frequency BandFrequency BandFrequency RatingMounting StyleTypeUnterstore (IN- Inch)Frequency BandFrequency Range (MHz)Integrated GPSIntrinsic Safety	SMA-FEMALEPortable radio antenna (W) 6.13 (H) 0.5 (L)VHF155-174 MHzYesN/AFerrulePortable radio antenna (W) 3.75 (H) 0.5 (L)VHF136-174 MHzYes

VHF Helical Antenna (144-165MHz)

Get the best possible reception wherever you operate. **Model No:** PMAD4116A

 Description:
 VHF HELICAL ANTENNA (144-165 MHZ)

 ROHS:
 Yes
 CE:
 N/A
 Country of Origin:
 MY

 Price:
 €11.00

 Country of Origin:
 MY

VHF Helical Antenna (136-155MHz)

Get the best possible reception wherever you operate. **Model No:** PMAD4117A

 Description:
 VHF HELICAL ANTENNA (136-155 MHZ)

 ROHS:
 Yes
 CE:
 N/A
 Country of Origin:
 MY

 Price:
 €11.00
 Country
 Country

VHF Helical Antenna (152-174MHz)

Get the best possible reception wherever you operate. **Model No:** PMAD4118A

 Description:
 VHF HELICAL ANTENNA (152-174 MHZ)

 ROHS:
 Yes
 CE:
 N/A
 Country of Origin:
 MY

 Price:
 €11.00

 </t

UHF Stubby Antenna (136-148MHz)

Get the best possible reception wherever you operate. Model No: PMAD4119A Description: VHF STUBBY ANTENNA (136-148 MHZ) ROHS: Yes CE: N/A Country of Origin: MY

Price: €11.00

VHF Stubby Antenna (146–160MHz)

Get the best possible reception wherever you operate.

Model No: PMAD4120ADescription: VHF STUBBY ANTENNA (146-160 MHZ)ROHS: YesCE: N/ACountry of Origin: MYPrice: €11.00

VHF Stubby Antenna (160–174MHz)

Get the best possible reception wherever you operate. Model No: PMAD4121B Description: VHF STUBBY ANTENNA (160-174 MHZ) ROHS: Yes CE: N/A Country of Origin: MY Price: €11.00

VHF Wideband Whip Antenna (136-174MHz)
Get the best possible reception wherever you operate.

Model No: PMAD4147A Description: VHF WHIP ANT ,136-174MHZ ROHS: Yes CE: N/A Country of Origin: MY Price: €15.00

UHF Stubby Antenna (400-450MHz)

Get the best possible reception wherever you operate. Model No: PMAE4069A Description: ANTENNA, STAMPED METAL,UHF STUBBY ANTENNA (400-450 MHZ) ROHS: Yes CE: N/A Country of Origin: MY Price: €11.00

UHF Stubby Antenna (440-490MHz)

Get the best possible reception wherever you operate. Model No: PMAE4070A Description: UHF STUBBY ANTENNA (440-490 MHZ) ROHS: Yes CE: N/A Country of Origin: MX

 ROHS: Yes
 CE: N/A
 Country of Origin: MY

 Price: €11.00

Weight (-)	-
Dimensions (IN-	- (W) 3.75 (H) 0.5 (L)
Inch) Frequency Band	VHF
Frequency Range	147-160 MHz
(MHz)	
Integrated GPS	Yes
Intrinsic Safety Rating	N/A
Mounting Style	Stud
Туре	Portable radio antenna
Weight (-)	
Dimensions (IN- Inch)	- (W) 3.75 (H) 0.5 (L)
Frequency Band	VHF
Frequency Range (MHz)	160-174 MHz
Integrated GPS	Yes
Intrinsic Safety Rating	N/A
Mounting Style	Stud
Туре	Portable radio antenna
Weight (GM-Gram)	40
Dimensions (MM- Millimeter)	13.5 (W) 206 (H) 13.5 (L)
Frequency Band	VHF
Frequency Range (MHz)	136-174 MHz
Integrated GPS	Yes
Integrated GPS Intrinsic Safety Rating	Yes N/A
Intrinsic Safety	
Intrinsic Safety Rating	N/A
Intrinsic Safety Rating Mounting Style Type	N/A Ferrule
Intrinsic Safety Rating Mounting Style	N/A Ferrule Portable radio antenna
Intrinsic Safety Rating Mounting Style Type Weight (-) Dimensions (IN- Inch)	N/A Ferrule Portable radio antenna - - (W) 3.75 (H) 0.5 (L)
Intrinsic Safety Rating Mounting Style Type Weight (-) Dimensions (IN- Inch) Frequency Band	N/A Ferrule Portable radio antenna - - (W) 3.75 (H) 0.5 (L) UHF
Intrinsic Safety Rating Mounting Style Type Weight (-) Dimensions (IN- Inch)	N/A Ferrule Portable radio antenna - - (W) 3.75 (H) 0.5 (L)
Intrinsic Safety Rating Mounting Style Type Weight (-) Dimensions (IN- Inch) Frequency Band Frequency Range	N/A Ferrule Portable radio antenna - - (W) 3.75 (H) 0.5 (L) UHF
Intrinsic Safety Rating Mounting Style Type Weight (-) Dimensions (IN- Inch) Frequency Band Frequency Range (MHz)	N/A Ferrule Portable radio antenna - - (W) 3.75 (H) 0.5 (L) UHF 400-450 MHz
Intrinsic Safety Rating Mounting Style Type Weight (-) Dimensions (IN- Inch) Frequency Band Frequency Range (MHz) Integrated GPS Intrinsic Safety	N/A Ferrule Portable radio antenna - - (W) 3.75 (H) 0.5 (L) UHF 400-450 MHz No
Intrinsic Safety Rating Mounting Style Type Weight (-) Dimensions (IN- Inch) Frequency Band Frequency Range (MHz) Integrated GPS Intrinsic Safety Rating	N/A Ferrule Portable radio antenna - - (W) 3.75 (H) 0.5 (L) UHF 400-450 MHz No N/A
Intrinsic Safety Rating Mounting Style Type Weight (-) Dimensions (IN- Inch) Frequency Band Frequency Range (MHz) Integrated GPS Intrinsic Safety Rating Mounting Style Type	N/A Ferrule Portable radio antenna - - (W) 3.75 (H) 0.5 (L) UHF 400-450 MHz No N/A Ferrule
Intrinsic Safety Rating Mounting Style Type Weight (-) Dimensions (IN- Inch) Frequency Band Frequency Range (MHz) Integrated GPS Intrinsic Safety Rating Mounting Style Type Weight (-) Dimensions (IN-	N/A Ferrule Portable radio antenna - - (W) 3.75 (H) 0.5 (L) UHF 400-450 MHz No N/A Ferrule Portable radio antenna
Intrinsic Safety Rating Mounting Style Type Weight (-) Dimensions (IN- Inch) Frequency Band Frequency Band Frequency Range (MHz) Integrated GPS Intrinsic Safety Rating Mounting Style Type Weight (-) Dimensions (IN- Inch)	N/A Ferrule Portable radio antenna - - (W) 3.75 (H) 0.5 (L) UHF 400-450 MHz No N/A Ferrule Portable radio antenna -
Intrinsic Safety Rating Mounting Style Type Weight (-) Dimensions (IN- Inch) Frequency Band Frequency Range (MHz) Integrated GPS Intrinsic Safety Rating Mounting Style Type Weight (-) Dimensions (IN- Inch) Frequency Band Frequency Band Frequency Range	N/AFerrulePortable radio antenna (W) 3.75 (H) 0.5 (L)UHF400-450 MHzNoN/AFerrulePortable radio antenna (W) 3.75 (H) 0.5 (L)
Intrinsic Safety Rating Mounting Style Type Weight (-) Dimensions (IN- Inch) Frequency Band Frequency Range (MHz) Integrated GPS Intrinsic Safety Rating Mounting Style Type Weight (-) Dimensions (IN- Inch) Frequency Band Frequency Range (MHz)	N/AFerrulePortable radio antenna (W) 3.75 (H) 0.5 (L)UHF400-450 MHzNoN/AFerrulePortable radio antenna (W) 3.75 (H) 0.5 (L)UHF
Intrinsic Safety Rating Mounting Style Type Weight (-) Dimensions (IN- Inch) Frequency Band Frequency Range (MHz) Integrated GPS Intrinsic Safety Rating Mounting Style Type Weight (-) Dimensions (IN- Inch) Frequency Band Frequency Range (MHz) Integrated GPS Intrinsic Safety Integrated GPS Intrinsic Safety	N/A Ferrule Portable radio antenna - - (W) 3.75 (H) 0.5 (L) UHF 400-450 MHz No N/A Ferrule Portable radio antenna - - (W) 3.75 (H) 0.5 (L) UHF 400-450 MHz No N/A Ferrule Portable radio antenna - - (W) 3.75 (H) 0.5 (L) UHF 440-490 MHz
Intrinsic Safety Rating Mounting Style Type Weight (-) Dimensions (IN- Inch) Frequency Band Frequency Range (MHz) Integrated GPS Intrinsic Safety Rating Mounting Style Type Weight (-) Dimensions (IN- Inch) Frequency Band Frequency Range (MHz) Integrated GPS Intrinsic Safety Rating	N/A Ferrule Portable radio antenna - - (W) 3.75 (H) 0.5 (L) UHF 400-450 MHz No N/A Ferrule Portable radio antenna - - (W) 3.75 (H) 0.5 (L) UHF 440-490 MHz No N/A No N/A
Intrinsic Safety Rating Mounting Style Type Weight (-) Dimensions (IN- Inch) Frequency Band Frequency Range (MHz) Integrated GPS Intrinsic Safety Rating Mounting Style Type Weight (-) Dimensions (IN- Inch) Frequency Band Frequency Range (MHz) Integrated GPS Intrinsic Safety Integrated GPS Intrinsic Safety	N/AFerrulePortable radio antenna (W) 3.75 (H) 0.5 (L)UHF400-450 MHzNoN/AFerrulePortable radio antenna (W) 3.75 (H) 0.5 (L)UHF440-490 MHzNoNo

UHF Wideband Whip Antenna (400-527MHz)

Get the best possible reception wherever you operate.

Model No: PMAE4079A

Description: ANTENNA, STAMPED METAL, UHF SLIM WHIP ANTENNA (400-527MHZ)

Country of Origin: MY

 ROHS: Yes
 CE: N/A

 Price: €11.00

-
- (W) 6.25 (H) 0.5 (L)
UHF
400-527 MHz
No
N/A
Ferrule
Portable radio antenna



PROFESSIONAL RADIOS **MOTOTRBO R2 ACCESSORIES**

EARPIECES



Weight (-)

Earpiece Type

Intrinsic Safety

Microphone

Industry

Rating

PTT

	Weight (-)	-
Replacement Eartip, Standard Clear This is a replacement part.	Dimensions (IN- Inch)	0.25 (W) 0.5 (H) 0.38 (L)
Model No: 5080370E97	Earpiece Type	Earpiece part
Description: EARTIP, STANDARD CLEAR	Industry	N/A
ROHS: Yes CE: N/A Country of Origin: CN Price: €2.70	Intrinsic Safety Rating	N/A
1100.02.70	Microphone	N/A
	PTT	N/A
	Weight(-)	
Earbud with 3.5mm Plug	Dimensions (-)	- (W) - (H) - (L)
Receive-only covered earbud with coiled cord. Compatible with all remote speaker microphones that have a 3.5mm audio jack.	Earpiece Type	RSM 3.5mm unthreaded rx only
Model No: MDRLN4885B	Industry	N/A
Description: EARBUD WITH 3.5MM PLUG	Intrinsic Safety Rating	TIA4950(UL)
ROHS: Yes CE: Yes Country of Origin: CN	Microphone	N/A
Price: €49.00	PTT	N/A
	Weight (-)	-
Receive only Earpiece with Translucent Tube and Eartip	Dimensions (-)	- (W) - (H) - (L)
This is a Receive Only Earpiece with Translucent Tube and Eartip. Compatible with all remote speaker microphones that	Earpiece Type	RSM 3.5mm unthreaded rx only
have a 3.5mm audio jack.	Industry	N/A
Model No: MDRLN4941A Description: RECEIVE-ONLY EARP. W. TRANSC. TUBE	Intrinsic Safety Rating	TIA4950(UL)
ROHS: Yes CE: Yes Country of Origin: US	Microphone	N/A
Price: €81.00	PTT	N/A
	Weight (-)	
D-Style Receive-Only Earpiece This is a D-shell Rx only earpiece designed to go over the ear.	Dimensions (IN- Inch)	0.13 (W) 2.75 (H) 1.75 (L)
Compatible with all remote speaker microphones that have a	Earpiece Type	RSM 3.5mm unthreaded rx only
3.5mm audio jack. Model No: PMLN4620B	Industry	N/A
Description: D-SHELL RX-ONLY EARPIECE(3.5MM)	Intrinsic Safety Rating	N/A
ROHS: Yes CE: Yes Country of Origin: CN	Microphone	N/A
Price: €14.50	PTT	N/A

0.63 (W) 7.5 (H) 1 (L)

Surveillance and covert

N/A

Msha

In-line

In-line

2-Wire Surveillance Kit with Clear Translucent Tube (Beige) **Dimensions (IN-**This two-wire surveillance kit has an extended-wear comfort Inch)

earpiece that has a rubber eartip and clear, comfortable quick disconnect translucent tube. Receive and transmit operation and with a PTT on the Mic.

Description: 2-W SURV(BEIGE)W CLR ACOUSTICEARPCS ROHS: Yes CE: Yes Country of Origin: CN Price: €37.00

2-Wire Surveillance Kit with Clear Translucent Tube (Black)

Weight (-)

This two-wire surveillance kit has an extended-wear comfort earpiece that has a rubber eartip and clear, comfortable quick disconnect translucent tube. Receive and transmit operation and with a PTT on the Mic.

Model No: PMLN6530A

Description: 2-WIRE W/ TRANS TUBE, BLACK

ROHS: Yes CE: Yes Country of Origin: CN Price: €37.00

Mag One Ear Receiver With In-Line Microphone and PTT, VOX

This earpiece features an over-the-ear style for comfortable wear. Receive and transmit operation and with an inline PTT.

Model No: PMLN6531A

Description: E	ARPC W IN	LINE MIC/PTT/VOX,MAG ONE
ROHS: Yes	CE: Yes	Country of Origin: CN
Price: €18.00		

weight (-)	-
Dimensions (IN- Inch)	0.75 (W) 6.5 (H) 1.5 (L)
Earpiece Type	Surveillance and covert
Industry	N/A
Intrinsic Safety Rating	Msha
Microphone	In-line
PTT	In-line
Weight (-)	-
Dimensions (IN- Inch)	0.5 (W) 2.38 (H) 1.63 (L)
Earpiece Type	Over ear
Industry	N/A
Intrinsic Safety Rating	N/A
Microphone	In-line
PTT	In-line
Weight (-)	-
Dimensions (IN- Inch)	1 (W) 2.25 (H) 1.5 (L)
Earpiece Type	Over ear
Industry	N/A
Intrinsic Safety Rating	N/A
Microphone	In-line
PTT	In-line
Weight (-)	
Dimensions (IN- Inch)	0.75 (W) 1.5 (H) 0.25 (L)
Earpiece Type	Earset
Industry	N/A
Intrinsic Safety Rating	N/A
Microphone	Boom mic
PTT	Boom mic
Weight (-)	-
Dimensions (IN- Inch)	0.63 (W) 1.25 (H) 0.75 (L)
Earpiece Type	In-ear
Industry	N/A
Intrinsic Safety Rating	N/A
Microphone	In-line
PTT	In-line

Mag One Swivel Earpiece With In-Line Microphone and PTT This earpiece features an over-the-ear design with in-line

microphone and push-to-talk. Receive and transmit operation and with an inline PTT.

Model No: PMLN6532A

Description: SWIVEL EARPC W MIC/PTT MAGONE

ROHS: Yes	CE: Yes	Country of Origin: CN
Price: €30.00		

Earpiece With Combined Microphone and PTT

Comfortable for extended wear, this compact and stylish earpiece allows professionals to receive communication discreetly. Receive and transmit operation and with a PTT on the Mic.

Model No: PMLN6533A

Description: ACCESSORY KIT, EARSET W COMBINED MIC/ PTT

ROHS: Yes CE: Yes Country of Origin: CN Price: €27.00

Mag One Earbud With In-Line Microphone and PTT, VOX

This earbud features an in-line microphone and push-to-talk, making communication effortless.

Model No: PMLN6534A

Description: EARBUD W IN-LINE MIC/PTT/VOX,MAGONE

ROHS: Yes	CE: Yes	Country of Origin: CN
Price: €17.00		

D-Style Earpiece With Microphone and PTT

Comfortable for extended wear, this compact D-Style earpiece provides comfort for extended wear and allows professionals to receive communication discreetly.

Model No: PMLN6535A

Description: D-STYLE EARPIECE WITH MIC/PTT

ROHS: Yes CE: Yes Country of Origin: CN Price: €31.00



Receive-Only Adjustable D-Style Earpiece

Receive-only adjustable D-style earpiece. Compatible with all remote speaker microphones that have a 3.5mm audio jack. **Model No:** PMLN7396A

Description: RX-ONLY ADJ D-STYLE W/STD 3.5MM JACK ROHS: Yes CE: Yes Country of Origin: CN

This earpiece accessory is a receive-only earpiece with comfort eartube. Compatible with all remote speaker microphones that

Description: REC ONLY EARPIECE W/TRANSLUCENT TUBE

Country of Origin: CN

Price: €33.00

Receive-Only Earpiece With Translucent Tube

CE: Yes

Inch)		
Earpiece Type	Over ear	
Industry	N/A	
Intrinsic Safety Rating	N/A	
Microphone	In-line	
РТТ	In-line	
Weight (-)	-	
Dimensions (IN- Inch)	1.75 (W) 13 (H) 2.63 (L)	
Earpiece Type	RSM 3.5mm unthreaded rx only	
Industry	N/A	
Intrinsic Safety Rating	N/A	
Microphone	N/A	
РТТ	N/A	
Weight (GM-Gram)	61	
Dimensions (IN- Inch)	0.63 (W) 6.5 (H) 0.75 (L)	
Earpiece Type	RSM 3.5mm unthreaded rx only	
Industry	N/A	
Intrinsic Safety Rating	N/A	
Microphone	N/A	
Microphone PTT	N/A N/A	
•		
PTT	N/A	
PTT Weight (GM-Gram) Dimensions (MM-	N/A 14.8	
PTT Weight (GM-Gram) Dimensions (MM- Millimeter)	N/A 14.8 24 (W) 19 (H) 490 (L)	

0.13 (W) 2.75 (H) 1.63 (L)

Weight (-)

Rating

PTT

Microphone

Dimensions (IN-

Model No: PMLN8120A

quick disconnect.

have a 3.5mm audio jack. Model No: PMLN7560A

ROHS: Yes

Earpiece

Price: €43.00

Description: RX ONLY XL CLEAR TUBE EARPIECE, 3.5MM JACK

ROHS: Yes CE: Yes Country of Origin: CN Price: €40.00

3.5mm Receive Only Xtra Loud Translucent Tube RSM

Discreetly receive messages when using a remote speaker microphone. Supports loud audio feature enabled by the device. Speaker is wideband ready. The clear tube is replaceable with



Small Clear Custom Earpiece for the Right Ear

This surveillance kit accessory is a small clear comfortable earpiece designed for your right ear.

Model No: RLN4760A

 Description:
 RT CSTM EARPC SZ:SM USED W/NTN8371A

 ROHS:
 Yes
 CE:
 N/A
 Country of Origin:
 SG

Price: €25.00

 Weight (-)

 Dimensions (IN-Inch)
 0.5 (W) 1 (H) 0.75 (L)

 Earpiece Type
 Earpiece part

 Industry
 N/A

 Intrinsic Safety Rating
 N/A

 Microphone
 N/A

 PTT
 N/A

N/A

N/A

Q

Medium Clear Custom Earpiece for the Right Ear

This surveillance kit accessory is a medium clear comfortable earpiece designed for your right ear.

Model No: RLN4761A

 Description: RT CSTM EARPC MED USED W/NTN8371A

 ROHS: Yes
 CE: N/A
 Country of Origin: SG

 Price: €25.00



Large Clear Custom Earpiece for the Right Ear

This surveillance kit accessory is a large clear comfortabe earpiece designed for your right ear.

Model No: RLN4762A

 Description:
 RT CSTM EARPC LGE USED W/NTN8371A

 ROHS:
 Yes
 CE:
 N/A
 Country of Origin:
 SG

 Price:
 €25.00

 Country of Origin:
 SG



Small Clear Custom Earpiece for the Left Ear

This surveillance kit accessory is a small clear comfortable earpiece designed for your left ear.

Model No: RLN4763A

 Description:
 LFT CSTM EARPC SM USED W/NTN8371A

 ROHS:
 Yes
 CE:
 N/A
 Country of Origin:
 SG

 Price:
 €25.00

 Country of Origin:
 SG



Medium Clear Custom Earpiece for the Left Ear

This surveillance kit accessory is a medium clear comfortabe earpiece designed for your left ear.

Model No: RLN4764A

 Description:
 LFT CSTM EARPC MED USED W/NTN8371A

 ROHS:
 Yes
 CE:
 N/A
 Country of Origin:
 SG

 Price:
 €25.00

 </



Large Clear Custom Earpiece for the Left Ear

This surveillance kit accessory is a large clear comfortabe earpiece designed for your left ear.

Model No: RLN4765A

 Description:
 LFT CSTM EARPC LGE USED W/NTN8371A

 ROHS:
 Yes
 CE:
 N/A
 Country of Origin:
 SG

 Price:
 €25.00

 </

	Quick-Discon	nect Translucer	nt Tube
I		cessory kit ships	lios, this MOTOTRBO low noise with a translucent tube and 1
	Model No: RLM	N6242A	
	Description: C	UICK DISCON	NECT ACOUSTIC TUBE
			Country of Origins M/V

 Description:
 QUICK DISCONNECT ACOUSTIC TUBE

 ROHS:
 Yes
 CE:
 N/A
 Country of Origin:
 MY

 Price:
 €9.00
 Price:
 100
 100
 100
 100
 100
 100
 100
 100
 100
 100
 100
 100
 100
 100
 100
 100
 100
 100
 100
 100
 100
 100
 100
 100
 100
 100
 100
 100
 100
 100
 100
 100
 100
 100
 100
 100
 100
 100
 100
 100
 100
 100
 100
 100
 100
 100
 100
 100
 100
 100
 100
 100
 100
 100
 100
 100
 100
 100
 100
 100
 100
 100
 100
 100
 100
 100
 100
 100
 100
 100
 100
 100
 100
 100
 100
 100
 100
 100
 100
 100
 100

Weight (-)	-
Dimensions (-)	- (W) - (H) - (L)
Earpiece Type	Earpiece part
Industry	N/A
Intrinsic Safety Rating	N/A
Microphone	N/A
PTT	N/A
Weight (-)	-
Dimensions (IN- Inch)	0.25 (W) 1 (H) 0.88 (L)
Earpiece Type	Earpiece part
Industry	N/A
Intrinsic Safety Rating	N/A
Microphone	N/A
PTT	N/A
Weight (-)	-
Dimensions (IN- Inch)	0.25 (W) 0.88 (H) 0.88 (L)
Earpiece Type	Earpiece part
Industry	N/A
Intrinsic Safety Rating	N/A
Microphone	N/A
PTT	N/A
Weight (-)	-
Weight(-) Dimensions(-)	- - (W) - (H) - (L)
	- - (W) - (H) - (L) Earpiece part
Dimensions (-)	
Dimensions (-) Earpiece Type	Earpiece part
Dimensions (-) Earpiece Type Industry Intrinsic Safety	Earpiece part N/A
Dimensions (-) Earpiece Type Industry Intrinsic Safety Rating	Earpiece part N/A N/A
Dimensions (-) Earpiece Type Industry Intrinsic Safety Rating Microphone PTT	Earpiece part N/A N/A N/A
Dimensions (-) Earpiece Type Industry Intrinsic Safety Rating Microphone PTT Weight (-)	Earpiece part N/A N/A N/A -
Dimensions (-) Earpiece Type Industry Intrinsic Safety Rating Microphone PTT Weight (-) Dimensions (IN- Inch)	Earpiece part N/A N/A N/A - 0.25 (W) 1 (H) 1 (L)
Dimensions (-) Earpiece Type Industry Intrinsic Safety Rating Microphone PTT Weight (-) Dimensions (IN- Inch) Earpiece Type	Earpiece part N/A N/A N/A - 0.25 (W) 1 (H) 1 (L) Earpiece part
Dimensions (-) Earpiece Type Industry Intrinsic Safety Rating Microphone PTT Weight (-) Dimensions (IN- Inch) Earpiece Type Industry	Earpiece part N/A N/A N/A - 0.25 (W) 1 (H) 1 (L) Earpiece part N/A
Dimensions (-) Earpiece Type Industry Intrinsic Safety Rating Microphone PTT Weight (-) Dimensions (IN- Inch) Earpiece Type Industry Intrinsic Safety Rating	Earpiece part N/A N/A N/A - 0.25 (W) 1 (H) 1 (L) Earpiece part N/A N/A
Dimensions (-) Earpiece Type Industry Intrinsic Safety Rating Microphone PTT Weight (-) Dimensions (IN- Inch) Earpiece Type Industry Intrinsic Safety Rating Microphone	Earpiece part N/A N/A N/A - 0.25 (W) 1 (H) 1 (L) Earpiece part N/A
Dimensions (-) Earpiece Type Industry Intrinsic Safety Rating Microphone PTT Weight (-) Dimensions (IN- Inch) Earpiece Type Industry Intrinsic Safety Rating	Earpiece part N/A N/A N/A - 0.25 (W) 1 (H) 1 (L) Earpiece part N/A N/A
Dimensions (-) Earpiece Type Industry Intrinsic Safety Rating Microphone PTT Weight (-) Dimensions (IN- Inch) Earpiece Type Industry Intrinsic Safety Rating Microphone PTT	Earpiece part N/A N/A N/A - 0.25 (W) 1 (H) 1 (L) Earpiece part N/A N/A N/A
Dimensions (-) Earpiece Type Industry Intrinsic Safety Rating Microphone PTT Weight (-) Dimensions (IN- Inch) Earpiece Type Industry Intrinsic Safety Rating Microphone PTT Weight (-)	Earpiece part N/A N/A N/A N/A - 0.25 (W) 1 (H) 1 (L) Earpiece part N/A N/A N/A N/A -
Dimensions (-) Earpiece Type Industry Intrinsic Safety Rating Microphone PTT Weight (-) Dimensions (IN- Inch) Earpiece Type Industry Intrinsic Safety Rating Microphone PTT Weight (-) Dimensions (IN- Inch)	Earpiece part N/A N/A N/A - 0.25 (W) 1 (H) 1 (L) Earpiece part N/A N/A N/A N/A
Dimensions (-) Earpiece Type Industry Intrinsic Safety Rating Microphone PTT Weight (-) Dimensions (IN- Inch) Earpiece Type Industry Intrinsic Safety Rating Microphone PTT Weight (-) Dimensions (IN- Inch) Earpiece Type	Earpiece part N/A N/A N/A N/A - 0.25 (W) 1 (H) 1 (L) Earpiece part N/A N/A N/A N/A -
Dimensions (-) Earpiece Type Industry Intrinsic Safety Rating Microphone PTT Weight (-) Dimensions (IN- Inch) Earpiece Type Industry Intrinsic Safety Rating Microphone PTT Weight (-) Dimensions (IN- Inch)	Earpiece part N/A N/A N/A N/A - 0.25 (W) 1 (H) 1 (L) Earpiece part N/A N/A N/A N/A 1 (W) 6.25 (H) 2.25 (L)
Dimensions (-) Earpiece Type Industry Intrinsic Safety Rating Microphone PTT Weight (-) Dimensions (IN- Inch) Earpiece Type Industry Intrinsic Safety Rating Microphone PTT Weight (-) Dimensions (IN- Inch) Earpiece Type	Earpiece part N/A N/A N/A N/A - 0.25 (W) 1 (H) 1 (L) Earpiece part N/A N/A N/A N/A N/A I (W) 6.25 (H) 2.25 (L) In-ear
Dimensions (-) Earpiece Type Industry Intrinsic Safety Rating Microphone PTT Weight (-) Dimensions (IN- Inch) Earpiece Type Industry Intrinsic Safety Rating Microphone PTT Weight (-) Dimensions (IN- Inch) Earpiece Type Industry Intrinsic Safety Industry Intrinsic Safety	Earpiece part N/A N/A N/A N/A - 0.25 (W) 1 (H) 1 (L) Earpiece part N/A N/A N/A N/A I (W) 6.25 (H) 2.25 (L) In-ear N/A
Dimensions (-) Earpiece Type Industry Intrinsic Safety Rating Microphone PTT Weight (-) Dimensions (IN- Inch) Earpiece Type Industry Intrinsic Safety Rating Microphone PTT Weight (-) Dimensions (IN- Inch) Earpiece Type Industry Intrinsic Safety Rating	Earpiece part N/A N/A N/A N/A - 0.25 (W) 1 (H) 1 (L) Earpiece part N/A N/A N/A N/A N/A N/A N/A N/A



Receive-Only Flexible Ear Receiver

This earpiece accessory is an over the ear receive-only flexible earpiece. Compatible with all remote speaker microphones that have a 3.5mm audio jack.

Model No: WADN4190B

 Description:
 EAR RCVR W/COIL CBL&3.5MM PLUG

 ROHS:
 Yes
 CE:
 N/A
 Country of Origin:
 US

Price: €130.00

Weight (-)	-
Dimensions (IN- Inch)	0.5 (W) 2 (H) 1.5 (L)
Earpiece Type	RSM 3.5mm unthreaded rx only
Industry	N/A
Intrinsic Safety Rating	TIA4950(UL)
Microphone	N/A
РТТ	N/A



HEADSETS

<u>[ø</u>

Ø

Ō

	Weight (-)	-
Replacement Cable for Heavy Duty headset	Dimensions (-)	- (W) - (H) - (L)
 Audio cable including radio side connector plug Compatible with heavy duty headset PMLN6854 	Connector Type	N/A
Model No: AY000308A01	Earpiece Style	N/A
Description: ACCESSORY KIT, HEADSET CABLE FOR	Headset Type	Headset part
DIGITAL GP300	Industry	N/A
ROHS: Yes CE: Yes Country of Origin: US	Intelligent Audio	N/A
Price: €214.00	Intrinsic Safety Rating	N/A
	Microphone	N/A
	Noise Reduction Rating	N/A
	Technology	N/A
	PTT	N/A
	Weight (-)	
Replacement Head strap for Heavy Duty Headset	Dimensions (-)	- (W) - (H) - (L)
•Over the head replacement strap in mesh •Compatible with heavy duty headset PMLN6852, PMLN6853, PMLN6854,	Connector Type	N/A
PMLN6760, PMLN6763, PMLN7464, PMLN7465, PMLN7466	Earpiece Style	N/A
and PMLN7467	Headset Type	Headset part
Model No: AY000309A01	Industry	N/A
Description: ACCESSORY KIT,MESH HEAD STRAP	Intelligent Audio	N/A
ROHS: Yes CE: N/A Country of Origin: US Price: €63.00	Intrinsic Safety Rating	N/A
	Microphone	N/A
	Noise Reduction Rating	N/A
	Technology	N/A
	PTT	N/A
	Weight (-)	
Replacement Microphone Windscreen for Heavy Duty	Dimensions (-)	- (W) - (H) - (L)
Headset	Connector Type	N/A
Boom mic windscreen with retaining o-ring •Includes 5 per bag Compatible with heavy duty headset PMLN6852, PMLN6853,	Earpiece Style	N/A
PMLN6854, PMLN6760, PMLN6763, PMLN7464, PMLN7465, PMLN7465, PMLN7466 and PMLN7467	Headset Type	Headset part
Model No: AY000310A01	Industry	N/A
Description: ACCESSORY KIT,MICROPHONE WINDSCREEN	Intelligent Audio	N/A
W/ RETAINING O-RING (QTY. 5 PER BAG) ROHS: Yes CE: Yes Country of Origin: MY	Intrinsic Safety Rating	N/A
Price: €20.00	Microphone	N/A
FILE, 220.00	Noise Reduction Rating	N/A
	Technology	N/A
	PTT	N/A



Gel Ear Seal Kit

Gel ear seal with mesh and O-ring, 2 per bag Model No: AY000311A01

 Description: ACCESSORY KIT,GEL EAR SEAL W/ MESH & O-RING (QTY. 2 PER BAG)

 ROHS: Yes
 CE: Yes

 Country of Origin: US

ROHS: Yes	CE:	Yes
Price: €176.00		

Weight (-)	-
Dimensions (IN- Inch)	1.75 (W) 4 (H) 3 (L)
Connector Type	N/A
Earpiece Style	N/A
Headset Type	Headset part
Industry	N/A
Intelligent Audio	N/A
Intrinsic Safety Rating	N/A
Microphone	N/A
Noise Reduction Rating	N/A
Technology	N/A
PTT	N/A
Weight (-)	-
Dimensions (-)	- (W) - (H) - (L)
Connector Type	N/A
Earpiece Style	N/A
Headset Type	Headset part
Industry	N/A
Intelligent Audio	N/A
Intrinsic Safety Rating	N/A
Microphone	N/A
Noise Reduction Rating	N/A
Technology	N/A
PTT	N/A
Weight (-)	-
Dimensions (-)	- (W) - (H) - (L)
Connector Type	N/A
Earpiece Style	N/A
Headset Type	Headset part
Industry	N/A
Intelligent Audio	N/A
Intrinsic Safety	N/A

Replacement Boom Microphone (left side) for Heavy Duty headset

•Complete boom mic assembly replacement including windscreen •Fits only left side of the headset •Compatible with heavy duty headset PMLN6852, PMLN6853, PMLN6854, PMLN6760, PMLN6763, PMLN7464, PMLN7465, PMLN7466 and PMLN7467

Model No: AY000312A01

Description: ACCESSORY KIT, HEADSET LEFT MICROPHONE BOOM ASSEMBLY (STD)

Country of Origin: US

ROHS: Yes **CE**: Yes **Price**: €251.00

Replacement Boom Microphone (right side) for Heavy Duty headset

•Complete boom mic assembly replacement including windscreen •Fits only right side of the headset •Compatible with heavy duty headset PMLN6852, PMLN6853, PMLN6854, PMLN6760, PMLN6763, PMLN7464, PMLN7465, PMLN7466 and PMLN7467

Model No: AY000313A01

Description: ACCESSORY KIT,HEADSET RIGHT MICROPHONE BOOM ASSEMBLY

 ROHS: Yes
 CE: Yes
 Country of Origin: US

 Price: €251.00

Weight (-)	-
Dimensions(-)	- (W) - (H) - (L)
Connector Type	N/A
Earpiece Style	N/A
Headset Type	Headset part
Industry	N/A
Intelligent Audio	N/A
Intrinsic Safety Rating	N/A
Microphone	N/A
Noise Reduction Rating	N/A
Technology	N/A
PTT	N/A

Q

Lightweight Headset

Communicate hands-free with this single-muff, lightweight headset, while maintaining the comfort necessary for extended wear.

Model No: PMLN6538A

Description: LIGHTWEIGHT HDSET W SWIVEL BOOM MIC

 ROHS: Yes
 CE: Yes
 Country of Origin: CN

 Price: €84.00

Weight (-)	-
Dimensions (IN- Inch)	7.5 (W) 6 (H) 5.5 (L)
Connector Type	Direct to radio
Earpiece Style	Single-ear
Headset Type	Over-the-head
Industry	N/A
Intelligent Audio	N/A
Intrinsic Safety Rating	N/A
Microphone	Boom mic
Noise Reduction Rating	N/A
Technology	Motorola original
РТТ	In-line
Weight (-)	-
Dimensions (-)	- (W) - (H) - (L)
Connector Type	Direct to radio
Earpiece Style	Single-ear
Headset Type	Behind-the-head
Industry	N/A
Intelligent Audio	N/A
Intrinsic Safety Rating	N/A
Microphone	Boom mic
Noise Reduction Rating	N/A
Technology	Mag one
PTT	In-line
Weight (-)	-
Dimensions (IN- Inch)	4.5 (W) 36 (H) 7.75 (L)
Connector Type	Direct to radio
Earpiece Style	Dual-muff
Headset Type	Behind-the-head
Industry	N/A
Intelligent Audio	N/A
Intrinsic Safety Rating	N/A
Microphone	Boom mic
Noise Reduction Rating	24 dB
Technology	Motorola original
PTT	On ear cup

MagOne Breeze HS with BOOM MIC & PTT

•Receive via: Single ear •Transmit via: Boom mic •Vox capability: No •Note: MagOne warranty 6 months

Model No: PMLN6542A

Description: ACCESSORY KIT,BREEZE HS W BOOM MIC & PTT MAGONE

ROHS: YesCE: YesCountry of Origin: CNPrice: €33.00



· En

Heavy-Duty Headset

This heavy-duty headset is ideal for industrial users working in high-noise environments. The behind-the-head style fits under most helmets and connects directly to the radio.

Model No: PMLN6854A

Description: BEHIND THE HEAD H/DUTY HEADSET/VOX, 2 PIN

 ROHS: Yes
 CE: Yes
 Country of Origin: US

 Price: €718.00



Foam Windscreen and Ear Pad

Motorola REX4648A replacement foam windscreen and ear pad for PMLN6538 lightweight headset.

Model No: REX4648A

Description: EARPAD & WINDSCREEN KIT

ROHS: Yes	CE: Yes	Country of Origin: CN
Price: €8.00		

Weight (-)	-
Dimensions (IN- Inch)	- (W) 1.63 (H) 0.38 (L)
Connector Type	N/A
Earpiece Style	N/A
Headset Type	Headset part
Industry	N/A
Intelligent Audio	N/A
Intrinsic Safety Rating	N/A
Microphone	N/A
Noise Reduction Rating	N/A
Technology	N/A
РТТ	N/A



CARRY



Universal Chest Pack

Compatible with both APX and MOTOTRBO radios, this carry accessory is a universal chest pack with radio holder, pen holder and velcro secured patch made with a nylon material.

Model No: HLN6602A

Description: UNIVERSAL CHESTPACK

on your hip and instantly access it.

Description: SPRING BELT CLIP 2 1/2

CE: N/A

Model No: HLN9714A

ROHS: Yes	CE: N/A	Country of Origin: CN
Price: €63.00		

This rugged, spring-action belt clip allows you to keep your radio

Country of Origin: ID

Weight (GM-Gram)	113.4
Dimensions (IN- Inch)	2 (W) 10 (H) 5 (L)
Belt Loop / Clip Dimension (in)	N/A
Compatible Batteries	N/A
Display	N/A
Material	Nylon
Туре	Chest packs
Weight (-)	_
Dimensions (IN- Inch)	0.25 (W) 3.75 (H) 1.38 (L)
Belt Loop / Clip Dimension (in)	2.5 inch
Compatible Batteries	N/A
Display	N/A
Material	Plastic
Туре	Belt Clip
M_{0} and $()$	
Weight (-)	-
Weight (-) Dimensions (IN- Inch)	- 0.38 (W) 3 (H) 1 (L)
Dimensions (IN-	- 0.38 (W) 3 (H) 1 (L) 2 inch
Dimensions (IN- Inch) Belt Loop / Clip	
Dimensions (IN- Inch) Belt Loop / Clip Dimension (in) Compatible	2 inch
Dimensions (IN- Inch) Belt Loop / Clip Dimension (in) Compatible Batteries	2 inch N/A
Dimensions (IN- Inch) Belt Loop / Clip Dimension (in) Compatible Batteries Display	2 inch N/A N/A
Dimensions (IN- Inch) Belt Loop / Clip Dimension (in) Compatible Batteries Display Material Type	2 inch N/A N/A Plastic Belt Clip
Dimensions (IN- Inch) Belt Loop / Clip Dimension (in) Compatible Batteries Display Material	2 inch N/A N/A Plastic
Dimensions (IN- Inch) Belt Loop / Clip Dimension (in) Compatible Batteries Display Material Type	2 inch N/A N/A Plastic Belt Clip
Dimensions (IN- Inch) Belt Loop / Clip Dimension (in) Compatible Batteries Display Material Type Weight (GM-Gram) Dimensions (MM-	2 inch N/A N/A Plastic Belt Clip 70
Dimensions (IN- Inch) Belt Loop / Clip Dimension (in) Compatible Batteries Display Material Type Weight (GM-Gram) Dimensions (MM- Millimeter) Belt Loop / Clip	2 inch N/A N/A Plastic Belt Clip 70 0.02 (W) 15 (H) 5 (L)
Dimensions (IN- Inch)Belt Loop / Clip Dimension (in)Compatible BatteriesDisplayMaterialTypeWeight (GM-Gram)Dimensions (MM- Millimeter)Belt Loop / Clip Dimension (in)Compatible	2 inch N/A N/A Plastic Belt Clip 70 0.02 (W) 15 (H) 5 (L) N/A
Dimensions (IN-Inch) Belt Loop / Clip Dimension (in) Compatible Batteries Display Material Type Weight (GM-Gram) Dimensions (MM-Millimeter) Belt Loop / Clip Dimension (in) Compatible Batteries	2 inch N/A N/A Plastic Belt Clip 70 0.02 (W) 15 (H) 5 (L) N/A N/A

011 E

2" Belt Clip

2.5" Belt Clip

ROHS: Yes

Price: €3.50

This rugged, spring-action belt clip allows you to keep your radio on your hip and instantly access it.

Model No: HLN9844A

Description: SPRING ACTION BELT CLIP 2.0

 ROHS: Yes
 CE: N/A
 Country of Origin: ID

 Price: €8.00

1	
4	
8 8	
1 1	
	2

Waterproof Baggie

This waterproof bag fits any Motorola two-way radio and includes a convenient carrying strap.

Model No: HLN9985B

Description: WEATHERPOOF BAGGIE

 ROHS: Yes
 CE: N/A
 Country of Origin: MY

 Price: €54.00

Shoulder Strap

2" Belt Clip

ROHS: Yes

Price: €5.50

Shoulder Strap for Carry Cases with D-rings for attachment. **Model No:** NTN5243A

Description: STRAP			
ROHS: Yes	CE: N/A	Country of Origin: CN	
Price: €27.00			

Weight (GM-Gram)	125
Dimensions (IN- Inch)	0.13 (W) 36 (H) 0.63 (L)
Belt Loop / Clip Dimension (in)	N/A
Compatible Batteries	N/A
Display	N/A
Material	Nylon
Туре	Belts and straps
Weight (GM-Gram)	22.7
Dimensions (IN- Inch)	0.25 (W) 3 (H) 1.25 (L)
Belt Loop / Clip Dimension (in)	2 inch
Compatible Batteries	N/A
Display	N/A
Material	Plastic
Туре	Belt Clip
Weight (GM-Gram)	47
Dimensions (IN- Inch)	1 (W) 3.75 (H) 2.5 (L)
Belt Loop / Clip Dimension (in)	2.5 inch
Compatible Batteries	N/A
Display	N/A
Material	Hard leather
Туре	Swivel
Weight (GM-Gram)	46.7
Dimensions (IN- Inch)	1 (W) 4 (H) 2.38 (L)
Belt Loop / Clip Dimension (in)	3 inch
Compatible Batteries	N/A
Display	N/A
Material	Hard leather
Туре	Swivel
Weight (GM-Gram)	88.7
Dimensions (IN- Inch)	0.19 (W) 3.62 (H) 1.25 (L)
Belt Loop / Clip Dimension (in)	2.5 inch
Compatible Batteries	N/A
Display	N/A
Material	Plastic
Туре	Belt Clip



2.5" Swivel Belt Loop

on your hip and instantly access it.

CE: N/A

Model No: PMLN4651A Description: 2 INCH BELT CLIP

This swivel latch system allows the radio to swing freely from side to side and ensures that the radio remains securely in place during a foot chase.

This rugged, spring-action belt clip allows you to keep your radio

Country of Origin: ID

Model No: PMLN5610A

Description: A	CCESSORY KIT	,2.5 INCH SWIVEL BELT LOOP
ROHS: Yes	CE: N/A	Country of Origin: CN
Price: €12.00		



3" Swivel Belt Loop

This swivel latch system allows the radio to swing freely from side to side and ensures that the radio remains securely in place during a foot chase.

Model No: PMLN5611A

Description: ACCESSORY KIT, 3.0 INCH SWIVEL BELT LOOP

ROHS: Yes	CE: N/A	Country of Origin: CN
Price: €13.00		



2.5" Belt Clip

This rugged spring-action belt clip allows you to instantly access your radio. When paired with a remote speaker microphone or other audio accessory, you can securely keep the radio in the clip while communicating.

Model No: PMLN7008A

Description: 2.5-INCH BELT CLIP

ROHS: Yes CE: N/A Country of Origin: CN

Price: €8.00

Nylon Case, 3" Fixed Belt Loop

Made from durable nylon material to ensure the radios can withstand the wear and tear of everyday use. Motorola radio carry cases are designed to provide a safe and secure way to transport Motorola radios.

Model No: PMLN8427A

Description: ACCESSORY KIT,NYLON 3"FIXED BELT LOOP

ROHS: Yes CE: N/A Country of Origin: IN Price: €75.00

Hard Leather Carry Case, 3" Fixed Belt Loop

Motorolas carry cases provide a convenient and safe way to transport radios, ensuring that they are always within easy reach when needed. Made from durable leather material to ensure the radios can withstand the wear and tear of everyday use.

Model No: PMLN8433A

Description: ACCESSORY KIT, HARD LEATHER 3" FIXED
BELTLOOP

ROHS: Yes	CE: N/A	Country of Origin: IN
Price: €75.00		

Hard Leather, 2.5" Swivel Belt Loop

Motorolas carry cases provide a convenient and safe way to transport radios, ensuring that they are always within easy reach when needed. Made from durable leather material to ensure the radios can withstand the wear and tear of everyday use.

Model No: PMLN8434A

Description: ACCESSORY KIT, HARD LEATHER 2	2.5" SWIVEL
BELTLOOP	

ROHS: Yes	CE: N/A	Country of Origin: IN
Price: €75.00		

Hard Leather, 3" Swivel Belt Loop

Motorolas carry cases provide a convenient and safe way to transport radios, ensuring that they are always within easy reach when needed. Made from durable leather material to ensure the radios can withstand the wear and tear of everyday use.

Model No: PMLN8435A

Description: ACCESSORY KIT, HARD LEATHER 3" SWIVEL
BELTLOOP

 ROHS: Yes
 CE: N/A
 Country of Origin: IN

 Price: €80.00

-	
10	
G	
20	L.
	1000

Retainer Clip Kit

This accessory retainer clip holds audio accessories securely to radio.

Model No: RLN5500A

Description: RETAINER KIT

ROHS: Yes	CE: N/A	Country of Origin: MY
Price: €4.00		

Weight (-)	-
Dimensions (-)	- (W) - (H) - (L)
Belt Loop / Clip Dimension (in)	3 inch
Compatible Batteries	PMNN4598A,PMNN4600A
Display	N/A
Material	Nylon
Туре	Holsters
Weight (-)	-
Dimensions (-)	- (W) - (H) - (L)
Belt Loop / Clip Dimension (in)	3 inch
Compatible Batteries	PMNN4598A,PMNN4600A
Display	N/A
Material	Hard leather

Weight (-)	-
Dimensions (-)	- (W) - (H) - (L)
Belt Loop / Clip Dimension (in)	2.5 inch
Compatible Batteries	PMNN4598A,PMNN4600A
Display	N/A
Material	Hard leather
Туре	Holsters

Holsters

Туре

Weight (-)	-
Dimensions (-)	- (W) - (H) - (L)
Belt Loop / Clip Dimension (in)	3 inch
Compatible Batteries	PMNN4598A,PMNN4600A
Display	N/A
Material	Hard leather
Туре	Holsters

-
0.88 (W) 1.75 (H) 0.75 (L)
N/A
N/A
N/A
Plastic
Specialty



REPAIR-PARTS

	Weight (-)	-
Portable Programming Cable with TTR	Dimensions (-)	- (W) - (H) - (L)
This cable connects the radio to a USB port for radio programming.	Cable Type	Programming
Model No: PMKN4128A		
Description: PORTABLE PROGRAMMING WITH TTR		
ROHS: Yes CE: Yes Country of Origin: CN		
Price: €45.00		
	Weight (-)	-



Portable Test Cable

This cable connects the radio to the RLN4460 Portable Test Set for test and measurement.

Model No: PMKN4156A

Description: CABLE, ASSEMBLY, TWO PIN AUDIO JACK TEST CABLE ROHS: Yes CE: Yes Country of Origin: CN

Price: €42.00

Veight (-)	-

Dimensions (-)	- (W) - (H) - (L)
Cable Type	Programming



REMOTESPEAKERMICS



ACCY,SPKR MIC,PMMN4013/29 CABLE KIT

Model No: PMKN4155ADescription: ACCY,SPKR MIC,PMMN4013/29 CABLE KITROHS: YesCE: YesCountry of Origin: CNPrice: €20.00

Weight (-)	-
Dimensions (-)	- (W) - (H) - (L)
Channel Control	N/A
Display	N/A
Industry	N/A
Intelligent Audio	N/A
Intrinsic Safety Rating	No rating
IP Rating	N/A
Microphone Type	N/A
Programmable Button	N/A
Technology	RSM part
Volume Control	No
Audiobuchse	None
Weight (GM-Gram)	16.45
Weight (GM-Gram) Dimensions (MM- Millimeter)	16.45 6.94 (W) 49.25 (H) 27.83 (L)
Dimensions (MM-	
Dimensions (MM- Millimeter)	6.94 (W) 49.25 (H) 27.83 (L)
Dimensions (MM- Millimeter) Channel Control	6.94 (W) 49.25 (H) 27.83 (L) N/A
Dimensions (MM- Millimeter) Channel Control Display	6.94 (W) 49.25 (H) 27.83 (L) N/A N/A
Dimensions (MM- Millimeter) Channel Control Display Industry	6.94 (W) 49.25 (H) 27.83 (L) N/A N/A N/A
Dimensions (MM- Millimeter) Channel Control Display Industry Intelligent Audio Intrinsic Safety	6.94 (W) 49.25 (H) 27.83 (L) N/A N/A N/A N/A
Dimensions (MM- Millimeter) Channel Control Display Industry Intelligent Audio Intrinsic Safety Rating	6.94 (W) 49.25 (H) 27.83 (L) N/A N/A N/A N/A No rating
Dimensions (MM- Millimeter) Channel Control Display Industry Intelligent Audio Intrinsic Safety Rating IP Rating	6.94 (W) 49.25 (H) 27.83 (L) N/A N/A N/A No rating N/A
Dimensions (MM- Millimeter) Channel Control Display Industry Intelligent Audio Intrinsic Safety Rating IP Rating Microphone Type Programmable	6.94 (W) 49.25 (H) 27.83 (L) N/A N/A N/A No rating N/A RSM clip
Dimensions (MM- Millimeter) Channel Control Display Industry Intelligent Audio Intrinsic Safety Rating IP Rating Microphone Type Programmable Button	6.94 (W) 49.25 (H) 27.83 (L) N/A N/A N/A No rating N/A RSM clip N/A
Dimensions (MM- Millimeter) Channel Control Display Industry Intelligent Audio Intrinsic Safety Rating IP Rating Microphone Type Programmable Button Technology	6.94 (W) 49.25 (H) 27.83 (L) N/A N/A N/A No rating N/A RSM clip N/A RSM part



Low Profile Swivel Clip

Replacement swivel clip for the remote speaker microphone PMMN4148. **Model No:** PMLN8121A

Description: LOW PROFILE SWIVEL CLIP

 ROHS: Yes
 CE: N/A
 Country of Origin: CN

 Price: €9.36

Ø

Replacement Dust Cover (Pack of 10)

Replacement dust cover for the remote speaker microphone PMMN4148 and PMMN4131.

Model No: PMLN8253A

 Description:
 ACCESSORY KIT,REPLACEMENT DUST COVER

 (PACK OF 10)
 ROHS: Yes
 CE: N/A

Country of Origin: CN

 ROHS: Yes
 CE: N/A

 Price: €16.00

Weight (-)	-
Dimensions (-)	- (W) - (H) - (L)
Channel Control	N/A
Display	N/A
Industry	N/A
Intelligent Audio	N/A
Intrinsic Safety Rating	No rating
IP Rating	N/A
Microphone Type	N/A
Programmable Button	N/A
Technology	RSM part
Volume Control	No
Audiobuchse	None
Weight (-)	-
Dimensions (IN- Inch)	1.25 (W) 25 (H) 2.25 (L)
Channel Control	No
Display	No display
Industry	N/A
Intelligent Audio	N/A
Intrinsic Safety Rating	No rating
IP Rating	IP54
Microphone Type	Windporting
Programmable Button	No
Technology	Original
Volume Control	No
Audiobuchse	3.5mm non-threaded
Weight (-)	
Dimensions (IN- Inch)	1 (W) 24 (H) 2.25 (L)
Channel Control	No
Display	No display
Industry	N/A
Intelligent Audio	N/A
Intrinsic Safety Rating	No rating
IP Rating	IP57
Microphone Type	Windporting
Programmable Button	No
Technology	Original
Volume Control	No

Windporting Remote Speaker Microphone w/audio jack, IP54

This remote speaker microphone features Windporting feature to help communicate in difficult weather and a 3.5mm audio jack and has an IP rating for the RSM head of IP54.

Model No: PMMN4013A

RSM head of IP57. Model No: PMMN4029A

ROHS: Yes

Price: €59.00

Description: MICROPHONE, REMOTE SPEAKER MIC, RX-JACK(2 PIN)

ROHS: Yes CE: Yes Country of Origin: MY Price: €62.00

Windporting Remote Speaker Microphone, IP57

Description: REMOTE SPEAKER MIC, IP57 (2 PIN)

CE: Yes

This remote speaker microphone features Windporting feature to help communicate in difficult weather and has an IP rating for the

Country of Origin: MY

Audiobuchse

None



RM110 Remote Speaker Microphone, with 3.5mm Audio Jack, IP55

The RM110 is a compact and durable windporting remote speaker microphone. Its 3.5mm jack allows connectivity with compatible audio earpieces and has a good level of protection against dust & water (IP55 rated - RSM head only).

Model No: PMMN4148A

Description: AUDIO ACCESSORY-REMOTE SPEAKER MICROPHONE,RM110 REMOTE SPEAKER MICROPHONE, WITH 3.5MM AUDIO JACK, IP55

 ROHS: Yes
 CE: Yes
 Country of Origin: CN

 Price: €70.00

Weight (-) _ - (W) - (H) - (L) Dimensions (-) **Channel Control** N/A N/A Display N/A Industry Intelligent Audio N/A Intrinsic Safety No rating Rating **IP Rating** IP55 **Microphone Type** Windporting Programmable No Button Technology IMPRES **Volume Control** No Audiobuchse 3.5mm non-threaded



LEGACY



Retainer Clip Kit (Pack of 25)

The retainer kit provides additional protection when plugging audio accessories into the compatible radio without tools required.

Model No: PMLN8502A

Description: ACCESSORY KIT, ACCESSORY KIT, RETAINER (PACK OF 25)

ROHS: Yes CE: N/A Country of Origin: MY


Price: €55.00

Weight (-)

-Dimensions (-) - (W) - (H) - (L)



BATTERIES



Model No: PMNN4600A

Description: BATT LIION IP55 2100T

ROHS: Yes CE: Yes Country of Origin: MY Price: €110.00

Rating	i to i dailig
IP Rating	IP55
Technology	Original
Туре	Battery
Weight (-)	
Dimensions (-)	- (W) - (H) - (L)
Chemistry	Li-Ion 2100 mAh
Intrinsic Safety Rating	No rating
IP Rating	IP55
Technology	Original
Туре	Battery