

MOTOTRBO R7

MOTOTRBO R7 VHF TIA NKP BT WIFI GNSS CAPABLE PRA302CEG



MOTOTRBO™ R7a is a digital portable two-way radio that offers loud, clear, and customisable audio in a rugged, dependable, and connected device.

Loud and clear

By providing exceptional noise cancelling, loudness, and voice clarity, the MOTOTRBO R7 excels where audio communications can be challenging. R7 ensures your team can hear and be heard anywhere you operate, even in the noisiest environments. Designed for business

Built rugged, developed for maximum uptime, and ready to connect your team, the MOTOTRBO R7 two-way radio is designed to perfectly meet the needs of your business. The R7 is tested to stringent military standards and is rated to IP66 and IP68 for maximum robustness, while built-in security features and over-the-air programming minimise device downtime.

Ready for tomorrow

Developed and produced for the communication needs of your team, the MOTOTRBO R7 features modern Wi-Fi and Bluetooth connectivity to keep your team connected now and in the future. Paired with a large colour screen and with connectivity to other systems enabled by MOTOTRBO systems, your team can be ready for today and connected when your systems change tomorrow.

| Model No | Technical Description |
|----------|-----------------------|
|----------|-----------------------|

| 14B11001B001444444 | MOTOTORO DE VIJE TIA NIZO DE MISE ONOS CARARIES DE ACCOSOSO | |
|--------------------|---|--|
| MDH06JDC9WA1AN | MOTOTRBO R7 VHF TIA NKP BT WIFI GNSS CAPABLE PRA302CEG | |
| | ROHS: N/A CE: Yes Country of Origin: N/A | |
| | Rono. 14/7. CE. 163 Country of Origin: 14/7. | |

| Band Split | VHF |
|---------------------------|---|
| Display & Keypad Type | Non-Display,No Keypad |
| Encryption Type | Basic Privacy,Enhanced Privacy |
| Intrinsically Safe | Yes (TIA) |
| IP Rating | IP66/IP68 |
| Number of Channels | 64 |
| Power | 5W |
| Radio Protocol | Analog Conventional,Digital Conventional,IP Site Connect,Capacity Plus Single,Capacity Plus Multi,Capacity Max (Optional) |
| Standard Package Includes | 1 x Radio,Battery,Charger,Antenna,Dust Cover,Belt Clip |
| Туре | Portable |
| | |



MOTOTRBO R7

MOTOTRBO R7 VHF TIA NKP BT WIFI GNSS CAPABLE PRA302CEG

| Model No | Technical Description | Price |
|----------------|--|---------|
| | | |
| MDH06JDC9WA1AN | MOTOTRBO R7 VHF TIA NKP BT WIFI GNSS CAPABLE PRA302CEG | €890.00 |

| | Option SKU | Description | Price |
|---------------------|--------------|---|---------|
| CLASS VHF ANTENNA | QA08387AA | ADD: VHF WHIP ANT ,136-174MHZ | €0.00 |
| | QA08388AA | ADD:VHF HELICAL ANTENNA(144-165MHZ) | €0.00 |
| | QA08389AA | ADD:VHF HELICAL ANTENNA(136-155MHZ) | €0.00 |
| | QA08390AA | ADD:VHF HELICAL ANTENNA(152-174MHZ) | €0.00 |
| | QA08391AA | ADD:VHF STUBBY ANTENNA(136-148 MHZ) | €0.00 |
| | QA08392AA | ADD:VHF STUBBY ANTENNA(146-160 MHZ) | €0.00 |
| | QA08584AA | ADD: VHF STUBBY ANTENNA (160-174 MHZ) | €0.00 |
| CLASS RADIO | QA08531AA | STD: EMEA R7 VHF TIA NKP CAPABLE | €0.00 |
| CLASS CHARGER | QA08618AA | ADD: IMPRES SUC SMPS-CE UK 230V SINGLE PACK MODEL | €0.00 |
| | QA08619AA | ADD: IMPRES SUC SMPS-CE EU 220/240V SINGLE PACK MODEL | €0.00 |
| | QA08620AA | DEL: CHARGER SINGLE PACK MODEL | -€48.00 |
| | QA08812AA | ADD: IMPRES SUC SMPS-CE UK 230V UNPACKED MODEL | €0.00 |
| | QA08813AA | ADD: IMPRES SUC SMPS-CE EU 220/240V UNPACKED MODEL | €0.00 |
| | QA08814AA | DEL: CHARGER UNPACKED MODEL | -€48.00 |
| CLASS MANUAL | QA08621AA | ADD: QUICK REFERENCE GUIDE | €2.50 |
| | QA08622AA | DEL: QUICK REFERENCE GUIDE | €0.00 |
| CLASS BATTERY | QA08624AA | STD:BATT IMPRES LIION TIA4950 IP68 3200T | €0.00 |
| CLS SOFTWARE OPTION | STDSYE0865AA | STD:RADIO CODEPLUG OPTION | €0.00 |

| | Option SKU | Description | Price |
|---------------------------------------|------------|----------------------------------|--------|
| CLASS DUST COVER | QA08623AA | ADD: DUST COVER | €3.00 |
| DC SW REGIONALIZATION SELECTION | QA08860AA | ADD DC SW REGIONALIZATION OPTION | €15.00 |



MOTOTRBO R7

MOTOTRBO R7 VHF NKP BT WIFI GNSS CAPABLE PRA302CEG



MOTOTRBO™ R7a is a digital portable two-way radio that offers loud, clear, and customisable audio in a rugged, dependable, and connected device.

Loud and clear

By providing exceptional noise cancelling, loudness, and voice clarity, the MOTOTRBO R7 excels where audio communications can be challenging. R7 ensures your team can hear and be heard anywhere you operate, even in the noisiest environments. Designed for business

Built rugged, developed for maximum uptime, and ready to connect your team, the MOTOTRBO R7 two-way radio is designed to perfectly meet the needs of your business. The R7 is tested to stringent military standards and is rated to IP66 and IP68 for maximum robustness, while built-in security features and over-the-air programming minimise device downtime.

Ready for tomorrow

Developed and produced for the communication needs of your team, the MOTOTRBO R7 features modern Wi-Fi and Bluetooth connectivity to keep your team connected now and in the future. Paired with a large colour screen and with connectivity to other systems enabled by MOTOTRBO systems, your team can be ready for today and connected when your systems change tomorrow.

| Model No | Technical Description |
|----------|-----------------------|
|----------|-----------------------|

| MDH06JDC9WA2AN | MOTOTRBO R7 VHF NKP BT WIFI GNSS CAPABLE PRA302CEG | |
|----------------|--|--|
| | ROHS: Yes CE: Yes Country of Origin: N/A | |
| | ROHS: Yes CE: Yes Country of Origin: N/A | |

| TROBUST OF HORS | |
|---------------------------|--|
| Band Split | VHF |
| Display & Keypad Type | Non-Display,No Keypad |
| Encryption Type | Basic Privacy,Enhanced Privacy |
| Intrinsically Safe | No |
| IP Rating | IP66/IP68 |
| Number of Channels | 64 |
| Power | 5W |
| Radio Protocol | Analog Conventional, Digital Conventional, IP Site Connect, Capacity Plus Single, Capacity Plus Multi, Capacity Max (Optional) |
| Standard Package Includes | 1 x Radio,Battery,Charger,Antenna,Dust Cover,Belt Clip |
| Туре | Portable |



MOTOTRBO R7

MOTOTRBO R7 VHF NKP BT WIFI GNSS CAPABLE PRA302CEG

| Model No | Technical Description | Price |
|----------------|--|---------|
| MDH06JDC9WA2AN | MOTOTRBO R7 VHF NKP BT WIFI GNSS CAPABLE PRA302CEG | €785.00 |

| | Option SKU | Description | Price |
|-------------------|------------|---|---------|
| CLASS VHF ANTENNA | QA08387AA | ADD: VHF WHIP ANT ,136-174MHZ | €0.00 |
| | QA08388AA | ADD:VHF HELICAL ANTENNA(144-165MHZ) | €0.00 |
| | QA08389AA | ADD:VHF HELICAL ANTENNA(136-155MHZ) | €0.00 |
| | QA08390AA | ADD:VHF HELICAL ANTENNA(152-174MHZ) | €0.00 |
| | QA08391AA | ADD:VHF STUBBY ANTENNA(136-148 MHZ) | €0.00 |
| | QA08392AA | ADD:VHF STUBBY ANTENNA(146-160 MHZ) | €0.00 |
| | QA08584AA | ADD: VHF STUBBY ANTENNA (160-174 MHZ) | €0.00 |
| CLASS BATTERY | QA08605AA | STD: BATT IMPRES LIION IP68 2200T | €0.00 |
| | QA08606AA | ALT: BATT LIION IP68 2450T | €0.00 |
| | QA08607AA | ALT: BATT IMPRES LIION IP68 2850T | €80.00 |
| CLASS CHARGER | QA08618AA | ADD: IMPRES SUC SMPS-CE UK 230V SINGLE PACK MODEL | €0.00 |
| | QA08619AA | ADD: IMPRES SUC SMPS-CE EU 220/240V SINGLE PACK MODEL | €0.00 |
| | QA08620AA | DEL: CHARGER SINGLE PACK MODEL | -€48.00 |
| | QA08812AA | ADD: IMPRES SUC SMPS-CE UK 230V UNPACKED MODEL | €0.00 |
| | QA08813AA | ADD: IMPRES SUC SMPS-CE EU 220/240V UNPACKED MODEL | €0.00 |
| | QA08814AA | DEL: CHARGER UNPACKED MODEL | -€48.00 |
| CLASS MANUAL | QA08621AA | ADD: QUICK REFERENCE GUIDE | €2.50 |
| | QA08622AA | DEL: QUICK REFERENCE GUIDE | €0.00 |
| CLASS RADIO | QA08743AA | STD: EMEA R7 VHF NKP CAPABLE | €0.00 |

| | Option SKU | Description | Price |
|---------------------|--------------|---------------------------|-------|
| CLS SOFTWARE OPTION | STDSYE0865AA | STD:RADIO CODEPLUG OPTION | €0.00 |

| | Option SKU | Description | Price |
|---------------------------------------|------------|----------------------------------|--------|
| CLASS DUST COVER | QA08623AA | ADD: DUST COVER | €3.00 |
| DC SW REGIONALIZATION SELECTION | QA08860AA | ADD DC SW REGIONALIZATION OPTION | €15.00 |



MOTOTRBO R7

MOTOTRBO R7 VHF TIA NKP BT WIFI GNSS PREMIUM PRA302CEG



MOTOTRBO™ R7a is a digital portable two-way radio that offers loud, clear, and customisable audio in a rugged, dependable, and connected device.

Loud and clear

By providing exceptional noise cancelling, loudness, and voice clarity, the MOTOTRBO R7 excels where audio communications can be challenging. R7 ensures your team can hear and be heard anywhere you operate, even in the noisiest environments. Designed for business

Built rugged, developed for maximum uptime, and ready to connect your team, the MOTOTRBO R7 two-way radio is designed to perfectly meet the needs of your business. The R7 is tested to stringent military standards and is rated to IP66 and IP68 for maximum robustness, while built-in security features and over-the-air programming minimise device downtime.

Ready for tomorrow

Developed and produced for the communication needs of your team, the MOTOTRBO R7 features modern Wi-Fi and Bluetooth connectivity to keep your team connected now and in the future. Paired with a large colour screen and with connectivity to other systems enabled by MOTOTRBO systems, your team can be ready for today and connected when your systems change tomorrow.

| escription |
|------------|
| |

| MDH06JDC9XA1AN | MOTOTRBO R7 VHF TIA NKP BT WIFI GNSS PREMIUM PRA302CEG | l |
|-----------------|--|---|
| MIDHOOJDCAYATAN | MOTOTRBO R7 VAF TIA INNP BT WIFT GINSS PREMIUM PRASUZCEG | |
| | ROHS: Yes CE: Yes Country of Origin: N/A | |

| Band Split | VHF |
|---------------------------|--|
| Display & Keypad Type | Non-Display,No Keypad |
| Encryption Type | Basic Privacy,Enhanced Privacy |
| Intrinsically Safe | Yes (TIA) |
| IP Rating | IP66/IP68 |
| Number of Channels | 64 |
| Power | 5W |
| Radio Protocol | Analog Conventional, Digital Conventional, IP Site Connect, Capacity Plus Single, Capacity Plus Multi, Capacity Max (Optional) |
| Standard Package Includes | 1 x Radio,Battery,Charger,Antenna,Dust Cover,Belt Clip |
| Туре | Portable |
| | |



MOTOTRBO R7

MOTOTRBO R7 VHF TIA NKP BT WIFI GNSS PREMIUM PRA302CEG

| Model No | Technical Description | Price |
|----------------|--|---------|
| | | |
| MDH06JDC9XA1AN | MOTOTRBO R7 VHF TIA NKP BT WIFI GNSS PREMIUM PRA302CEG | €990.00 |

MANDATORY OPTIONS:

| | Option SKU | Description | Price |
|---------------------|--------------|---|---------|
| CLASS VHF ANTENNA | QA08387AA | ADD: VHF WHIP ANT ,136-174MHZ | €0.00 |
| | QA08388AA | ADD:VHF HELICAL ANTENNA(144-165MHZ) | €0.00 |
| | QA08389AA | ADD:VHF HELICAL ANTENNA(136-155MHZ) | €0.00 |
| | QA08390AA | ADD:VHF HELICAL ANTENNA(152-174MHZ) | €0.00 |
| | QA08391AA | ADD:VHF STUBBY ANTENNA(136-148 MHZ) | €0.00 |
| | QA08392AA | ADD:VHF STUBBY ANTENNA(146-160 MHZ) | €0.00 |
| | QA08584AA | ADD: VHF STUBBY ANTENNA (160-174 MHZ) | €0.00 |
| CLASS CHARGER | QA08618AA | ADD: IMPRES SUC SMPS-CE UK 230V SINGLE PACK MODEL | €0.00 |
| | QA08619AA | ADD: IMPRES SUC SMPS-CE EU 220/240V SINGLE PACK MODEL | €0.00 |
| | QA08620AA | DEL: CHARGER SINGLE PACK MODEL | -€48.00 |
| | QA08812AA | ADD: IMPRES SUC SMPS-CE UK 230V UNPACKED MODEL | €0.00 |
| | QA08813AA | ADD: IMPRES SUC SMPS-CE EU 220/240V UNPACKED MODEL | €0.00 |
| | QA08814AA | DEL: CHARGER UNPACKED MODEL | -€48.00 |
| CLASS MANUAL | QA08621AA | ADD: QUICK REFERENCE GUIDE | €2.50 |
| | QA08622AA | DEL: QUICK REFERENCE GUIDE | €0.00 |
| CLASS BATTERY | QA08624AA | STD:BATT IMPRES LIION TIA4950 IP68 3200T | €0.00 |
| CLASS RADIO | QA08747AA | STD: EMEA R7 TIA VHF FKP PREMIUM | €0.00 |
| CLS SOFTWARE OPTION | STDSYE0865AA | STD:RADIO CODEPLUG OPTION | €0.00 |

| | Option SKU | Description | Price |
|---------------------------------------|------------|----------------------------------|--------|
| CLASS DUST COVER | QA08623AA | ADD: DUST COVER | €3.00 |
| DC SW REGIONALIZATION SELECTION | QA08860AA | ADD DC SW REGIONALIZATION OPTION | €15.00 |



MOTOTRBO R7

MOTOTRBO R7 VHF NKP BT WIFI GNSS PREMIUM PRA302CEG



MOTOTRBO™ R7a is a digital portable two-way radio that offers loud, clear, and customisable audio in a rugged, dependable, and connected device.

Loud and clear

By providing exceptional noise cancelling, loudness, and voice clarity, the MOTOTRBO R7 excels where audio communications can be challenging. R7 ensures your team can hear and be heard anywhere you operate, even in the noisiest environments. Designed for business

Built rugged, developed for maximum uptime, and ready to connect your team, the MOTOTRBO R7 two-way radio is designed to perfectly meet the needs of your business. The R7 is tested to stringent military standards and is rated to IP66 and IP68 for maximum robustness, while built-in security features and over-the-air programming minimise device downtime.

Ready for tomorrow

Developed and produced for the communication needs of your team, the MOTOTRBO R7 features modern Wi-Fi and Bluetooth connectivity to keep your team connected now and in the future. Paired with a large colour screen and with connectivity to other systems enabled by MOTOTRBO systems, your team can be ready for today and connected when your systems change tomorrow.

| Model No | Technical Description |
|-------------|-----------------------|
| 1110401 110 | roommoar Booompar |

| MDH06JDC9XA2AN | MOTOTRBO R7 VHF NKP BT WIFI GNSS PREMIUM PRA302CEG | |
|----------------|--|--|
| | ROHS: Yes CE: Yes Country of Origin: N/A | |

| PRODUCT OFTIONS | |
|---------------------------|--|
| Band Split | VHF |
| Display & Keypad Type | Non-Display,No Keypad |
| Encryption Type | Basic Privacy,Enhanced Privacy |
| Intrinsically Safe | No |
| IP Rating | IP66/IP68 |
| Number of Channels | 64 |
| Power | 5W |
| Radio Protocol | Analog Conventional, Digital Conventional, IP Site Connect, Capacity Plus Single, Capacity Plus Multi, Capacity Max (Optional) |
| Standard Package Includes | 1 x Radio,Battery,Charger,Antenna,Dust Cover,Belt Clip |
| Туре | Portable |



MOTOTRBO R7

MOTOTRBO R7 VHF NKP BT WIFI GNSS PREMIUM PRA302CEG

| Model No | Technical Description | Price |
|----------------|--|---------|
| MDH06JDC9XA2AN | MOTOTRBO R7 VHF NKP BT WIFI GNSS PREMIUM PRA302CEG | €885.00 |

| | Option SKU | Description | Price |
|-------------------|------------|---|---------|
| CLASS VHF ANTENNA | QA08387AA | ADD: VHF WHIP ANT ,136-174MHZ | €0.00 |
| | QA08388AA | ADD:VHF HELICAL ANTENNA(144-165MHZ) | €0.00 |
| | QA08389AA | ADD:VHF HELICAL ANTENNA(136-155MHZ) | €0.00 |
| | QA08390AA | ADD:VHF HELICAL ANTENNA(152-174MHZ) | €0.00 |
| | QA08391AA | ADD:VHF STUBBY ANTENNA(136-148 MHZ) | €0.00 |
| | QA08392AA | ADD:VHF STUBBY ANTENNA(146-160 MHZ) | €0.00 |
| | QA08584AA | ADD: VHF STUBBY ANTENNA (160-174 MHZ) | €0.00 |
| CLASS BATTERY | QA08605AA | STD: BATT IMPRES LIION IP68 2200T | €0.00 |
| | QA08606AA | ALT: BATT LIION IP68 2450T | €0.00 |
| | QA08607AA | ALT: BATT IMPRES LIION IP68 2850T | €80.00 |
| CLASS CHARGER | QA08618AA | ADD: IMPRES SUC SMPS-CE UK 230V SINGLE PACK MODEL | €0.00 |
| | QA08619AA | ADD: IMPRES SUC SMPS-CE EU 220/240V SINGLE PACK MODEL | €0.00 |
| | QA08620AA | DEL: CHARGER SINGLE PACK MODEL | -€48.00 |
| | QA08812AA | ADD: IMPRES SUC SMPS-CE UK 230V UNPACKED MODEL | €0.00 |
| | QA08813AA | ADD: IMPRES SUC SMPS-CE EU 220/240V UNPACKED MODEL | €0.00 |
| | QA08814AA | DEL: CHARGER UNPACKED MODEL | -€48.00 |
| CLASS MANUAL | QA08621AA | ADD: QUICK REFERENCE GUIDE | €2.50 |
| | QA08622AA | DEL: QUICK REFERENCE GUIDE | €0.00 |
| CLASS RADIO | QA08749AA | STD: EMEA R7 VHF NKP PREMIUM | €0.00 |

| | Option SKU | Description | Price |
|---------------------|--------------|---------------------------|-------|
| CLS SOFTWARE OPTION | STDSYE0865AA | STD:RADIO CODEPLUG OPTION | €0.00 |

| | Option SKU | Description | Price |
|---------------------------------------|------------|----------------------------------|--------|
| CLASS DUST COVER | QA08623AA | ADD: DUST COVER | €3.00 |
| DC SW REGIONALIZATION SELECTION | QA08860AA | ADD DC SW REGIONALIZATION OPTION | €15.00 |



MOTOTRBO R7

MOTOTRBO R7 VHF TIA FKP BT WIFI GNSS CAPABLE PRA302HEG



MOTOTRBO™ R7a is a digital portable two-way radio that offers loud, clear, and customisable audio in a rugged, dependable, and connected device.

Loud and clear

By providing exceptional noise cancelling, loudness, and voice clarity, the MOTOTRBO R7 excels where audio communications can be challenging. R7 ensures your team can hear and be heard anywhere you operate, even in the noisiest environments. Designed for business

Built rugged, developed for maximum uptime, and ready to connect your team, the MOTOTRBO R7 two-way radio is designed to perfectly meet the needs of your business. The R7 is tested to stringent military standards and is rated to IP66 and IP68 for maximum robustness, while built-in security features and over-the-air programming minimise device downtime.

Ready for tomorrow

Developed and produced for the communication needs of your team, the MOTOTRBO R7 features modern Wi-Fi and Bluetooth connectivity to keep your team connected now and in the future. Paired with a large colour screen and with connectivity to other systems enabled by MOTOTRBO systems, your team can be ready for today and connected when your systems change tomorrow.

| escription |
|------------|
| |

| MDH06JDN9WA1AN | MOTOTRBO R7 VHF TIA FKP BT WIFI GNSS CAPABLE PRA302HEG | |
|-----------------------|--|--|
| INDITIOGEDITO TITALIT | ROHS: N/A CE: Yes Country of Origin: N/A | |

| TROBUGT OF HORE | |
|---------------------------|---|
| Band Split | VHF |
| Display & Keypad Type | Display,Full Keypad |
| Encryption Type | Basic Privacy,Enhanced Privacy |
| Intrinsically Safe | Yes (TIA) |
| IP Rating | IP66/IP68 |
| Number of Channels | 1000 |
| Power | 5W |
| Radio Protocol | Analog Conventional,Digital Conventional,IP Site Connect,Capacity Plus Single,Capacity Plus Multi,Capacity Max (Optional) |
| Standard Package Includes | 1 x Radio,Battery,Charger,Antenna,Dust Cover,Belt Clip |
| Туре | Portable |



MOTOTRBO R7

MOTOTRBO R7 VHF TIA FKP BT WIFI GNSS CAPABLE PRA302HEG

| Model No | Technical Description | Price |
|----------------|--|-----------|
| MDH06JDN9WA1AN | MOTOTRBO R7 VHF TIA FKP BT WIFI GNSS CAPABLE PRA302HEG | €1,050.00 |

MANDATORY OPTIONS:

| | Option SKU | Description | Price | |
|------------------------|--------------|---|---------|--|
| CLASS VHF ANTENNA | QA08387AA | ADD: VHF WHIP ANT ,136-174MHZ | €0.00 | |
| | QA08388AA | ADD:VHF HELICAL ANTENNA(144-165MHZ) | €0.00 | |
| | QA08389AA | ADD:VHF HELICAL ANTENNA(136-155MHZ) | €0.00 | |
| | QA08390AA | ADD:VHF HELICAL ANTENNA(152-174MHZ) | €0.00 | |
| | QA08391AA | ADD:VHF STUBBY ANTENNA(136-148 MHZ) | €0.00 | |
| | QA08392AA | ADD:VHF STUBBY ANTENNA(146-160 MHZ) | €0.00 | |
| | QA08584AA | ADD: VHF STUBBY ANTENNA (160-174 MHZ) | €0.00 | |
| CLASS CHARGER | QA08618AA | ADD: IMPRES SUC SMPS-CE UK 230V SINGLE PACK MODEL | €0.00 | |
| | QA08619AA | ADD: IMPRES SUC SMPS-CE EU 220/240V SINGLE PACK MODEL | €0.00 | |
| | QA08620AA | DEL: CHARGER SINGLE PACK MODEL | -€48.00 | |
| | QA08812AA | ADD: IMPRES SUC SMPS-CE UK 230V UNPACKED MODEL | €0.00 | |
| | QA08813AA | ADD: IMPRES SUC SMPS-CE EU 220/240V UNPACKED MODEL | €0.00 | |
| | QA08814AA | DEL: CHARGER UNPACKED MODEL | -€48.00 | |
| CLASS MANUAL | QA08621AA | ADD: QUICK REFERENCE GUIDE | €2.50 | |
| | QA08622AA | DEL: QUICK REFERENCE GUIDE | €0.00 | |
| CLASS BATTERY | QA08624AA | STD:BATT IMPRES LIION TIA4950 IP68 3200T | | |
| CLASS RADIO | QA08658AA | STD: EMEA R7 VHF TIA FKP CAPABLE | | |
| CLS SOFTWARE OPTION | STDSYE0865AA | STD:RADIO CODEPLUG OPTION | €0.00 | |

| | Option SKU | Description | Price |
|---------------------------------------|------------|----------------------------------|--------|
| CLASS DUST COVER | QA08623AA | ADD: DUST COVER | €3.00 |
| DC SW REGIONALIZATION SELECTION | QA08860AA | ADD DC SW REGIONALIZATION OPTION | €15.00 |



MOTOTRBO R7

MOTOTRBO R7 VHF FKP BT WIFI GNSS CAPABLE PRA302HEG



MOTOTRBO™ R7a is a digital portable two-way radio that offers loud, clear, and customisable audio in a rugged, dependable, and connected device.

Loud and clear

By providing exceptional noise cancelling, loudness, and voice clarity, the MOTOTRBO R7 excels where audio communications can be challenging. R7 ensures your team can hear and be heard anywhere you operate, even in the noisiest environments. Designed for business

Built rugged, developed for maximum uptime, and ready to connect your team, the MOTOTRBO R7 two-way radio is designed to perfectly meet the needs of your business. The R7 is tested to stringent military standards and is rated to IP66 and IP68 for maximum robustness, while built-in security features and over-the-air programming minimise device downtime.

Ready for tomorrow

Developed and produced for the communication needs of your team, the MOTOTRBO R7 features modern Wi-Fi and Bluetooth connectivity to keep your team connected now and in the future. Paired with a large colour screen and with connectivity to other systems enabled by MOTOTRBO systems, your team can be ready for today and connected when your systems change tomorrow.

| Technical Description |
|-----------------------|
| |

| MDH06JDN9WA2AN | MOTOTRBO R7 VHF FKP BT WIFI GNSS CAPABLE PRA302HEG | | | |
|----------------|--|---------|------------------------|--|
| | ROHS: Yes | CE: Yes | Country of Origin: N/A | |

| Band Split | VHF |
|---------------------------|--|
| Display & Keypad Type | Display,Full Keypad |
| Encryption Type | Basic Privacy,Enhanced Privacy |
| Intrinsically Safe | No |
| IP Rating | IP66/IP68 |
| Number of Channels | 1000 |
| Power | 5W |
| Radio Protocol | Analog Conventional, Digital Conventional, IP Site Connect, Capacity Plus Single, Capacity Plus Multi, Capacity Max (Optional) |
| Standard Package Includes | 1 x Radio,Battery,Charger,Antenna,Dust Cover,Belt Clip |
| Туре | Portable |
| | |



MOTOTRBO R7

MOTOTRBO R7 VHF FKP BT WIFI GNSS CAPABLE PRA302HEG

| Model No | Technical Description | Price |
|----------------|--|---------|
| | | |
| MDH06JDN9WA2AN | MOTOTRBO R7 VHF FKP BT WIFI GNSS CAPABLE PRA302HEG | €950.00 |

| | Option SKU | Description | Price |
|-------------------|------------|---|---------|
| CLASS VHF ANTENNA | QA08387AA | ADD: VHF WHIP ANT ,136-174MHZ | €0.00 |
| | QA08388AA | ADD:VHF HELICAL ANTENNA(144-165MHZ) | €0.00 |
| | QA08389AA | ADD:VHF HELICAL ANTENNA(136-155MHZ) | €0.00 |
| | QA08390AA | ADD:VHF HELICAL ANTENNA(152-174MHZ) | €0.00 |
| | QA08391AA | ADD:VHF STUBBY ANTENNA(136-148 MHZ) | €0.00 |
| | QA08392AA | ADD:VHF STUBBY ANTENNA(146-160 MHZ) | €0.00 |
| | QA08584AA | ADD: VHF STUBBY ANTENNA (160-174 MHZ) | €0.00 |
| CLASS BATTERY | QA08605AA | STD: BATT IMPRES LIION IP68 2200T | €0.00 |
| | QA08606AA | ALT: BATT LIION IP68 2450T | €0.00 |
| | QA08607AA | ALT: BATT IMPRES LIION IP68 2850T | €80.00 |
| CLASS CHARGER | QA08618AA | ADD: IMPRES SUC SMPS-CE UK 230V SINGLE PACK MODEL | €0.00 |
| | QA08619AA | ADD: IMPRES SUC SMPS-CE EU 220/240V SINGLE PACK MODEL | €0.00 |
| | QA08620AA | DEL: CHARGER SINGLE PACK MODEL | -€48.00 |
| | QA08812AA | ADD: IMPRES SUC SMPS-CE UK 230V UNPACKED MODEL | €0.00 |
| | QA08813AA | ADD: IMPRES SUC SMPS-CE EU 220/240V UNPACKED MODEL | €0.00 |
| | QA08814AA | DEL: CHARGER UNPACKED MODEL | -€48.00 |
| CLASS MANUAL | QA08621AA | ADD: QUICK REFERENCE GUIDE | €2.50 |
| | QA08622AA | DEL: QUICK REFERENCE GUIDE | €0.00 |
| CLASS RADIO | QA08736AA | STD: EMEA R7 VHF FKP CAPABLE | €0.00 |
| | | | 17 |

| | Option SKU | Description | Price |
|---------------------|--------------|---------------------------------------|-------|
| | QA08737AA | ALT: EMEA R7 VHF FKP CAPABLE ARABIC | €0.00 |
| | QA08738AA | ALT: EMEA R7 VHF FKP CAPABLE CYRILLIC | €0.00 |
| CLS SOFTWARE OPTION | STDSYE0865AA | STD:RADIO CODEPLUG OPTION | €0.00 |

| | Option SKU | Description | Price |
|---------------------------------------|------------|----------------------------------|--------|
| CLASS DUST COVER | QA08623AA | ADD: DUST COVER | €3.00 |
| DC SW REGIONALIZATION SELECTION | QA08860AA | ADD DC SW REGIONALIZATION OPTION | €15.00 |



MOTOTRBO R7

MOTOTRBO R7 TIA VHF FKP BT WIFI GNSS PREMIUM PRA302HEG



MOTOTRBO™ R7a is a digital portable two-way radio that offers loud, clear, and customisable audio in a rugged, dependable, and connected device.

Loud and clear

By providing exceptional noise cancelling, loudness, and voice clarity, the MOTOTRBO R7 excels where audio communications can be challenging. R7 ensures your team can hear and be heard anywhere you operate, even in the noisiest environments. Designed for business

Built rugged, developed for maximum uptime, and ready to connect your team, the MOTOTRBO R7 two-way radio is designed to perfectly meet the needs of your business. The R7 is tested to stringent military standards and is rated to IP66 and IP68 for maximum robustness, while built-in security features and over-the-air programming minimise device downtime.

Ready for tomorrow

Developed and produced for the communication needs of your team, the MOTOTRBO R7 features modern Wi-Fi and Bluetooth connectivity to keep your team connected now and in the future. Paired with a large colour screen and with connectivity to other systems enabled by MOTOTRBO systems, your team can be ready for today and connected when your systems change tomorrow.

| Model No | Technical Description |
|----------|-----------------------|
|----------|-----------------------|

| MDH06JDN9XA1AN | MOTOTRBO R7 TIA VHF FKP BT WIFI GNSS PREMIUM PRA302HEG |
|----------------|--|
| | ROHS: Yes CE: Yes Country of Origin: N/A |

| TROBUCT OF HORO | |
|---------------------------|--|
| Band Split | VHF |
| Display & Keypad Type | Display,Full Keypad |
| Encryption Type | Basic Privacy,Enhanced Privacy |
| Intrinsically Safe | Yes (TIA) |
| IP Rating | IP66/IP68 |
| Number of Channels | 1000 |
| Power | 5W |
| Radio Protocol | Analog Conventional, Digital Conventional, IP Site Connect, Capacity Plus Single, Capacity Plus Multi, Capacity Max (Optional) |
| Standard Package Includes | 1 x Radio,Battery,Charger,Antenna,Dust Cover,Belt Clip |
| Туре | Portable |



MOTOTRBO R7

MOTOTRBO R7 TIA VHF FKP BT WIFI GNSS PREMIUM PRA302HEG

| Model No | Technical Description | Price |
|----------------|--|-----------|
| MDH06JDN9XA1AN | MOTOTRBO R7 TIA VHF FKP BT WIFI GNSS PREMIUM PRA302HEG | €1,170.00 |

MANDATORY OPTIONS:

| | Option SKU | Description | Price |
|---------------------|--------------|---|-----------------|
| CLASS VHF ANTENNA | QA08387AA | ADD: VHF WHIP ANT ,136-174MHZ | €0.00 |
| | QA08388AA | ADD:VHF HELICAL ANTENNA(144-165MHZ) | €0.00 |
| | QA08389AA | ADD:VHF HELICAL ANTENNA(136-155MHZ) | €0.00 |
| | QA08390AA | ADD:VHF HELICAL ANTENNA(152-174MHZ) | €0.00 |
| | QA08391AA | ADD:VHF STUBBY ANTENNA(136-148 MHZ) | €0.00 |
| | QA08392AA | ADD:VHF STUBBY ANTENNA(146-160 MHZ) | €0.00 |
| | QA08584AA | ADD: VHF STUBBY ANTENNA (160-174 MHZ) | €0.00 |
| CLASS CHARGER | QA08618AA | ADD: IMPRES SUC SMPS-CE UK 230V SINGLE PACK MODEL | €0.00 |
| | QA08619AA | ADD: IMPRES SUC SMPS-CE EU 220/240V SINGLE PACK MODEL | €0.00 |
| | QA08620AA | DEL: CHARGER SINGLE PACK MODEL | <i>-</i> €48.00 |
| | QA08812AA | ADD: IMPRES SUC SMPS-CE UK 230V UNPACKED MODEL | €0.00 |
| | QA08813AA | ADD: IMPRES SUC SMPS-CE EU 220/240V UNPACKED MODEL | €0.00 |
| | QA08814AA | DEL: CHARGER UNPACKED MODEL | -€48.00 |
| CLASS MANUAL | QA08621AA | ADD: QUICK REFERENCE GUIDE | €2.50 |
| | QA08622AA | DEL: QUICK REFERENCE GUIDE | €0.00 |
| CLASS BATTERY | QA08624AA | STD:BATT IMPRES LIION TIA4950 IP68 3200T | €0.00 |
| CLASS RADIO | QA08745AA | STD: EMEA R7 TIA VHF FKP PREMIUM | €0.00 |
| CLS SOFTWARE OPTION | STDSYE0865AA | STD:RADIO CODEPLUG OPTION | €0.00 |

| | Option SKU | Description | Price |
|---------------------------------------|------------|----------------------------------|--------|
| CLASS DUST COVER | QA08623AA | ADD: DUST COVER | €3.00 |
| DC SW REGIONALIZATION SELECTION | QA08860AA | ADD DC SW REGIONALIZATION OPTION | €15.00 |



MOTOTRBO R7

MOTOTRBO R7 VHF FKP BT WIFI GNSS PREMIUM PRA302HEG



MOTOTRBO™ R7a is a digital portable two-way radio that offers loud, clear, and customisable audio in a rugged, dependable, and connected device.

Loud and clear

By providing exceptional noise cancelling, loudness, and voice clarity, the MOTOTRBO R7 excels where audio communications can be challenging. R7 ensures your team can hear and be heard anywhere you operate, even in the noisiest environments. Designed for business

Built rugged, developed for maximum uptime, and ready to connect your team, the MOTOTRBO R7 two-way radio is designed to perfectly meet the needs of your business. The R7 is tested to stringent military standards and is rated to IP66 and IP68 for maximum robustness, while built-in security features and over-the-air programming minimise device downtime.

Ready for tomorrow

Developed and produced for the communication needs of your team, the MOTOTRBO R7 features modern Wi-Fi and Bluetooth connectivity to keep your team connected now and in the future. Paired with a large colour screen and with connectivity to other systems enabled by MOTOTRBO systems, your team can be ready for today and connected when your systems change tomorrow.

| escription |
|------------|
| |

| MDH06JDN9XA2AN | MOTOTRBO R | 7 VHF FKP B | T WIFI GNSS PREMIUM PRA302HEG |
|----------------|------------|-------------|-------------------------------|
| | ROHS: N/A | CE: Yes | Country of Origin: N/A |

| TROBUGT OF HORE | |
|---------------------------|--|
| Band Split | VHF |
| Display & Keypad Type | Display,Full Keypad |
| Encryption Type | Basic Privacy,Enhanced Privacy |
| Intrinsically Safe | No |
| IP Rating | IP66/IP68 |
| Number of Channels | 1000 |
| Power | 5W |
| Radio Protocol | Analog Conventional, Digital Conventional, IP Site Connect, Capacity Plus Single, Capacity Plus Multi, Capacity Max (Optional) |
| Standard Package Includes | 1 x Radio,Battery,Charger,Antenna,Dust Cover,Belt Clip |
| Туре | Portable |



MOTOTRBO R7

MOTOTRBO R7 VHF FKP BT WIFI GNSS PREMIUM PRA302HEG

| Model No | Technical Description | Price |
|----------------|--|-----------|
| MDH06JDN9XA2AN | MOTOTRBO R7 VHF FKP BT WIFI GNSS PREMIUM PRA302HEG | €1,045.00 |

| | Option SKU | Description | Price |
|-------------------|------------|---|---------|
| CLASS VHF ANTENNA | QA08387AA | ADD: VHF WHIP ANT ,136-174MHZ | €0.00 |
| - | QA08388AA | ADD:VHF HELICAL ANTENNA(144-165MHZ) | €0.00 |
| | QA08389AA | ADD:VHF HELICAL ANTENNA(136-155MHZ) | €0.00 |
| | QA08390AA | ADD:VHF HELICAL ANTENNA(152-174MHZ) | €0.00 |
| | QA08391AA | ADD:VHF STUBBY ANTENNA(136-148 MHZ) | €0.00 |
| - | QA08392AA | ADD:VHF STUBBY ANTENNA(146-160 MHZ) | €0.00 |
| - | QA08584AA | ADD: VHF STUBBY ANTENNA (160-174 MHZ) | €0.00 |
| CLASS RADIO | QA08527AA | STD: EMEA R7 VHF FKP PREMIUM | €0.00 |
| | QA08528AA | ALT: EMEA R7 VHF FKP PREMIUM ARABIC | €0.00 |
| | QA08529AA | ALT: EMEA R7 VHF FKP PREMIUM CYRILLIC | €0.00 |
| CLASS BATTERY | QA08605AA | STD: BATT IMPRES LIION IP68 2200T | €0.00 |
| | QA08606AA | ALT: BATT LIION IP68 2450T | €0.00 |
| | QA08607AA | ALT: BATT IMPRES LIION IP68 2850T | €80.00 |
| CLASS CHARGER | QA08618AA | ADD: IMPRES SUC SMPS-CE UK 230V SINGLE PACK MODEL | €0.00 |
| | QA08619AA | ADD: IMPRES SUC SMPS-CE EU 220/240V SINGLE PACK MODEL | €0.00 |
| | QA08620AA | DEL: CHARGER SINGLE PACK MODEL | -€48.00 |
| | QA08812AA | ADD: IMPRES SUC SMPS-CE UK 230V UNPACKED MODEL | €0.00 |
| | QA08813AA | ADD: IMPRES SUC SMPS-CE EU 220/240V UNPACKED MODEL | €0.00 |
| | QA08814AA | DEL: CHARGER UNPACKED MODEL | -€48.00 |

| | Option SKU | Description | Price |
|---------------------|--------------|----------------------------|-------|
| CLASS MANUAL | QA08621AA | ADD: QUICK REFERENCE GUIDE | €2.50 |
| | QA08622AA | DEL: QUICK REFERENCE GUIDE | €0.00 |
| CLS SOFTWARE OPTION | STDSYE0865AA | STD:RADIO CODEPLUG OPTION | €0.00 |

| | Option SKU | Description | Price |
|---------------------------------------|------------|----------------------------------|--------|
| CLASS DUST COVER | QA08623AA | ADD: DUST COVER | €3.00 |
| DC SW REGIONALIZATION SELECTION | QA08860AA | ADD DC SW REGIONALIZATION OPTION | €15.00 |



MOTOTRBO R7

MOTOTRBO R7 UHF TIA NKP BT WIFI GNSS CAPABLE PRA502CEG



MOTOTRBO™ R7a is a digital portable two-way radio that offers loud, clear, and customisable audio in a rugged, dependable, and connected device.

Loud and clear

By providing exceptional noise cancelling, loudness, and voice clarity, the MOTOTRBO R7 excels where audio communications can be challenging. R7 ensures your team can hear and be heard anywhere you operate, even in the noisiest environments. Designed for business

Built rugged, developed for maximum uptime, and ready to connect your team, the MOTOTRBO R7 two-way radio is designed to perfectly meet the needs of your business. The R7 is tested to stringent military standards and is rated to IP66 and IP68 for maximum robustness, while built-in security features and over-the-air programming minimise device downtime.

Ready for tomorrow

Developed and produced for the communication needs of your team, the MOTOTRBO R7 features modern Wi-Fi and Bluetooth connectivity to keep your team connected now and in the future. Paired with a large colour screen and with connectivity to other systems enabled by MOTOTRBO systems, your team can be ready for today and connected when your systems change tomorrow.

| Model No | Technical Description |
|----------|-----------------------|
|----------|-----------------------|

| MDH06RDC9WA1AN | MOTOTRBO R7 UHF TIA NKP BT WIFI GNSS CAPABLE PRA502CEG | |
|----------------|--|--|
| | ROHS: Yes CE: Yes Country of Origin: N/A | |

| - ROBGGT GT TIGHTS | |
|---------------------------|---|
| Band Split | UHF1 |
| Display & Keypad Type | Non-Display,No Keypad |
| Encryption Type | Basic Privacy,Enhanced Privacy |
| Intrinsically Safe | Yes (TIA) |
| IP Rating | IP66/IP68 |
| Number of Channels | 64 |
| Power | 4W |
| Radio Protocol | Analog Conventional,Digital Conventional,IP Site Connect,Capacity Plus Single,Capacity Plus Multi,Capacity Max (Optional) |
| Standard Package Includes | 1 x Radio,Battery,Charger,Antenna,Dust Cover,Belt Clip |
| Туре | Portable |



MOTOTRBO R7

MOTOTRBO R7 UHF TIA NKP BT WIFI GNSS CAPABLE PRA502CEG

| Model No | Technical Description | Price |
|----------------|--|---------|
| MDH06RDC9WA1AN | MOTOTRBO R7 UHF TIA NKP BT WIFI GNSS CAPABLE PRA502CEG | €890.00 |

| | Option SKU | Description | Price |
|---------------------|--------------|--|---------|
| CLASS UHF ANTENNA | QA08611AA | ADD: ANTENNA, STAMPED METAL,UHF STUBBY ANTENNA (400-450 MHZ) | €0.00 |
| | QA08612AA | ADD: UHF STUBBY ANTENNA (440-490 MHZ) | €0.00 |
| | QA08613AA | ADD: UHF STUBBY ANTENNA (470-527 MHZ) | €0.00 |
| | QA08614AA | ADD: ANTENNA, STAMPED METAL,UHF SLIM WHIP ANTENNA | €0.00 |
| | QA08615AA | ADD: ANTENNA, STUBBY, 400-527MHZ, 90MM, FERRULE | €0.00 |
| | QA08616AA | ADD: ANTENNA, STUBBY, 400-450MHZ, 60MM, FERRULE | €0.00 |
| | QA08617AA | ADD: ANTENNA, STUBBY, 440-490MHZ, 60MM, FERRULE | €0.00 |
| CLASS CHARGER | QA08618AA | ADD: IMPRES SUC SMPS-CE UK 230V SINGLE PACK MODEL | €0.00 |
| | QA08619AA | ADD: IMPRES SUC SMPS-CE EU 220/240V SINGLE PACK MODEL | €0.00 |
| | QA08620AA | DEL: CHARGER SINGLE PACK MODEL | -€48.00 |
| | QA08812AA | ADD: IMPRES SUC SMPS-CE UK 230V UNPACKED MODEL | €0.00 |
| | QA08813AA | ADD: IMPRES SUC SMPS-CE EU 220/240V UNPACKED MODEL | €0.00 |
| | QA08814AA | DEL: CHARGER UNPACKED MODEL | -€48.00 |
| CLASS MANUAL | QA08621AA | ADD: QUICK REFERENCE GUIDE | €2.50 |
| | QA08622AA | DEL: QUICK REFERENCE GUIDE | €0.00 |
| CLASS BATTERY | QA08624AA | STD:BATT IMPRES LIION TIA4950 IP68 3200T | €0.00 |
| CLASS RADIO | QA08724AA | STD: EMEA R7 UHF TIA NKP CAPABLE | €0.00 |
| CLS SOFTWARE OPTION | STDSYE0865AA | STD:RADIO CODEPLUG OPTION | €0.00 |

| | Option SKU | Description | Price |
|---------------------------------------|------------|----------------------------------|--------|
| CLASS DUST COVER | QA08623AA | ADD: DUST COVER | €3.00 |
| DC SW REGIONALIZATION SELECTION | QA08860AA | ADD DC SW REGIONALIZATION OPTION | €15.00 |



MOTOTRBO R7

MOTOTRBO R7 UHF NKP BT WIFI GNSS CAPABLE PRA502CEG



MOTOTRBO™ R7a is a digital portable two-way radio that offers loud, clear, and customisable audio in a rugged, dependable, and connected device.

Loud and clear

By providing exceptional noise cancelling, loudness, and voice clarity, the MOTOTRBO R7 excels where audio communications can be challenging. R7 ensures your team can hear and be heard anywhere you operate, even in the noisiest environments. Designed for business

Built rugged, developed for maximum uptime, and ready to connect your team, the MOTOTRBO R7 two-way radio is designed to perfectly meet the needs of your business. The R7 is tested to stringent military standards and is rated to IP66 and IP68 for maximum robustness, while built-in security features and over-the-air programming minimise device downtime.

Ready for tomorrow

Developed and produced for the communication needs of your team, the MOTOTRBO R7 features modern Wi-Fi and Bluetooth connectivity to keep your team connected now and in the future. Paired with a large colour screen and with connectivity to other systems enabled by MOTOTRBO systems, your team can be ready for today and connected when your systems change tomorrow.

| Model No | Technical Description |
|----------|-----------------------|
|----------|-----------------------|

| MDH06RDC9WA2AN | MOTOTRBO R7 UHF NKP BT WIFI GNSS CAPABLE PRA502CEG | |
|----------------|--|--|
| | ROHS: Yes CE: Yes Country of Origin: N/A | |
| | None: les CL. les Country of Origin. N/A | |

| PRODUCT OFTIONS | |
|---------------------------|--|
| Band Split | UHF |
| Display & Keypad Type | Non-Display,No Keypad |
| Encryption Type | Basic Privacy,Enhanced Privacy |
| Intrinsically Safe | No |
| IP Rating | IP66/IP68 |
| Number of Channels | 64 |
| Power | 4W |
| Radio Protocol | Analog Conventional, Digital Conventional, IP Site Connect, Capacity Plus Single, Capacity Plus Multi, Capacity Max (Optional) |
| Standard Package Includes | 1 x Radio,Battery,Charger,Antenna,Dust Cover,Belt Clip |
| Туре | Portable |



MOTOTRBO R7

MOTOTRBO R7 UHF NKP BT WIFI GNSS CAPABLE PRA502CEG

| Model No | Technical Description | Price |
|----------------|--|---------|
| | | |
| MDH06RDC9WA2AN | MOTOTRBO R7 UHF NKP BT WIFI GNSS CAPABLE PRA502CEG | €785.00 |

| | Option SKU | Description | Price |
|-------------------|------------|--|---------|
| CLASS BATTERY | QA08605AA | STD: BATT IMPRES LIION IP68 2200T | €0.00 |
| | QA08606AA | ALT: BATT LIION IP68 2450T | €0.00 |
| | QA08607AA | ALT: BATT IMPRES LIION IP68 2850T | €80.00 |
| CLASS UHF ANTENNA | QA08611AA | ADD: ANTENNA, STAMPED METAL,UHF STUBBY ANTENNA (400-450 MHZ) | €0.00 |
| | QA08612AA | ADD: UHF STUBBY ANTENNA (440-490 MHZ) | €0.00 |
| | QA08613AA | ADD: UHF STUBBY ANTENNA (470-527 MHZ) | €0.00 |
| | QA08614AA | ADD: ANTENNA, STAMPED METAL, UHF SLIM WHIP ANTENNA | €0.00 |
| | QA08615AA | ADD: ANTENNA, STUBBY, 400-527MHZ, 90MM, FERRULE | €0.00 |
| | QA08616AA | ADD: ANTENNA, STUBBY, 400-450MHZ, 60MM, FERRULE | €0.00 |
| | QA08617AA | ADD: ANTENNA, STUBBY, 440-490MHZ, 60MM, FERRULE | €0.00 |
| CLASS CHARGER | QA08618AA | ADD: IMPRES SUC SMPS-CE UK 230V SINGLE PACK MODEL | €0.00 |
| | QA08619AA | ADD: IMPRES SUC SMPS-CE EU 220/240V SINGLE PACK MODEL | €0.00 |
| | QA08620AA | DEL: CHARGER SINGLE PACK MODEL | -€48.00 |
| | QA08812AA | ADD: IMPRES SUC SMPS-CE UK 230V UNPACKED MODEL | €0.00 |
| | QA08813AA | ADD: IMPRES SUC SMPS-CE EU 220/240V UNPACKED MODEL | €0.00 |
| | QA08814AA | DEL: CHARGER UNPACKED MODEL | -€48.00 |
| CLASS MANUAL | QA08621AA | ADD: QUICK REFERENCE GUIDE | €2.50 |
| | QA08622AA | DEL: QUICK REFERENCE GUIDE | €0.00 |

| | Option SKU | Description | Price |
|---------------------|--------------|------------------------------|-------|
| CLASS RADIO | QA08722AA | STD: EMEA R7 UHF NKP CAPABLE | €0.00 |
| CLS SOFTWARE OPTION | STDSYE0865AA | STD:RADIO CODEPLUG OPTION | €0.00 |

| | Option SKU | Description | Price |
|---------------------------------------|------------|----------------------------------|--------|
| CLASS DUST COVER | QA08623AA | ADD: DUST COVER | €3.00 |
| DC SW REGIONALIZATION SELECTION | QA08860AA | ADD DC SW REGIONALIZATION OPTION | €15.00 |



MOTOTRBO R7

MOTOTRBO R7 UHF TIA NKP BT WIFI GNSS PREMIUM PRA502CEG



MOTOTRBO™ R7a is a digital portable two-way radio that offers loud, clear, and customisable audio in a rugged, dependable, and connected device.

Loud and clear

By providing exceptional noise cancelling, loudness, and voice clarity, the MOTOTRBO R7 excels where audio communications can be challenging. R7 ensures your team can hear and be heard anywhere you operate, even in the noisiest environments. Designed for business

Built rugged, developed for maximum uptime, and ready to connect your team, the MOTOTRBO R7 two-way radio is designed to perfectly meet the needs of your business. The R7 is tested to stringent military standards and is rated to IP66 and IP68 for maximum robustness, while built-in security features and over-the-air programming minimise device downtime.

Ready for tomorrow

Developed and produced for the communication needs of your team, the MOTOTRBO R7 features modern Wi-Fi and Bluetooth connectivity to keep your team connected now and in the future. Paired with a large colour screen and with connectivity to other systems enabled by MOTOTRBO systems, your team can be ready for today and connected when your systems change tomorrow.

| Model No | Technical Description |
|-------------|-----------------------|
| 1110401 110 | roommoar Booompar |

| MDH06RDC9XA1AN | MOTOTRBO R7 UHF TIA NKP BT WIFI GNSS PREMIUM PRA502CEG | |
|----------------|--|--|
| | ROHS: Yes CE: Yes Country of Origin: N/A | |

| PRODUCT OF HONS | |
|---------------------------|--|
| Band Split | UHF |
| Display & Keypad Type | Non-Display,No Keypad |
| Encryption Type | Basic Privacy,Enhanced Privacy |
| Intrinsically Safe | Yes (TIA) |
| IP Rating | IP66/IP68 |
| Number of Channels | 64 |
| Power | 4W |
| Radio Protocol | Analog Conventional, Digital Conventional, IP Site Connect, Capacity Plus Single, Capacity Plus Multi, Capacity Max (Optional) |
| Standard Package Includes | 1 x Radio,Battery,Charger,Antenna,Dust Cover,Belt Clip |
| Туре | Portable |



MOTOTRBO R7

MOTOTRBO R7 UHF TIA NKP BT WIFI GNSS PREMIUM PRA502CEG

| Model No | Technical Description | Price |
|----------------|--|---------|
| | | |
| MDH06RDC9XA1AN | MOTOTRBO R7 UHF TIA NKP BT WIFI GNSS PREMIUM PRA502CEG | €990.00 |

| | Option SKU | Description | Price |
|---------------------|--------------|--|---------|
| CLASS UHF ANTENNA | QA08611AA | ADD: ANTENNA, STAMPED METAL,UHF STUBBY ANTENNA (400-450 MHZ) | €0.00 |
| | QA08612AA | ADD: UHF STUBBY ANTENNA (440-490 MHZ) | €0.00 |
| | QA08613AA | ADD: UHF STUBBY ANTENNA (470-527 MHZ) | €0.00 |
| | QA08614AA | ADD: ANTENNA, STAMPED METAL,UHF SLIM WHIP ANTENNA | €0.00 |
| | QA08615AA | ADD: ANTENNA, STUBBY, 400-527MHZ, 90MM, FERRULE | €0.00 |
| | QA08616AA | ADD: ANTENNA, STUBBY, 400-450MHZ, 60MM, FERRULE | €0.00 |
| | QA08617AA | ADD: ANTENNA, STUBBY, 440-490MHZ, 60MM, FERRULE | €0.00 |
| CLASS CHARGER | QA08618AA | ADD: IMPRES SUC SMPS-CE UK 230V SINGLE PACK MODEL | €0.00 |
| | QA08619AA | ADD: IMPRES SUC SMPS-CE EU 220/240V SINGLE PACK MODEL | €0.00 |
| | QA08620AA | DEL: CHARGER SINGLE PACK MODEL | -€48.00 |
| | QA08812AA | ADD: IMPRES SUC SMPS-CE UK 230V UNPACKED MODEL | €0.00 |
| | QA08813AA | ADD: IMPRES SUC SMPS-CE EU 220/240V UNPACKED MODEL | €0.00 |
| | QA08814AA | DEL: CHARGER UNPACKED MODEL | -€48.00 |
| CLASS MANUAL | QA08621AA | ADD: QUICK REFERENCE GUIDE | €2.50 |
| | QA08622AA | DEL: QUICK REFERENCE GUIDE | €0.00 |
| CLASS BATTERY | QA08624AA | STD:BATT IMPRES LIION TIA4950 IP68 3200T | €0.00 |
| CLASS RADIO | QA08728AA | STD: EMEA R7 UHF TIA NKP PREMIUM | €0.00 |
| CLS SOFTWARE OPTION | STDSYE0865AA | STD:RADIO CODEPLUG OPTION | €0.00 |

| | Option SKU | Description | Price |
|---------------------------------------|------------|----------------------------------|--------|
| CLASS DUST COVER | QA08623AA | ADD: DUST COVER | €3.00 |
| DC SW REGIONALIZATION SELECTION | QA08860AA | ADD DC SW REGIONALIZATION OPTION | €15.00 |



MOTOTRBO R7

MOTOTRBO R7 UHF NKP BT WIFI GNSS PREMIUM PRA502CEG



MOTOTRBO™ R7a is a digital portable two-way radio that offers loud, clear, and customisable audio in a rugged, dependable, and connected device.

Loud and clear

By providing exceptional noise cancelling, loudness, and voice clarity, the MOTOTRBO R7 excels where audio communications can be challenging. R7 ensures your team can hear and be heard anywhere you operate, even in the noisiest environments. Designed for business

Built rugged, developed for maximum uptime, and ready to connect your team, the MOTOTRBO R7 two-way radio is designed to perfectly meet the needs of your business. The R7 is tested to stringent military standards and is rated to IP66 and IP68 for maximum robustness, while built-in security features and over-the-air programming minimise device downtime.

Ready for tomorrow

Developed and produced for the communication needs of your team, the MOTOTRBO R7 features modern Wi-Fi and Bluetooth connectivity to keep your team connected now and in the future. Paired with a large colour screen and with connectivity to other systems enabled by MOTOTRBO systems, your team can be ready for today and connected when your systems change tomorrow.

| Model No | Technical Description |
|----------|-----------------------|
|----------|-----------------------|

| MDH06RDC9XA2AN | MOTOTRBO R7 UHF NKP BT WIFI GNSS PREMIUM PRA502CEG | |
|----------------|--|--|
| | ROHS: Yes CE: Yes Country of Origin: N/A | |

| PRODUCT OFTIONS | |
|---------------------------|--|
| Band Split | UHF |
| Display & Keypad Type | Non-Display,No Keypad |
| Encryption Type | Basic Privacy,Enhanced Privacy |
| Intrinsically Safe | No |
| IP Rating | IP66/IP68 |
| Number of Channels | 64 |
| Power | 4W |
| Radio Protocol | Analog Conventional, Digital Conventional, IP Site Connect, Capacity Plus Single, Capacity Plus Multi, Capacity Max (Optional) |
| Standard Package Includes | 1 x Radio,Battery,Charger,Antenna,Dust Cover,Belt Clip |
| Туре | Portable |



MOTOTRBO R7

MOTOTRBO R7 UHF NKP BT WIFI GNSS PREMIUM PRA502CEG

| Model No | Technical Description | Price |
|----------------|--|---------|
| MDH06RDC9XA2AN | MOTOTRBO R7 UHF NKP BT WIFI GNSS PREMIUM PRA502CEG | €885.00 |

| | Option SKU | Description | Price |
|-------------------|------------|--|---------|
| CLASS BATTERY | QA08605AA | STD: BATT IMPRES LIION IP68 2200T | €0.00 |
| | QA08606AA | ALT: BATT LIION IP68 2450T | €0.00 |
| | QA08607AA | ALT: BATT IMPRES LIION IP68 2850T | €80.00 |
| CLASS UHF ANTENNA | QA08611AA | ADD: ANTENNA, STAMPED METAL,UHF STUBBY ANTENNA (400-450 MHZ) | €0.00 |
| | QA08612AA | ADD: UHF STUBBY ANTENNA (440-490 MHZ) | €0.00 |
| | QA08613AA | ADD: UHF STUBBY ANTENNA (470-527 MHZ) | €0.00 |
| | QA08614AA | ADD: ANTENNA, STAMPED METAL, UHF SLIM WHIP ANTENNA | €0.00 |
| | QA08615AA | ADD: ANTENNA, STUBBY, 400-527MHZ, 90MM, FERRULE | €0.00 |
| | QA08616AA | ADD: ANTENNA, STUBBY, 400-450MHZ, 60MM, FERRULE | €0.00 |
| | QA08617AA | ADD: ANTENNA, STUBBY, 440-490MHZ, 60MM, FERRULE | €0.00 |
| CLASS CHARGER | QA08618AA | ADD: IMPRES SUC SMPS-CE UK 230V SINGLE PACK MODEL | €0.00 |
| | QA08619AA | ADD: IMPRES SUC SMPS-CE EU 220/240V SINGLE PACK MODEL | €0.00 |
| | QA08620AA | DEL: CHARGER SINGLE PACK MODEL | -€48.00 |
| | QA08812AA | ADD: IMPRES SUC SMPS-CE UK 230V UNPACKED MODEL | €0.00 |
| | QA08813AA | ADD: IMPRES SUC SMPS-CE EU 220/240V UNPACKED MODEL | €0.00 |
| | QA08814AA | DEL: CHARGER UNPACKED MODEL | -€48.00 |
| CLASS MANUAL | QA08621AA | ADD: QUICK REFERENCE GUIDE | €2.50 |
| | QA08622AA | DEL: QUICK REFERENCE GUIDE | €0.00 |

| | Option SKU | Description | Price |
|---------------------|--------------|------------------------------|-------|
| CLASS RADIO | QA08726AA | STD: EMEA R7 UHF NKP PREMIUM | €0.00 |
| CLS SOFTWARE OPTION | STDSYE0865AA | STD:RADIO CODEPLUG OPTION | €0.00 |

| | Option SKU | Description | Price |
|---------------------------------------|------------|----------------------------------|--------|
| CLASS DUST COVER | QA08623AA | ADD: DUST COVER | €3.00 |
| DC SW REGIONALIZATION SELECTION | QA08860AA | ADD DC SW REGIONALIZATION OPTION | €15.00 |



MOTOTRBO R7

MOTOTRBO R7 UHF TIA FKP BT WIFI GNSS CAPABLE PRA502HEG



MOTOTRBO™ R7a is a digital portable two-way radio that offers loud, clear, and customisable audio in a rugged, dependable, and connected device.

Loud and clear

By providing exceptional noise cancelling, loudness, and voice clarity, the MOTOTRBO R7 excels where audio communications can be challenging. R7 ensures your team can hear and be heard anywhere you operate, even in the noisiest environments. Designed for business

Built rugged, developed for maximum uptime, and ready to connect your team, the MOTOTRBO R7 two-way radio is designed to perfectly meet the needs of your business. The R7 is tested to stringent military standards and is rated to IP66 and IP68 for maximum robustness, while built-in security features and over-the-air programming minimise device downtime.

Ready for tomorrow

Developed and produced for the communication needs of your team, the MOTOTRBO R7 features modern Wi-Fi and Bluetooth connectivity to keep your team connected now and in the future. Paired with a large colour screen and with connectivity to other systems enabled by MOTOTRBO systems, your team can be ready for today and connected when your systems change tomorrow.

| Model No | Technical Description |
|----------|-----------------------|
|----------|-----------------------|

| MDH06RDN9WA1AN | MOTOTRBO R7 UHF TIA FKP BT WIFI GNSS CA | APABLE PRA502HEG |
|------------------|---|------------------|
| INDITION CONTROL | ROHS: Yes CE: Yes Country of Origin: | |

PRODUCT OPTIONS

| PRODUCT OF HONS | |
|---------------------------|--|
| Band Split | UHF |
| Display & Keypad Type | Display,Full Keypad |
| Encryption Type | Basic Privacy,Enhanced Privacy |
| Intrinsically Safe | Yes (TIA) |
| IP Rating | IP66/IP68 |
| Number of Channels | 1000 |
| Power | 4W |
| Radio Protocol | Analog Conventional, Digital Conventional, IP Site Connect, Capacity Plus Single, Capacity Plus Multi, Capacity Max (Optional) |
| Standard Package Includes | 1 x Radio,Battery,Charger,Antenna,Dust Cover,Belt Clip |
| Туре | Portable |



MOTOTRBO R7

MOTOTRBO R7 UHF TIA FKP BT WIFI GNSS CAPABLE PRA502HEG

| Model No | Technical Description | Price |
|----------------|--|-----------|
| MDH06RDN9WA1AN | MOTOTRBO R7 UHF TIA FKP BT WIFI GNSS CAPABLE PRA502HEG | €1,050.00 |

MANDATORY OPTIONS:

| | Option SKU | Description | Price |
|---------------------|--------------|--|---------|
| CLASS UHF ANTENNA | QA08611AA | ADD: ANTENNA, STAMPED METAL,UHF STUBBY ANTENNA (400-450 MHZ) | €0.00 |
| | QA08612AA | ADD: UHF STUBBY ANTENNA (440-490 MHZ) | €0.00 |
| | QA08613AA | ADD: UHF STUBBY ANTENNA (470-527 MHZ) | €0.00 |
| | QA08614AA | ADD: ANTENNA, STAMPED METAL,UHF SLIM WHIP ANTENNA | €0.00 |
| | QA08615AA | ADD: ANTENNA, STUBBY, 400-527MHZ, 90MM, FERRULE | €0.00 |
| | QA08616AA | ADD: ANTENNA, STUBBY, 400-450MHZ, 60MM, FERRULE | €0.00 |
| | QA08617AA | ADD: ANTENNA, STUBBY, 440-490MHZ, 60MM, FERRULE | €0.00 |
| CLASS CHARGER | QA08618AA | ADD: IMPRES SUC SMPS-CE UK 230V SINGLE PACK MODEL | €0.00 |
| | QA08619AA | ADD: IMPRES SUC SMPS-CE EU 220/240V SINGLE PACK MODEL | €0.00 |
| | QA08620AA | DEL: CHARGER SINGLE PACK MODEL | -€48.00 |
| | QA08812AA | ADD: IMPRES SUC SMPS-CE UK 230V UNPACKED MODEL | €0.00 |
| | QA08813AA | ADD: IMPRES SUC SMPS-CE EU 220/240V UNPACKED MODEL | €0.00 |
| | QA08814AA | DEL: CHARGER UNPACKED MODEL | -€48.00 |
| CLASS MANUAL | QA08621AA | ADD: QUICK REFERENCE GUIDE | €2.50 |
| | QA08622AA | DEL: QUICK REFERENCE GUIDE | €0.00 |
| CLASS BATTERY | QA08624AA | STD:BATT IMPRES LIION TIA4950 IP68 3200T | €0.00 |
| CLASS RADIO | QA08721AA | STD: EMEA R7 UHF TIA FKP CAPABLE | €0.00 |
| CLS SOFTWARE OPTION | STDSYE0865AA | STD:RADIO CODEPLUG OPTION | €0.00 |

NON-MANDATORY OPTIONS:

| | Option SKU | Description | Price |
|---------------------------------------|------------|----------------------------------|--------|
| CLASS DUST COVER | QA08623AA | ADD: DUST COVER | €3.00 |
| DC SW REGIONALIZATION SELECTION | QA08860AA | ADD DC SW REGIONALIZATION OPTION | €15.00 |



MOTOTRBO R7

MOTOTRBO R7 UHF FKP BT WIFI GNSS CAPABLE PRA502HEG



MOTOTRBO™ R7a is a digital portable two-way radio that offers loud, clear, and customisable audio in a rugged, dependable, and connected device.

Loud and clear

By providing exceptional noise cancelling, loudness, and voice clarity, the MOTOTRBO R7 excels where audio communications can be challenging. R7 ensures your team can hear and be heard anywhere you operate, even in the noisiest environments. Designed for business

Built rugged, developed for maximum uptime, and ready to connect your team, the MOTOTRBO R7 two-way radio is designed to perfectly meet the needs of your business. The R7 is tested to stringent military standards and is rated to IP66 and IP68 for maximum robustness, while built-in security features and over-the-air programming minimise device downtime.

Ready for tomorrow

Developed and produced for the communication needs of your team, the MOTOTRBO R7 features modern Wi-Fi and Bluetooth connectivity to keep your team connected now and in the future. Paired with a large colour screen and with connectivity to other systems enabled by MOTOTRBO systems, your team can be ready for today and connected when your systems change tomorrow.

| Model No | Technical Description |
|----------|-----------------------|
|----------|-----------------------|

| MDH06RDN9WA2AN | MOTOTRBO I | R7 UHF FKP | BT WIFI GNSS CAPABLE PRA502HEG |
|----------------|------------|------------|--------------------------------|
| | ROHS: Yes | CE: Yes | Country of Origin: N/A |

PRODUCT OPTIONS

| TRODUCT OF HONO | |
|---------------------------|--|
| Band Split | UHF |
| Display & Keypad Type | Display,Full Keypad |
| Encryption Type | Basic Privacy,Enhanced Privacy |
| Intrinsically Safe | No |
| IP Rating | IP66/IP68 |
| Number of Channels | 1000 |
| Power | 4W |
| Radio Protocol | Analog Conventional, Digital Conventional, IP Site Connect, Capacity Plus Single, Capacity Plus Multi, Capacity Max (Optional) |
| Standard Package Includes | 1 x Radio,Battery,Charger,Antenna,Dust Cover,Belt Clip |
| Туре | Portable |



MOTOTRBO R7

MOTOTRBO R7 UHF FKP BT WIFI GNSS CAPABLE PRA502HEG

| Model No | Technical Description | Price |
|----------------|--|---------|
| MDH06RDN9WA2AN | MOTOTRBO R7 UHF FKP BT WIFI GNSS CAPABLE PRA502HEG | €950.00 |

MANDATORY OPTIONS:

| | Option SKU | Description | Price |
|-------------------|------------|--|---------|
| CLASS BATTERY | QA08605AA | STD: BATT IMPRES LIION IP68 2200T | €0.00 |
| | QA08606AA | ALT: BATT LIION IP68 2450T | €0.00 |
| | QA08607AA | ALT: BATT IMPRES LIION IP68 2850T | €80.00 |
| CLASS UHF ANTENNA | QA08611AA | ADD: ANTENNA, STAMPED METAL,UHF STUBBY ANTENNA (400-450 MHZ) | €0.00 |
| | QA08612AA | ADD: UHF STUBBY ANTENNA (440-490 MHZ) | €0.00 |
| | QA08613AA | ADD: UHF STUBBY ANTENNA (470-527 MHZ) | €0.00 |
| | QA08614AA | ADD: ANTENNA, STAMPED METAL, UHF SLIM WHIP ANTENNA | €0.00 |
| | QA08615AA | ADD: ANTENNA, STUBBY, 400-527MHZ, 90MM, FERRULE | €0.00 |
| | QA08616AA | ADD: ANTENNA, STUBBY, 400-450MHZ, 60MM, FERRULE | €0.00 |
| | QA08617AA | ADD: ANTENNA, STUBBY, 440-490MHZ, 60MM, FERRULE | €0.00 |
| CLASS CHARGER | QA08618AA | ADD: IMPRES SUC SMPS-CE UK 230V SINGLE PACK MODEL | €0.00 |
| | QA08619AA | ADD: IMPRES SUC SMPS-CE EU 220/240V SINGLE PACK MODEL | €0.00 |
| | QA08620AA | DEL: CHARGER SINGLE PACK MODEL | -€48.00 |
| | QA08812AA | ADD: IMPRES SUC SMPS-CE UK 230V UNPACKED MODEL | €0.00 |
| | QA08813AA | ADD: IMPRES SUC SMPS-CE EU 220/240V UNPACKED MODEL | €0.00 |
| | QA08814AA | DEL: CHARGER UNPACKED MODEL | -€48.00 |
| CLASS MANUAL | QA08621AA | ADD: QUICK REFERENCE GUIDE | €2.50 |
| | QA08622AA | DEL: QUICK REFERENCE GUIDE | €0.00 |

| | Option SKU | Description | Price |
|---------------------|--------------|---------------------------------------|-------|
| CLASS RADIO | QA08718AA | STD: EMEA R7 UHF FKP CAPABLE | €0.00 |
| | QA08719AA | ALT: EMEA R7 UHF FKP CAPABLE ARABIC | €0.00 |
| | QA08720AA | ALT: EMEA R7 UHF FKP CAPABLE CYRILLIC | €0.00 |
| CLS SOFTWARE OPTION | STDSYE0865AA | STD:RADIO CODEPLUG OPTION | €0.00 |

NON-MANDATORY OPTIONS:

| | Option SKU | Description | Price |
|---------------------------------------|------------|----------------------------------|--------|
| CLASS DUST COVER | QA08623AA | ADD: DUST COVER | €3.00 |
| DC SW REGIONALIZATION SELECTION | QA08860AA | ADD DC SW REGIONALIZATION OPTION | €15.00 |



MOTOTRBO R7

MOTOTRBO R7 UHF TIA FKP BT WIFI GNSS PREMIUM PRA502HEG



MOTOTRBO™ R7a is a digital portable two-way radio that offers loud, clear, and customisable audio in a rugged, dependable, and connected device.

Loud and clear

By providing exceptional noise cancelling, loudness, and voice clarity, the MOTOTRBO R7 excels where audio communications can be challenging. R7 ensures your team can hear and be heard anywhere you operate, even in the noisiest environments. Designed for business

Built rugged, developed for maximum uptime, and ready to connect your team, the MOTOTRBO R7 two-way radio is designed to perfectly meet the needs of your business. The R7 is tested to stringent military standards and is rated to IP66 and IP68 for maximum robustness, while built-in security features and over-the-air programming minimise device downtime.

Ready for tomorrow

Developed and produced for the communication needs of your team, the MOTOTRBO R7 features modern Wi-Fi and Bluetooth connectivity to keep your team connected now and in the future. Paired with a large colour screen and with connectivity to other systems enabled by MOTOTRBO systems, your team can be ready for today and connected when your systems change tomorrow.

| al Desci | IDUIOII |
|----------|---------|
| ·a | I DESCI |

| MDH06RDN9XA1AN | MOTOTRBO R7 UHF TIA FKP BT WIFI GNSS PREMIUM PRA502HEG | |
|-------------------|--|--|
| INIDHOOKDINGAATAN | WOTOTROOK OF TIATRE OF WIFT GN33 PREWIOW PRASUZITEG | |
| | ROHS: Yes CE: Yes Country of Origin: N/A | |

PRODUCT OPTIONS

| PRODUCT OF HONS | |
|---------------------------|--|
| Band Split | UHF |
| Display & Keypad Type | Display,Full Keypad |
| Encryption Type | Basic Privacy,Enhanced Privacy |
| Intrinsically Safe | Yes (TIA) |
| IP Rating | IP66/IP68 |
| Number of Channels | 1000 |
| Power | 4W |
| Radio Protocol | Analog Conventional, Digital Conventional, IP Site Connect, Capacity Plus Single, Capacity Plus Multi, Capacity Max (Optional) |
| Standard Package Includes | 1 x Radio,Battery,Charger,Antenna,Dust Cover,Belt Clip |
| Туре | Portable |



MOTOTRBO R7

MOTOTRBO R7 UHF TIA FKP BT WIFI GNSS PREMIUM PRA502HEG

| Model No | Technical Description | Price |
|----------------|--|-----------|
| MDH06RDN9XA1AN | MOTOTRBO R7 UHF TIA FKP BT WIFI GNSS PREMIUM PRA502HEG | €1,170.00 |

MANDATORY OPTIONS:

| | Option SKU | Description | Price |
|---------------------|--------------|--|---------|
| CLASS UHF ANTENNA | QA08611AA | ADD: ANTENNA, STAMPED METAL,UHF STUBBY ANTENNA (400-450 MHZ) | €0.00 |
| | QA08612AA | ADD: UHF STUBBY ANTENNA (440-490 MHZ) | €0.00 |
| | QA08613AA | ADD: UHF STUBBY ANTENNA (470-527 MHZ) | €0.00 |
| | QA08614AA | ADD: ANTENNA, STAMPED METAL,UHF SLIM WHIP ANTENNA | €0.00 |
| | QA08615AA | ADD: ANTENNA, STUBBY, 400-527MHZ, 90MM, FERRULE | €0.00 |
| | QA08616AA | ADD: ANTENNA, STUBBY, 400-450MHZ, 60MM, FERRULE | €0.00 |
| | QA08617AA | ADD: ANTENNA, STUBBY, 440-490MHZ, 60MM, FERRULE | €0.00 |
| CLASS CHARGER | QA08618AA | ADD: IMPRES SUC SMPS-CE UK 230V SINGLE PACK MODEL | €0.00 |
| | QA08619AA | ADD: IMPRES SUC SMPS-CE EU 220/240V SINGLE PACK MODEL | €0.00 |
| | QA08620AA | DEL: CHARGER SINGLE PACK MODEL | -€48.00 |
| | QA08812AA | ADD: IMPRES SUC SMPS-CE UK 230V UNPACKED MODEL | €0.00 |
| | QA08813AA | ADD: IMPRES SUC SMPS-CE EU 220/240V UNPACKED MODEL | €0.00 |
| | QA08814AA | DEL: CHARGER UNPACKED MODEL | -€48.00 |
| CLASS MANUAL | QA08621AA | ADD: QUICK REFERENCE GUIDE | €2.50 |
| | QA08622AA | DEL: QUICK REFERENCE GUIDE | €0.00 |
| CLASS BATTERY | QA08624AA | STD:BATT IMPRES LIION TIA4950 IP68 3200T | €0.00 |
| CLASS RADIO | QA08734AA | STD: EMEA R7 UHF TIA FKP PREMIUM | €0.00 |
| CLS SOFTWARE OPTION | STDSYE0865AA | STD:RADIO CODEPLUG OPTION | €0.00 |

NON-MANDATORY OPTIONS:

| | Option SKU | Description | Price |
|---------------------------------------|------------|----------------------------------|--------|
| CLASS DUST COVER | QA08623AA | ADD: DUST COVER | €3.00 |
| DC SW REGIONALIZATION SELECTION | QA08860AA | ADD DC SW REGIONALIZATION OPTION | €15.00 |



MOTOTRBO R7

MOTOTRBO R7 UHF FKP BT WIFI GNSS PREMIUM PRA502HEG



MOTOTRBO™ R7a is a digital portable two-way radio that offers loud, clear, and customisable audio in a rugged, dependable, and connected device.

Loud and clear

By providing exceptional noise cancelling, loudness, and voice clarity, the MOTOTRBO R7 excels where audio communications can be challenging. R7 ensures your team can hear and be heard anywhere you operate, even in the noisiest environments. Designed for business

Built rugged, developed for maximum uptime, and ready to connect your team, the MOTOTRBO R7 two-way radio is designed to perfectly meet the needs of your business. The R7 is tested to stringent military standards and is rated to IP66 and IP68 for maximum robustness, while built-in security features and over-the-air programming minimise device downtime.

Ready for tomorrow

Developed and produced for the communication needs of your team, the MOTOTRBO R7 features modern Wi-Fi and Bluetooth connectivity to keep your team connected now and in the future. Paired with a large colour screen and with connectivity to other systems enabled by MOTOTRBO systems, your team can be ready for today and connected when your systems change tomorrow.

| Model No | Technical Description |
|----------|-----------------------|
|----------|-----------------------|

| MDH06RDN9XA2AN | MOTOTRBO R7 UHF FKP BT WIFI GNSS PREMIUM PRA502HEG | |
|----------------|--|--|
| | ROHS: Yes CE: Yes Country of Origin: N/A | |

PRODUCT OPTIONS

| PRODUCT OFTIONS | |
|---------------------------|--|
| Band Split | UHF |
| Display & Keypad Type | Display,Full Keypad |
| Encryption Type | Basic Privacy,Enhanced Privacy |
| Intrinsically Safe | No |
| IP Rating | IP66/IP68 |
| Number of Channels | 1000 |
| Power | 4W |
| Radio Protocol | Analog Conventional, Digital Conventional, IP Site Connect, Capacity Plus Single, Capacity Plus Multi, Capacity Max (Optional) |
| Standard Package Includes | 1 x Radio,Battery,Charger,Antenna,Dust Cover,Belt Clip |
| Туре | Portable |



MOTOTRBO R7

MOTOTRBO R7 UHF FKP BT WIFI GNSS PREMIUM PRA502HEG

| Model No | Technical Description | Price |
|----------------|--|-----------|
| MDH06RDN9XA2AN | MOTOTRBO R7 UHF FKP BT WIFI GNSS PREMIUM PRA502HEG | €1,045.00 |

MANDATORY OPTIONS:

| | Option SKU | Description | Price |
|-------------------|------------|--|---------|
| CLASS BATTERY | QA08605AA | STD: BATT IMPRES LIION IP68 2200T | €0.00 |
| | QA08606AA | ALT: BATT LIION IP68 2450T | €0.00 |
| | QA08607AA | ALT: BATT IMPRES LIION IP68 2850T | €80.00 |
| CLASS UHF ANTENNA | QA08611AA | ADD: ANTENNA, STAMPED METAL,UHF STUBBY ANTENNA (400-450 MHZ) | €0.00 |
| | QA08612AA | ADD: UHF STUBBY ANTENNA (440-490 MHZ) | €0.00 |
| | QA08613AA | ADD: UHF STUBBY ANTENNA (470-527 MHZ) | €0.00 |
| | QA08614AA | ADD: ANTENNA, STAMPED METAL, UHF SLIM WHIP ANTENNA | €0.00 |
| | QA08615AA | ADD: ANTENNA, STUBBY, 400-527MHZ, 90MM, FERRULE | €0.00 |
| | QA08616AA | ADD: ANTENNA, STUBBY, 400-450MHZ, 60MM, FERRULE | €0.00 |
| | QA08617AA | ADD: ANTENNA, STUBBY, 440-490MHZ, 60MM, FERRULE | €0.00 |
| CLASS CHARGER | QA08618AA | ADD: IMPRES SUC SMPS-CE UK 230V SINGLE PACK MODEL | €0.00 |
| | QA08619AA | ADD: IMPRES SUC SMPS-CE EU 220/240V SINGLE PACK MODEL | €0.00 |
| | QA08620AA | DEL: CHARGER SINGLE PACK MODEL | -€48.00 |
| | QA08812AA | ADD: IMPRES SUC SMPS-CE UK 230V UNPACKED MODEL | €0.00 |
| | QA08813AA | ADD: IMPRES SUC SMPS-CE EU 220/240V UNPACKED MODEL | €0.00 |
| | QA08814AA | DEL: CHARGER UNPACKED MODEL | -€48.00 |
| CLASS MANUAL | QA08621AA | ADD: QUICK REFERENCE GUIDE | €2.50 |
| | QA08622AA | DEL: QUICK REFERENCE GUIDE | €0.00 |

| | Option SKU | Description | Price |
|---------------------|--------------|---------------------------------------|-------|
| CLASS RADIO | QA08730AA | STD: EMEA R7 UHF FKP PREMIUM | €0.00 |
| | QA08731AA | ALT: EMEA R7 UHF FKP PREMIUM ARABIC | €0.00 |
| | QA08732AA | ALT: EMEA R7 UHF FKP PREMIUM CYRILLIC | €0.00 |
| CLS SOFTWARE OPTION | STDSYE0865AA | STD:RADIO CODEPLUG OPTION | €0.00 |

NON-MANDATORY OPTIONS:

| | Option SKU | Description | Price |
|---------------------------------------|------------|----------------------------------|--------|
| CLASS DUST COVER | QA08623AA | ADD: DUST COVER | €3.00 |
| DC SW REGIONALIZATION SELECTION | QA08860AA | ADD DC SW REGIONALIZATION OPTION | €15.00 |



PROFESSIONAL RADIOS MOTOTRBO R7 ACCESSORIES

REMOTESPEAKERMICS



REPLACEMENT BELT CLIP SUBASSEMBLY

Model No: 0104068J78

Description: REPLACEMENT BELT CLIP SUBASSEMBLY ROHS: Yes CE: N/A Country of Origin: MY

Price: €14.21



ACCESSORY KIT, REPLACEMENT CABLE FOR RSM

Model No: PMKN4232A

Description: REPLACEMENT CABLE FOR RSM **ROHS:** Yes **CE:** N/A **Country of Origin:** CN

Price: €42.68

| Weight (-) | - |
|--|--|
| Dimensions (-) | - (W) - (H) - (L) |
| Channel Control | N/A |
| Display | N/A |
| Industry | N/A |
| Intelligent Audio | N/A |
| Intrinsic Safety Rating | No rating |
| IP Rating | N/A |
| Microphone Type | N/A |
| Programmable Button | N/A |
| Technology | RSM part |
| Volume Control | No |
| Audiobuchse | None |
| | |
| Weight (GM-Gram) | 128.9 |
| Weight (GM-Gram) Dimensions (MM-Millimeter) | 128.9 12.5 (W) 127 (H) 304 (L) |
| Dimensions (MM- | |
| Dimensions (MM- Millimeter) | 12.5 (W) 127 (H) 304 (L) |
| Dimensions (MM-Millimeter) Channel Control | 12.5 (W) 127 (H) 304 (L) N/A |
| Dimensions (MM-Millimeter) Channel Control Display | 12.5 (W) 127 (H) 304 (L) N/A N/A |
| Dimensions (MM-Millimeter) Channel Control Display Industry | 12.5 (W) 127 (H) 304 (L) N/A N/A N/A |
| Dimensions (MM-Millimeter) Channel Control Display Industry Intelligent Audio Intrinsic Safety | 12.5 (W) 127 (H) 304 (L) N/A N/A N/A N/A |
| Dimensions (MM-Millimeter) Channel Control Display Industry Intelligent Audio Intrinsic Safety Rating | 12.5 (W) 127 (H) 304 (L) N/A N/A N/A N/A N/A N/O N/A |
| Dimensions (MM-Millimeter) Channel Control Display Industry Intelligent Audio Intrinsic Safety Rating IP Rating | 12.5 (W) 127 (H) 304 (L) N/A N/A N/A N/A N/A No rating N/A |
| Dimensions (MM-Millimeter) Channel Control Display Industry Intelligent Audio Intrinsic Safety Rating IP Rating Microphone Type Programmable | 12.5 (W) 127 (H) 304 (L) N/A N/A N/A N/A N/A No rating N/A RSM cable |
| Dimensions (MM-Millimeter) Channel Control Display Industry Intelligent Audio Intrinsic Safety Rating IP Rating Microphone Type Programmable Button | 12.5 (W) 127 (H) 304 (L) N/A N/A N/A N/A No rating N/A RSM cable N/A |
| Dimensions (MM-Millimeter) Channel Control Display Industry Intelligent Audio Intrinsic Safety Rating IP Rating Microphone Type Programmable Button Technology | 12.5 (W) 127 (H) 304 (L) N/A N/A N/A N/A No rating N/A RSM cable N/A RSM part |




Low Profile Swivel Clip

Model No: PMLN8121A

Description: LOW PROFILE SWIVEL CLIP

ROHS: Yes CE: N/A Country of Origin: CN

Price: €9.36



16.45

Weight (GM-Gram)



Replacement Dust Cover for RSMs (Pack of 10)


Model No: PMLN8122A

Description: REPLACEMENT DUST COVER FOR RSM (PACK

OF 10)

ROHS: Yes CE: N/A Country of Origin: MY

Price: €10.65





ACCESSORY KIT, REPLACEMENT DUST COVER (PACK OF 10)

Model No: PMLN8253A

Description: ACCESSORY KIT, REPLACEMENT DUST COVER

(PACK OF 10)

ROHS: Yes CE: N/A Country of Origin: MY

| Weight (-) | - |
|----------------------------|-------------------|
| Dimensions (-) | - (W) - (H) - (L) |
| Channel Control | N/A |
| Display | N/A |
| Industry | N/A |
| Intelligent Audio | N/A |
| Intrinsic Safety Rating | No rating |
| IP Rating | N/A |
| Microphone Type | N/A |
| Programmable Button | N/A |
| Technology | RSM part |
| Volume Control | No |
| Audiobuchse | None |
| | |



Green Colour Identification Labels (10 per pack)

The colour indentification labels adhere to the front Push-to-Talk button of the NS750 Remote Speaker Microphone, allowing you to differentiate groups across your organisation (RSM not included)

Model No: PMLN8464A

Description: AUDIO ACCESSORY-REMOTE SPEAKER MICROPHONE, AUDIO ACCESSORY-REMOTE SPEAKER MICROPHONE, REPLACEMENT GREEN PTT LABEL (10 PER PACK), OMNI RSM NEXUS 3.5MM (PMMN4150/PMMN4151)

ROHS: Yes CE: N/A Country of Origin: MY

Price: €10.00



Blue Colour Identification Labels (10 per pack)

The colour indentification labels adhere to the front Push-to-Talk button of the NS750 Remote Speaker Microphone, allowing you to differentiate groups across your organisation (RSM not included)

Model No: PMLN8465A

Description: AUDIO ACCESSORY-REMOTE SPEAKER MICROPHONE, AUDIO ACCESSORY-REMOTE SPEAKER MICROPHONE, REPLACEMENT BLUE PTT LABEL (10 PER PACK), OMNI RSM NEXUS 3.5MM (PMMN4150/PMMN4151)

ROHS: Yes CE: N/A Country of Origin: MY

Price: €10.00



Red Colour Identification Labels (10 per pack)

The colour indentification labels adhere to the front Push-to-Talk button of the NS750 Remote Speaker Microphone, allowing you to differentiate groups across your organisation (RSM not included)

Model No: PMLN8466A

Description: AUDIO ACCESSORY-REMOTE SPEAKER MICROPHONE, AUDIO ACCESSORY-REMOTE SPEAKER MICROPHONE, REPLACEMENT RED PTT LABEL (10 PER PACK), OMNI RSM NEXUS 3.5MM (PMMN4150/PMMN4151)

ROHS: Yes CE: N/A Country of Origin: MY

| Weight (-) | - |
|-------------------------------|--------------------------|
| Dimensions (-) | - (W) - (H) - (L) |
| Channel Control | N/A |
| Display | N/A |
| Industry | N/A |
| Intelligent Audio | N/A |
| Intrinsic Safety Rating | No rating |
| IP Rating | N/A |
| Microphone Type | N/A |
| Programmable Button | N/A |
| Technology | RSM part |
| Volume Control | No |
| Audiobuchse | None |
| | |
| Weight (-) | - |
| Dimensions (-) | - (W) - (H) - (L) |
| Channel Control | N/A |
| Display | N/A |
| Industry | N/A |
| Intelligent Audio | N/A |
| Intrinsic Safety Rating | No rating |
| IP Rating | N/A |
| Microphone Type | N/A |
| Programmable Button | N/A |
| Technology | RSM part |
| Volume Control | No |
| Audiobuchse | None |
| Maiabé () | |
| Weight (-) Dimensions (-) | - (M) (H) (I) |
| Channel Control | - (W) - (H) - (L) N/A |
| Display | N/A |
| Industry | N/A |
| Intelligent Audio | N/A |
| Intrinsic Safety | No rating |
| Rating | Nordanig |
| IP Rating | N/A |
| Microphone Type | N/A |
| Programmable Button | N/A |
| Technology | RSM part |
| Volume Control | No |
| Audiobuchse | None |
| | |



Yellow Colour Identification Labels (10 per pack)

The colour indentification labels adhere to the front Push-to-Talk button of the NS750 Remote Speaker Microphone, allowing you to differentiate groups across your organisation (RSM not included)

Model No: PMLN8468A

Description: AUDIO ACCESSORY-REMOTE SPEAKER MICROPHONE, AUDIO ACCESSORY-REMOTE SPEAKER MICROPHONE, REPLACEMENT YELLOW PTT LABEL (10 PER PACK), OMNI RSM NEXUS 3.5MM (PMMN4150/PMMN4151)

ROHS: Yes CE: N/A Country of Origin: MY

Price: €10.00



Silver Colour Identification Labels (10 per pack)

The colour indentification labels adhere to the front Push-to-Talk button of the NS750 Remote Speaker Microphone, allowing you to differentiate groups across your organisation (RSM not included)

Model No: PMLN8469A

Description: AUDIO ACCESSORY-REMOTE SPEAKER MICROPHONE, AUDIO ACCESSORY-REMOTE SPEAKER MICROPHONE, REPLACEMENT SILVER PTT LABEL (10 PER PACK), OMNI RSM NEXUS 3.5MM (PMMN4150/PMMN4151)

ROHS: Yes CE: N/A Country of Origin: MY

Price: €10.00



Orange Colour Identification Labels (10 per pack)

The colour indentification labels adhere to the front Push-to-Talk button of the NS750 Remote Speaker Microphone, allowing you to differentiate groups across your organisation (RSM not included)

Model No: PMLN8523A

Description: AUDIO ACCESSORY-REMOTE SPEAKER MICROPHONE,AUDIO ACCESSORY-REMOTE SPEAKER MICROPHONE,REPLACEMENT ORANGE PTT LABEL (10 PER PACK), OMNI RSM NEXUS 3.5MM (PMMN4150/PMMN4151)

ROHS: Yes CE: N/A Country of Origin: MY

| Weight (-) | - |
|----------------------------------|--------------------------------|
| Dimensions (-) | - (W) - (H) - (L) |
| Channel Control | N/A |
| Display | N/A |
| Industry | N/A |
| Intelligent Audio | N/A |
| Intrinsic Safety Rating | No rating |
| IP Rating | N/A |
| Microphone Type | N/A |
| Programmable Button | N/A |
| Technology | RSM part |
| Volume Control | No |
| Audiobuchse | None |
| | |
| Weight (-) | - |
| Dimensions (-) | - (W) - (H) - (L) |
| Channel Control | N/A |
| Display | N/A |
| Industry | N/A |
| Intelligent Audio | N/A |
| Intrinsic Safety Rating | No rating |
| IP Rating | N/A |
| Microphone Type | N/A |
| Programmable Button | N/A |
| Technology | RSM part |
| Volume Control | No |
| Audiobuchse | None |
| 14/-1 | |
| Weight (-) | - (\lambda\lambda\) (L) (L) |
| Dimensions (-) Channel Control | - (W) - (H) - (L) N/A |
| Display | N/A |
| Industry | N/A |
| Intelligent Audio | N/A |
| Intrinsic Safety | No rating |
| Rating | Notating |
| IP Rating | N/A |
| Microphone Type | N/A |
| Programmable Button | N/A |
| Technology | RSM part |
| Volume Control | No |
| Audiobuchse | None |
| | |



WM500 Wireless PoC/Radio Remote Speaker

Motorolas first wireless RSM compatible with PTT-over-cellular applications. The WM500 has been tested and works with the KODIAK broadband PTT platform, which is used by major wireless carriers - including AT&T, Bell Canada, Sprint, and Verizon - as well as WAVE, our cloud-based broadband PTT service.

Model No: PMMN4127A

Description: OPERATIONAL CRITICAL WIRELESS REMOTE

SPEAKER MIC WM500

ROHS: Yes CE: Yes Country of Origin: MY

Price: €285.00



RM780 IMPRES™ RSM, 3.5mm earpiece, radio controls, IP68, HAZLOC

Equipped with a loud and clear speaker, low profile swivel clip keeping the RSM closer to your body and a 3.5mm audio jack to attach an earpiece for discreet communications, it allows you to hear and be heard clearly.

Model No: PMMN4128A

Description: RM780 IMPRES WINDPORTING REMOTE

SPEAKER MICROPHONE, LARGE (IP68)

ROHS: Yes CE: Yes Country of Origin: MY

Price: €140.00



RM730 IMPRES™ Windporting Remote Speaker Microphone, Small

Equipped with a loud and clear speaker, the wired RM730 RSM delivers exceptional design. When paired with the R7 radio, the noise suppression algorithm removes background noise to communicate clearly. IP68 (2m 4hours) certified.

Model No: PMMN4131A

Description: RM730 IMPRES WINDPORTING REMOTE

SPEAKER MICROPHONE, SMALL (IP68)

ROHS: Yes CE: Yes Country of Origin: N/A

Price: €110.00

| Weight (LB-Pound) | 0.235 |
|--------------------------------|--|
| Dimensions (MM- Millimeter) | 58 (W) 24.5 (H) 81 (L) |
| Channel Control | No |
| Display | No display |
| Industry | N/A |
| Intelligent Audio | N/A |
| Intrinsic Safety Rating | No rating |
| IP Rating | IP67 |
| Microphone Type | Windporting |
| Programmable Button | Orange emergency and multiple programmable buttons |
| Technology | Wireless |
| Volume Control | Yes |
| Audiobuchse | 3.5mm non-threaded |
| | |
| Weight (LB-Pound) | 0.462971 |
| Dimensions (IN- Inch) | 2.28 (W) 1.25 (H) 3.46 (L) |
| Channel Control | No |
| Display | No display |
| Industry | N/A |
| Intelligent Audio | N/A |
| Intrinsic Safety Rating | TIA4950(UL) |
| IP Rating | IP68 |
| Microphone Type | Windporting |
| Programmable Button | Orange emergency and multiple programmable buttons |
| Technology | IMPRES |
| Volume Control | Yes |
| Audiobuchse | 3.5mm non-threaded |
| Weight (LB-Pound) | 0.17637 |
| Dimensions (IN- Inch) | 2.16 (W) 0.86 (H) 2.75 (L) |
| Channel Control | No |
| Display | No display |
| Industry | N/A |
| Intelligent Audio | N/A |
| Intrinsic Safety Rating | TIA4950(UL) |
| IP Rating | IP68 |
| Microphone Type | Windporting |
| Programmable Button | Orange/emergency button only |
| Technology | IMPRES |
| Volume Control | No |
| Audiahuahaa | 2 Emm non throaded |

3.5mm non-threaded

Audiobuchse



RM760 IMPRES™ Windporting Remote Speaker Microphone, Large

The RM760 large RSM is capable of performing clearly at 102 Phon loudness with a windporting microphone. It is Work-When-Wet and IP68 rated. It comes with a low profile swivel clip and the 3.5mm audio jack allows you to receive audio discreetly.

Model No: PMMN4140A

Description: RM760 IMPRES WINDPORTING REMOTE

SPEAKER MICROPHONE, LARGE (IP68)

ROHS: Yes CE: Yes Country of Origin: N/A

Price: €120.00



NS750 IMPRES™ Remote Speaker Microphone, Long Cable

The NS750 Remote Speaker Microphone is equipped with two Push-to-Talk buttons (large front PTT and side PTT), two audio accessories connections (3.5mm audio jack and Nexus Connector to connect to a 3rd party headset) and is IP68 rated. The long cable allows you to wear the RSM in different wearing positions.

Model No: PMMN4150A

Description: NS750, REMOTE SPEAKER

MICROPHONE, IMPRES OMNI WITH LARGE FRONT

PTT, NEXUS, 3.5MM (LONG CABLE)

ROHS: Yes CE: Yes Country of Origin: MY

Price: €560.00



NS750 IMPRES™ Remote Speaker Microphone, Short Cable

The NS750 Remote Speaker Microphone is equipped with two Push-to-Talk buttons (large front PTT and side PTT), two audio accessories connections (3.5mm audio jack and Nexus Connector to connect to a 3rd party headset) and is IP68 rated.

Model No: PMMN4151A

Description: NS750, REMOTE SPEAKER

MICROPHONE, IMPRES OMNI WITH LARGE FRONT

PTT, NEXUS, 3.5MM (SHORT CABLE)

ROHS: Yes CE: Yes Country of Origin: MY

Price: €540.00

| Weight (LB-Pound) | 0.46 |
|--|---|
| Dimensions (MM- | 26 (W) 85 (H) 61 (L) |
| Millimeter) | 25 (**) 55 (**) 51 (2) |
| Channel Control | No |
| Display | No display |
| Industry | N/A |
| Intelligent Audio | N/A |
| Intrinsic Safety Rating | TIA4950(UL) |
| IP Rating | IP68 |
| Microphone Type | Windporting |
| Programmable Button | No |
| Technology | IMPRES |
| Volume Control | No |
| Audiobuchse | 3.5mm non-threaded |
| | |
| Weight (-) | - |
| Dimensions (-) | - (W) - (H) - (L) |
| Channel Control | No |
| Display | No display |
| Industry | N/A |
| Intelligent Audio | N/A |
| Intrinsic Safety | TIA4950(UL) |
| Rating | ID00 |
| | 1060 |
| IP Rating | IP68 |
| Microphone Type | Omni-directional |
| | |
| Microphone Type Programmable | Omni-directional |
| Microphone Type Programmable Button | Omni-directional Orange emergency and programmable button |
| Microphone Type Programmable Button Technology | Omni-directional Orange emergency and programmable button IMPRES |
| Microphone Type Programmable Button Technology Volume Control Audiobuchse | Omni-directional Orange emergency and programmable button IMPRES No Nexus and 3.5mm locking |
| Microphone Type Programmable Button Technology Volume Control Audiobuchse Weight (-) | Omni-directional Orange emergency and programmable button IMPRES No Nexus and 3.5mm locking |
| Microphone Type Programmable Button Technology Volume Control Audiobuchse Weight (-) Dimensions (-) | Omni-directional Orange emergency and programmable button IMPRES No Nexus and 3.5mm locking (W) - (H) - (L) |
| Microphone Type Programmable Button Technology Volume Control Audiobuchse Weight (-) Dimensions (-) Channel Control | Omni-directional Orange emergency and programmable button IMPRES No Nexus and 3.5mm locking (W) - (H) - (L) No |
| Microphone Type Programmable Button Technology Volume Control Audiobuchse Weight (-) Dimensions (-) Channel Control Display | Omni-directional Orange emergency and programmable button IMPRES No Nexus and 3.5mm locking (W) - (H) - (L) No No display |
| Microphone Type Programmable Button Technology Volume Control Audiobuchse Weight (-) Dimensions (-) Channel Control Display Industry | Omni-directional Orange emergency and programmable button IMPRES No Nexus and 3.5mm locking (W) - (H) - (L) No No display N/A |
| Microphone Type Programmable Button Technology Volume Control Audiobuchse Weight (-) Dimensions (-) Channel Control Display Industry Intelligent Audio | Omni-directional Orange emergency and programmable button IMPRES No Nexus and 3.5mm locking (W) - (H) - (L) No No display N/A N/A |
| Microphone Type Programmable Button Technology Volume Control Audiobuchse Weight (-) Dimensions (-) Channel Control Display Industry | Omni-directional Orange emergency and programmable button IMPRES No Nexus and 3.5mm locking (W) - (H) - (L) No No display N/A |
| Microphone Type Programmable Button Technology Volume Control Audiobuchse Weight (-) Dimensions (-) Channel Control Display Industry Intelligent Audio Intrinsic Safety | Omni-directional Orange emergency and programmable button IMPRES No Nexus and 3.5mm locking (W) - (H) - (L) No No display N/A N/A |
| Microphone Type Programmable Button Technology Volume Control Audiobuchse Weight (-) Dimensions (-) Channel Control Display Industry Intelligent Audio Intrinsic Safety Rating | Omni-directional Orange emergency and programmable button IMPRES No Nexus and 3.5mm locking (W) - (H) - (L) No No display N/A N/A TIA4950(UL) |
| Microphone Type Programmable Button Technology Volume Control Audiobuchse Weight (-) Dimensions (-) Channel Control Display Industry Intelligent Audio Intrinsic Safety Rating IP Rating | Omni-directional Orange emergency and programmable button IMPRES No Nexus and 3.5mm locking (W) - (H) - (L) No No display N/A N/A TIA4950(UL) IP68 |
| Microphone Type Programmable Button Technology Volume Control Audiobuchse Weight (-) Dimensions (-) Channel Control Display Industry Intelligent Audio Intrinsic Safety Rating IP Rating Microphone Type Programmable | Omni-directional Orange emergency and programmable button IMPRES No Nexus and 3.5mm locking (W) - (H) - (L) No No display N/A N/A TIA4950(UL) IP68 Omni-directional |
| Microphone Type Programmable Button Technology Volume Control Audiobuchse Weight (-) Dimensions (-) Channel Control Display Industry Intelligent Audio Intrinsic Safety Rating IP Rating Microphone Type Programmable Button | Omni-directional Orange emergency and programmable button IMPRES No Nexus and 3.5mm locking (W) - (H) - (L) No No display N/A N/A TIA4950(UL) IP68 Omni-directional Orange emergency and programmable button |
| Microphone Type Programmable Button Technology Volume Control Audiobuchse Weight (-) Dimensions (-) Channel Control Display Industry Intelligent Audio Intrinsic Safety Rating IP Rating Microphone Type Programmable Button Technology | Omni-directional Orange emergency and programmable button IMPRES No Nexus and 3.5mm locking (W) - (H) - (L) No No display N/A N/A TIA4950(UL) IP68 Omni-directional Orange emergency and programmable button IMPRES |



MOTOTRBO R7 ACCESSORIES

CHARGERS



Switch Mode Power Supply for Single Unit Chargers, US

Pluç

Replacement Power Supply for IMPRES Single-Unit Charger, US

Plug.

Model No: 25009297001

Description: POWER SUPPLY ADAPTOR, POWER- WALL CUBE, AC, POWER SUPPLY, SWITCH-MODE, LOW NOISE,

18W, US/NA

ROHS: Yes CE: No

Country of Origin: CN

Price: €22.00



Power Cord, US

Replacement Power Cord with US plug for use with the Multi-Unit

Chargers

Model No: 3087791G01

Description: CABLE, POWER CORD, US

ROHS: Yes CE: No Country of Origin: CN

Price: €11.00



Power Cord, EU

Replacement Power Cord with EU plug for use with the Multi-Unit

Chargers

Model No: 3087791G04

Description: CABLE,POWER CORD, EURO, 250 VAC 3A **ROHS:** Yes **CE:** Yes **Country of Origin:** CN

Price: €11.00



Power Cord, UK/HK

Replacement Power Cord with UK/HK plug for use with the Multi-

Unit Chargers

Model No: 3087791G07

Description: POWER CORD, UK

ROHS: Yes CE: Yes Country of Origin: CN

| Weight (-) | - |
|--------------------------|----------------------------|
| Dimensions (IN- Inch) | 2.13 (W) 2.63 (H) 1.25 (L) |
| Number of Displays | 0 |
| Number of Pockets | 1 |
| Plug Type | US |
| Power Source | N/A |
| Technology | Power supply |
| Туре | Charger component |
| | |

| Weight (GM-Gram) | 195 |
|--------------------------------|----------------------|
| Dimensions (MM- Millimeter) | - (W) - (H) 2300 (L) |
| Number of Displays | 0 |
| Number of Pockets | 1 |
| Plug Type | US |
| Power Source | N/A |
| Technology | Line cord |
| Туре | Charger component |
| | |

| Dimensions (-) - (W) - (H) - (L) Number of Displays Number of Pockets 1 Plug Type EURO Power Source N/A Technology Line cord | Weight (GM-Gram) | 240 |
|---|-------------------|-------------------|
| Displays Number of Pockets 1 Plug Type EURO Power Source N/A Technology Line cord | Dimensions (-) | - (W) - (H) - (L) |
| Plug Type EURO Power Source N/A Technology Line cord | | 0 |
| Power Source N/A Technology Line cord | Number of Pockets | 1 |
| Technology Line cord | Plug Type | EURO |
| | Power Source | N/A |
| | Technology | Line cord |
| Type Charger component | Туре | Charger component |

| Weight (GM-Gram) | 275 |
|--------------------------------|----------------------------|
| Dimensions (MM- Millimeter) | 0.88 (W) 1.88 (H) 2300 (L) |
| Number of Displays | 0 |
| Number of Pockets | 1 |
| Plug Type | UK |
| Power Source | N/A |
| Technology | Line cord |
| Туре | Charger component |



Replacement Charging Insert for IMPRES 2 6-way multi-unit charger - Mototrbo series and TETRA ATEX

•Insert includes 3 pockets (tri-unit insert) •Each pocket is radio or battery compatible •Charger compatibility: Mototrbo and TETRA ATEX PMPN4289, PMPN4290, PMPN4284

Model No: AS000129A01

Description: ADAPTER, CHARGING POCKET TRI UNIT **ROHS:** Yes **CE:** N/A **Country of Origin:** MY

Price: €121.00



Wall Mount Bracket

This bracket is used to mount your multi-unit charger on the wall.

Model No: BR000272A01

Description: BRACKET, WALL MOUNT, 6WAY MAINTENANCE

MUC

ROHS: Yes CE: N/A Country of Origin: MY

Price: €74.00



Multi-Unit Charger Wall-Mount Kit

Compatible with APX radios, this APX charger accessory is a wall mount bracket for IMPRESS multi-unit chargers NNTN8844.

Model No: NLN7967A

Description: MULTI-UNIT CHARGER WALL MOUNT KIT **ROHS:** Yes **CE:** N/A **Country of Origin:** US

Price: €35.00



IMPRES Compatible Vehicular Charger

This IMPRES vehicular charger has full IMPRES charger-tobattery communication capability to optimize the life of your battery.

Model No: NNTN7616D

Description: CHR IMP VEH EXT EU

ROHS: Yes CE: Yes Country of Origin: MX

Price: €737.00



Single unit charger with Euro power supply

Rapid rate charger with LED to indicate charge status, comes with Euro specification power supply and cord

Model No: NNTN8273A

Description: ACCESSORY KIT, CHARGER STD SUC W/

POWER SUPPLY, SWITCH-MODE-21W, EURO

ROHS: Yes CE: Yes Country of Origin: MY

Price: €80.00

| Weight (-) | - |
|--|---|
| Dimensions (-) | - (W) - (H) - (L) |
| Number of | 0 |
| Displays | |
| Number of Pockets | 1 |
| Plug Type | N/A |
| Power Source | N/A |
| Technology | Muc pocket |
| Туре | Charger component |
| Weight (KG- Kilogram) | 2.2 |
| Dimensions (IN- Inch) | 16 (W) 6.8 (H) 8.5 (L) |
| Number of Displays | 0 |
| Number of Pockets | 1 |
| Plug Type | N/A |
| Power Source | N/A |
| Technology | Mounting component(s) |
| Туре | Charger component |
| | |
| Weight (-) | - |
| Dimensions (IN- Inch) | 0.12 (W) 12.63 (H) 4.13 (L) |
| Number of Displays | 0 |
| Number of Pockets | 1 |
| | |
| Plug Type | N/A |
| Plug Type Power Source | N/A N/A |
| | |
| Power Source | N/A |
| Power Source Technology | N/A Mounting component(s) |
| Power Source Technology Type | N/A Mounting component(s) |
| Power Source Technology Type Weight (-) Dimensions (IN- | N/A Mounting component(s) Charger component |
| Power Source Technology Type Weight (-) Dimensions (IN-Inch) Number of | N/A Mounting component(s) Charger component - 3.5 (W) 5.25 (H) 3.5 (L) |
| Power Source Technology Type Weight (-) Dimensions (IN-Inch) Number of Displays | N/A Mounting component(s) Charger component - 3.5 (W) 5.25 (H) 3.5 (L) |
| Power Source Technology Type Weight (-) Dimensions (IN-Inch) Number of Displays Number of Pockets | N/A Mounting component(s) Charger component - 3.5 (W) 5.25 (H) 3.5 (L) 0 |
| Power Source Technology Type Weight (-) Dimensions (IN-Inch) Number of Displays Number of Pockets Plug Type | N/A Mounting component(s) Charger component - 3.5 (W) 5.25 (H) 3.5 (L) 0 1 N/A |
| Power Source Technology Type Weight (-) Dimensions (IN-Inch) Number of Displays Number of Pockets Plug Type Power Source | N/A Mounting component(s) Charger component - 3.5 (W) 5.25 (H) 3.5 (L) 0 1 N/A Vehicle power hardware |
| Power Source Technology Type Weight (-) Dimensions (IN- Inch) Number of Displays Number of Pockets Plug Type Power Source Technology Type | N/A Mounting component(s) Charger component - 3.5 (W) 5.25 (H) 3.5 (L) 0 1 N/A Vehicle power hardware IMPRES™ Vehicular charger kit |
| Power Source Technology Type Weight (-) Dimensions (IN-Inch) Number of Displays Number of Pockets Plug Type Power Source Technology Type Weight (GM-Gram) | N/A Mounting component(s) Charger component - 3.5 (W) 5.25 (H) 3.5 (L) 0 1 N/A Vehicle power hardware IMPRES™ Vehicular charger kit |
| Power Source Technology Type Weight (-) Dimensions (IN- Inch) Number of Displays Number of Pockets Plug Type Power Source Technology Type Weight (GM-Gram) Dimensions (MM- Millimeter) | N/A Mounting component(s) Charger component - 3.5 (W) 5.25 (H) 3.5 (L) 0 1 N/A Vehicle power hardware IMPRES™ Vehicular charger kit 165 114 (W) 26 (H) 115 (L) |
| Power Source Technology Type Weight (-) Dimensions (IN-Inch) Number of Displays Number of Pockets Plug Type Power Source Technology Type Weight (GM-Gram) Dimensions (MM- | N/A Mounting component(s) Charger component - 3.5 (W) 5.25 (H) 3.5 (L) 0 1 N/A Vehicle power hardware IMPRES™ Vehicular charger kit |
| Power Source Technology Type Weight (-) Dimensions (IN- Inch) Number of Displays Number of Pockets Plug Type Power Source Technology Type Weight (GM-Gram) Dimensions (MM- Millimeter) Number of | N/A Mounting component(s) Charger component - 3.5 (W) 5.25 (H) 3.5 (L) 0 1 N/A Vehicle power hardware IMPRES™ Vehicular charger kit 165 114 (W) 26 (H) 115 (L) |
| Power Source Technology Type Weight (-) Dimensions (IN-Inch) Number of Displays Number of Pockets Plug Type Power Source Technology Type Weight (GM-Gram) Dimensions (MM-Millimeter) Number of Displays | N/A Mounting component(s) Charger component - 3.5 (W) 5.25 (H) 3.5 (L) 0 1 N/A Vehicle power hardware IMPRES™ Vehicular charger kit 165 114 (W) 26 (H) 115 (L) |
| Power Source Technology Type Weight (-) Dimensions (IN-Inch) Number of Displays Number of Pockets Plug Type Power Source Technology Type Weight (GM-Gram) Dimensions (MM-Millimeter) Number of Displays Number of Pockets | N/A Mounting component(s) Charger component - 3.5 (W) 5.25 (H) 3.5 (L) 0 1 N/A Vehicle power hardware IMPRES™ Vehicular charger kit 165 114 (W) 26 (H) 115 (L) 0 1 |
| Power Source Technology Type Weight (-) Dimensions (IN- Inch) Number of Displays Number of Pockets Plug Type Power Source Technology Type Weight (GM-Gram) Dimensions (MM- Millimeter) Number of Displays Number of Pockets Plug Type | N/A Mounting component(s) Charger component - 3.5 (W) 5.25 (H) 3.5 (L) 0 1 N/A Vehicle power hardware IMPRES™ Vehicular charger kit 165 114 (W) 26 (H) 115 (L) 0 1 EURO N/A Motorola original |
| Power Source Technology Type Weight (-) Dimensions (IN- Inch) Number of Displays Number of Pockets Plug Type Power Source Technology Type Weight (GM-Gram) Dimensions (MM- Millimeter) Number of Displays Number of Pockets Plug Type Power Source | N/A Mounting component(s) Charger component - 3.5 (W) 5.25 (H) 3.5 (L) 0 1 N/A Vehicle power hardware IMPRES™ Vehicular charger kit 165 114 (W) 26 (H) 115 (L) 0 1 EURO N/A |



Core Single Unit Charger (UK)

Rapid rate standard charger for non-IMPRES MOTOTRBO batteries. Note that if IMPRES batteries are charged in a non-IMPRES charger, additional six month warranty is voided.

Model No: NNTN8274A

 $\begin{array}{l} \textbf{Description:} \ \, \textbf{ACCESSORY} \ \, \textbf{KIT,CHARGER} \ \, \textbf{STD} \ \, \textbf{SUC} \ \, \textbf{W/} \\ \textbf{POWER} \ \, \textbf{SUPPLY,} \ \, \textbf{SWITCH-MODE-21W,} \ \, \textbf{UK/HONG} \ \, \textbf{KONG} \end{array}$

RUHS: Yes CE

CE: Yes Country of Origin: MY

Price: €80.00



Vehicular Travel Charger Adapter With Mounting Base and Coil Cord

Model No: NNTN8525A

Description: CHARGER TRAVEL

ROHS: Yes CE: Yes Country of Origin: MY

Price: €207.00



IMPRES™ 2 Multi-Unit Charger, Base Only

Model No: PMPN4283A

Description: CHARGER DESKTOP MULTI-UNIT IMPRES 2 1

DISPLAY EXT PS 100-240VAC

ROHS: Yes CE: Yes Country of Origin: MY

Price: €791.00



CHARGER DESKTOP MULTI-UNIT IMPRES 2 1 DISPLAY EXT PS 100-240VAC

Model No: PMPN4283B

Description: CHARGER DESKTOP MULTI-UNIT IMPRES 2 1

DISPLAY EXT PS 100-240VAC

ROHS: Yes CE: Yes Country of Origin: MY

Price: €791.00



IMPRES™ 2 Multi-Unit Charger, w/Power Supply US

Simultaneously charges up to 6 batteries or devices with IMPRES(TM) extended service life algorithms. Includes one display to view battery information. Built in USB interface for charger firmware upgrades and connectivity to Fleet Management application. See below for compatible solutions and field service items.

Model No: PMPN4284A

Description: CHARGER DESKTOP MULTI-UNIT IMPRES 2 1

DISPLAY EXT PS 100-240VAC US/NA

ROHS: Yes CE: Yes Country of Origin: MY

Price: €823.00

| Weight (GM-Gram) | 165 |
|---|--|
| Dimensions (MM- | 114 (W) 26 (H) 115 (L) |
| Millimeter) | () - () - () |
| Number of Displays | 0 |
| Number of Pockets | 1 |
| Plug Type | UK/HK |
| Power Source | N/A |
| Technology | Motorola original |
| Туре | Single unit charger |
| Weight (ON Ones) | 400 |
| Weight (GM-Gram) | 160 |
| Dimensions (MM- Millimeter) | 57 (W) 63 (H) 67 (L) |
| Number of Displays | 0 |
| Number of Pockets | 1 |
| Plug Type | N/A |
| Power Source | Vehicle power outlet |
| Technology | Motorola original |
| Туре | Vehicular charger kit |
| Malak (OM Onem) | 0000 |
| Weight (GM-Gram) | 2200 |
| Dimensions (MM- Millimeter) | 95 (W) 116 (H) 445 (L) |
| Number of Displays | 1 |
| Number of Pockets | 6 |
| Plug Type | N/A |
| | |
| Power Source | N/A |
| Power Source Technology | N/A IMPRES™ 2 |
| | <u>. </u> |
| Technology Type | IMPRES™ 2 |
| Technology Type Weight (-) | IMPRES™ 2 Charger base |
| Technology Type Weight (-) Dimensions (-) Number of | IMPRES™ 2 |
| Technology Type Weight (-) Dimensions (-) | IMPRES™ 2 Charger base (W) - (H) - (L) |
| Technology Type Weight (-) Dimensions (-) Number of Displays | IMPRES™ 2 Charger base (W) - (H) - (L) 1 |
| Technology Type Weight (-) Dimensions (-) Number of Displays Number of Pockets | IMPRES™ 2 Charger base (W) - (H) - (L) 1 |
| Technology Type Weight (-) Dimensions (-) Number of Displays Number of Pockets Plug Type | IMPRES™ 2 Charger base (W) - (H) - (L) 1 6 N/A |
| Technology Type Weight (-) Dimensions (-) Number of Displays Number of Pockets Plug Type Power Source | IMPRES™ 2 Charger base (W) - (H) - (L) 1 6 N/A 100-240 VAC |
| Technology Type Weight (-) Dimensions (-) Number of Displays Number of Pockets Plug Type Power Source Technology | IMPRES™ 2 Charger base (W) - (H) - (L) 1 6 N/A 100-240 VAC IMPRES™ |
| Technology Type Weight (-) Dimensions (-) Number of Displays Number of Pockets Plug Type Power Source Technology | IMPRES™ 2 Charger base (W) - (H) - (L) 1 6 N/A 100-240 VAC IMPRES™ Charger base 2200 |
| Technology Type Weight (-) Dimensions (-) Number of Displays Number of Pockets Plug Type Power Source Technology Type | IMPRES™ 2 Charger base (W) - (H) - (L) 1 6 N/A 100-240 VAC IMPRES™ Charger base |
| Technology Type Weight (-) Dimensions (-) Number of Displays Number of Pockets Plug Type Power Source Technology Type Weight (GM-Gram) Dimensions (MM- | IMPRES™ 2 Charger base (W) - (H) - (L) 1 6 N/A 100-240 VAC IMPRES™ Charger base 2200 |
| Technology Type Weight (-) Dimensions (-) Number of Displays Number of Pockets Plug Type Power Source Technology Type Weight (GM-Gram) Dimensions (MM-Millimeter) Number of | IMPRES™ 2 Charger base (W) - (H) - (L) 1 6 N/A 100-240 VAC IMPRES™ Charger base 2200 95 (W) 116 (H) 445 (L) |
| Technology Type Weight (-) Dimensions (-) Number of Displays Number of Pockets Plug Type Power Source Technology Type Weight (GM-Gram) Dimensions (MM-Millimeter) Number of Displays | IMPRES™ 2 Charger base (W) - (H) - (L) 1 6 N/A 100-240 VAC IMPRES™ Charger base 2200 95 (W) 116 (H) 445 (L) 1 |
| Technology Type Weight (-) Dimensions (-) Number of Displays Number of Pockets Plug Type Power Source Technology Type Weight (GM-Gram) Dimensions (MM-Millimeter) Number of Displays Number of Pockets | IMPRES™ 2 Charger base (W) - (H) - (L) 1 6 N/A 100-240 VAC IMPRES™ Charger base 2200 95 (W) 116 (H) 445 (L) 1 |
| Technology Type Weight (-) Dimensions (-) Number of Displays Number of Pockets Plug Type Power Source Technology Type Weight (GM-Gram) Dimensions (MM-Millimeter) Number of Displays Number of Pockets Plug Type | IMPRES™ 2 Charger base (W) - (H) - (L) 1 6 N/A 100-240 VAC IMPRES™ Charger base 2200 95 (W) 116 (H) 445 (L) 1 6 US |
| Technology Type Weight (-) Dimensions (-) Number of Displays Number of Pockets Plug Type Power Source Technology Type Weight (GM-Gram) Dimensions (MM-Millimeter) Number of Displays Number of Pockets Plug Type Power Source | IMPRES™ 2 Charger base (W) - (H) - (L) 1 6 N/A 100-240 VAC IMPRES™ Charger base 2200 95 (W) 116 (H) 445 (L) 1 6 US N/A |



IMPRES™ 2 Multi-Unit Charger, w/Power Supply EU

Compatible with XPR and DP series radios, this MOTOTRBO charger is an IMPRES 2 multi-unit fast charger with 1 display, EURO plug.

Model No: PMPN4289A

Description: CHARGER DESKTOP MULTI-UNIT IMPRES 2 1

DISPLAY EXT PS 100-240VAC EU

CE: Yes

ROHS: Yes

Country of Origin: MY

Price: €823.00



CHARGER DESKTOP MULTI-UNIT IMPRES 2 1 DISPLAY EXT PS 100 - 240VAC EU

Model No: PMPN4289B

Description: CHARGER DESKTOP MULTI-UNIT IMPRES 2 1

DISPLAY EXT PS 100 - 240VAC EU

ROHS: Yes CE: Yes

Country of Origin: N/A

Price: €823.00



IMPRES™ 2 Multi-Unit Charger, w/Power Supply UK/HK

Model No: PMPN4290A

Description: CHARGER DESKTOP MULTI-UNIT IMPRES 2 1

DISPLAY EXT PS 100-240VAC UK/HK

ROHS: Yes CE: Yes

Country of Origin: N/A

Price: €823.00



CHARGER DESKTOP MULTI-UNIT IMPRES 2 1 DISPLAY EXT PS 100 - 240VAC UK/HK

Model No: PMPN4290B

Description: CHARGER DESKTOP MULTI-UNIT IMPRES 2 1

DISPLAY EXT PS 100 - 240VAC UK/HK

ROHS: Yes

CE: Yes

Country of Origin: MY

Price: €823.00



IMPRES™ Single Unit Charger, Base Only

The IMPRES™ single-unit charger offers extended talk time, thanks to optimized battery life and reliable IMPRES technology.

Model No: PMPN4527A

Description: CHARGER,CHGR DESKTOP SINGLE UNIT

IMPRES BASE ONLY EXT PS

ROHS: Yes CE: Yes Country of Origin: MY

Price: €80.00

| Weight (GM-Gram) | 2200 |
|--|------------------------|
| Dimensions (MM- | 95 (W) 116 (H) 445 (L) |
| Millimeter) | |
| Number of Displays | 1 |
| Number of Pockets | 6 |
| Plug Type | EURO |
| Power Source | N/A |
| Technology | IMPRES™ 2 |
| Туре | Multi unit charger |
| | |
| Weight (-) | - (4) |
| Dimensions (-) | - (W) - (H) - (L) |
| Number of Displays | 1 |
| Number of Pockets | 6 |
| Plug Type | EURO |
| Power Source | 100-240 VAC |
| Technology | IMPRES™ |
| Туре | Multi unit charger |
| | |
| Weight (GM-Gram) | 2200 |
| Dimensions (MM- Millimeter) | 95 (W) 116 (H) 445 (L) |
| Number of Displays | 1 |
| Number of Pockets | 6 |
| Plug Type | UK/HK |
| Power Source | N/A |
| Technology | IMPRES™ 2 |
| Туре | Multi unit charger |
| Weight (-) | - |
| Dimensions (-) | - (W) - (H) - (L) |
| Number of Displays | 1 |
| Number of Pockets | 6 |
| Plug Type | UK/HK |
| Power Source | N/A |
| Technology | IMPRES™ 2 |
| Туре | Multi unit charger |
| | |
| Weight (GM-Gram) | 110 |
| Dimensions (MM- Millimeter) | 94 (W) 51 (H) 88 (L) |
| Number of Displays | 0 |
| Diopiayo | |
| Number of Pockets | 1 |
| | 1 N/A |
| Number of Pockets | |
| Number of Pockets Plug Type | N/A |
| Number of Pockets Plug Type Power Source | N/A N/A |



IMPRES™ Single Unit Charger, w/Power Supply UK/HK

The IMPRES™ single-unit charger offers extended talk time, thanks to optimized battery life and reliable IMPRES technology.

Model No: PMPN4572A

Description: CHARGER, CHGR DESKTOP SINGLE UNIT

IMPRES EXT PS UK/HK

ROHS: Yes CE: Yes Country of Origin: MY

Price: €96.00



IMPRES™ Single Unit Charger w/Power Supply, North America plug

The IMPRES™ single-unit charger offers extended talk time, thanks to optimized battery life and reliable IMPRES technology.

Model No: PMPN4576A

Description: CHARGER, CHGR DESKTOP SINGLE UNIT

IMPRES EXT PS US/NA/TW

ROHS: Yes CE: Yes Country of Origin: MY

Price: €96.00



IMPRES™ Single Unit Charger, w/Power Supply EU

The IMPRES™ single-unit charger offers extended talk time, thanks to optimized battery life and reliable IMPRES technology.

Model No: PMPN4577A

Description: CHARGER, CHGR DESKTOP SINGLE UNIT

IMPRES EXT PS EU

ROHS: Yes CE: Yes Country of Origin: MY

Price: €96.00



Switch Mode Power Supply for Single Unit Chargers, EU Pluq $\,$

Replacement Switch Mode 14 Watt AC Power Supply for Single-Unit Chargers.

Model No: PS000037A01

Description: POWER SUPPLY ADAPTOR, POWER- WALL CUBE, AC, DC, SWITCH MODE, 14W, 207 V - 253 V, EU **ROHS:** Yes **CE:** Yes **Country of Origin:** CN

Price: €22.00



Switch Mode Power Supply for Single Unit Chargers, UK/HK Plug

Replacement Switch Mode 14 Watt AC Power Supply for Single Unit Chargers.

Model No: PS000037A02

Description: POWER SUPPLY ADAPTOR, POWER- WALL CUBE, AC, DC, SWITCH MODE, 14W, 207 V - 253 V, UK/HK

ROHS: Yes CE: Yes Country of Origin: CN

Price: €22.00

| Weight (GM-Gram) | 110 |
|--------------------------------|--------------------------|
| Dimensions (MM- | 94 (W) 51 (H) 88 (L) |
| Millimeter) | |
| Number of Displays | 0 |
| Number of Pockets | 1 |
| Plug Type | UK/HK |
| Power Source | N/A |
| Technology | IMPRES™ |
| Туре | Single unit charger |
| | |
| Weight (GM-Gram) | 110 |
| Dimensions (MM- Millimeter) | 94 (W) 51 (H) 88 (L) |
| Number of Displays | 0 |
| Number of Pockets | 1 |
| Plug Type | US/NA |
| Power Source | N/A |
| Technology | IMPRES™ |
| Туре | Single unit charger |
| | |
| Weight (GM-Gram) | 110 |
| Dimensions (MM- Millimeter) | 94 (W) 51 (H) 88 (L) |
| Number of Displays | 0 |
| Number of Pockets | 1 |
| Plug Type | EURO |
| Power Source | N/A |
| Technology | IMPRES™ |
| Туре | Single unit charger |
| Weight (GM-Gram) | 90 |
| Dimensions (MM- Millimeter) | 33.4 (W) 69.7 (H) 70 (L) |
| Number of Displays | 0 |
| Number of Pockets | 1 |
| Plug Type | EURO |
| Power Source | N/A |
| Technology | Power supply |
| Туре | Charger component |
| | |
| Weight (GM-Gram) | 97 |
| Dimensions (MM- Millimeter) | 50.5 (W) 57.3 (H) 70 (L) |
| Number of Displays | 0 |
| Number of Pockets | 1 |
| Plug Type | UK/HK |
| Power Source | N/A |
| Technology | Power supply |
| Туре | Charger component |
| | |



Replacement Power Supply Adaptor

Replacement Power Supply (100-240 VAC) for IMPRES 2 Multi-Unit Fast Charger

Model No: PS000242A01

Description: POWER SUPPLY ADAPTOR, POWER SUPPLY BRICK 100-240VAC UNIVERSAL 15V/6A L6 C6P

Country of Origin: CN ROHS: Yes CE: Yes

Price: €99.00

| Weight (LB-Pound) | 0.5 |
|--------------------------|-----------------------|
| Dimensions (IN- Inch) | 2.4 (W) 1.2 (H) 6 (L) |
| Number of Displays | 0 |
| Number of Pockets | 1 |
| Plug Type | N/A |
| Power Source | N/A |
| Technology | Power supply |
| Туре | Charger component |
| | |



MOTOTRBO R7 ACCESSORIES

ANTENNAS

000

Antenna ID Bands, 10 Pack

Compatible with XPR series 3000,3000e,7000 and 7000e series, these MOTOTRBO atenna ID bands come in gray and ships in pack of 10.

Model No: 32012144001

Description: ANTENNA ID BAND (GREY- PACK OF 10PCS)

ROHS: Yes CE: N/A Country of Origin: CN

Price: €14.00

000

Antenna ID Bands, 10 Pack

Compatible with XPR 3000, 3000e, 7000 and 7000e series, this MOTOTRBO antenna accessory ID band comes in yellow and ships as a pack of 10.

Model No: 32012144002

Description: ANTENNA ID BAND (YELLOW-PACK OF 10PCS)

ROHS: Yes CE: N/A Country of Origin: N/A

Price: €14.00

000

Antenna ID Bands, 10 Pack

Compatible with XPR series 3000,3000e,7000 and 7000e series, these MOTOTRBO atenna ID bands come in green and ships in

pack of 10.

Model No: 32012144003

Description: ANTENNA ID BAND (GREEN- PACK OF 10PCS)

ROHS: Yes CE: N/A Country of Origin: CN

Price: €14.00

000

Antenna ID Bands, 10 Pack

Compatible with XPR series 3000,3000e,7000 and 7000e series, these MOTOTRBO atenna ID bands come in blue and ships in pack of 10.

pack of 10.

Model No: 32012144004

Description: ANTENNA ID BAND (BLUE- PACK OF 10PCS) **ROHS:** Yes **CE:** N/A **Country of Origin:** N/A

Price: €14.00

| Weight (-) | - |
|--|---|
| Dimensions (IN- Inch) | 0.38 (W) 0.5 (H) 0.5 (L) |
| Frequency Band | N/A |
| Frequency Range (MHz) | N/A |
| Integrated GPS | N/A |
| Intrinsic Safety Rating | N/A |
| Mounting Style | N/A |
| Туре | Antenna id bands |
| Weight (-) | - |
| Dimensions (IN- Inch) | 0.38 (W) 0.5 (H) 0.5 (L) |
| Frequency Band | N/A |
| Frequency Range (MHz) | N/A |
| Integrated GPS | N/A |
| Intrinsic Safety Rating | N/A |
| Mounting Style | N/A |
| Type | Antenna id bands |
| .,,,, | |
| | |
| Weight (-) | - |
| Weight (-) Dimensions (IN-Inch) | - 0.38 (W) 0.5 (H) 0.5 (L) |
| Weight (-) Dimensions (IN-Inch) Frequency Band | - 0.38 (W) 0.5 (H) 0.5 (L) N/A |
| Weight (-) Dimensions (IN-Inch) | |
| Weight (-) Dimensions (IN-Inch) Frequency Band Frequency Range | N/A |
| Weight (-) Dimensions (IN-Inch) Frequency Band Frequency Range (MHz) | N/A N/A |
| Weight (-) Dimensions (IN-Inch) Frequency Band Frequency Range (MHz) Integrated GPS Intrinsic Safety | N/A N/A |
| Weight (-) Dimensions (IN-Inch) Frequency Band Frequency Range (MHz) Integrated GPS Intrinsic Safety Rating | N/A N/A N/A N/A |
| Weight (-) Dimensions (IN-Inch) Frequency Band Frequency Range (MHz) Integrated GPS Intrinsic Safety Rating Mounting Style | N/A N/A N/A N/A N/A |
| Weight (-) Dimensions (IN-Inch) Frequency Band Frequency Range (MHz) Integrated GPS Intrinsic Safety Rating Mounting Style Type | N/A N/A N/A N/A N/A Antenna id bands |
| Weight (-) Dimensions (IN-Inch) Frequency Band Frequency Range (MHz) Integrated GPS Intrinsic Safety Rating Mounting Style Type Weight (-) Dimensions (IN- | N/A N/A N/A N/A N/A Antenna id bands |
| Weight (-) Dimensions (IN-Inch) Frequency Band Frequency Range (MHz) Integrated GPS Intrinsic Safety Rating Mounting Style Type Weight (-) Dimensions (IN-Inch) | N/A N/A N/A N/A N/A N/A Antenna id bands - 0.38 (W) 0.5 (H) 0.5 (L) |
| Weight (-) Dimensions (IN-Inch) Frequency Band Frequency Range (MHz) Integrated GPS Intrinsic Safety Rating Mounting Style Type Weight (-) Dimensions (IN-Inch) Frequency Band Frequency Range | N/A N/A N/A N/A N/A N/A Antenna id bands - 0.38 (W) 0.5 (H) 0.5 (L) N/A |

Mounting Style

Type

N/A

Antenna id bands



Antenna ID Bands, 10 Pack

Compatible with XPR series 3000,3000e,7000 and 7000e series, these MOTOTRBO atenna ID bands come in purple and ships in pack of 10

Model No: 32012144005

Description: ANTENNA ID BAND (PURPLE- PACK OF 10PCS)

ROHS: Yes CE: N/A Country of Origin: CN

Price: €14.00



UHF Wideband Stubby Antenna (400-527 MHz)

MOTOTRBO antenna is shorter and more flexible than legacy MOTOTRBO antennas, making it more comfortable to wear and easier to use without snagging on clothing, all without compromising its 400-527MHz range.

Model No: AN000348A01

Description: ANTENNA, STUBBY, 400-527MHZ, 90MM,

FERRULE

ROHS: Yes CE: N/A Country of Origin: N/A

Price: €19.00



UHF Stubby Antenna (400-450MHz)

MOTOTRBO antenna is more flexible than legacy MOTOTRBO antennas, making it more comfortable to wear and easier to use without snagging on clothing—all without compromising its 400-450MHz range.

Model No: AN000350A01

Description: ANTENNA, STUBBY, 400-450MHZ, 60MM,

FERRÜLE

ROHS: Yes CE: N/A Country of Origin: MY

Price: €13.00



UHF Stubby Antenna (440-490MHz)

MOTOTRBO antenna is more flexible than legacy MOTOTRBO antennas, making it more comfortable to wear and easier to use without snagging on clothing—all without compromising its 440-490MHz range.

Model No: AN000351A01

Description: ANTENNA, STUBBY, 440-490MHZ, 60MM,

FERRULE

ROHS: Yes CE: N/A Country of Origin: MY

Price: €13.00



Get the best possible reception wherever you operate.

Model No: PMAD4116A

Description: VHF HELICAL ANTENNA (144-165 MHZ) **ROHS:** Yes **CE:** N/A **Country of Origin:** MY

| Weight (-) | - |
|---|---|
| Dimensions (IN-Inch) | 0.38 (W) 0.5 (H) 0.5 (L) |
| Frequency Band | N/A |
| Frequency Range (MHz) | N/A |
| Integrated GPS | N/A |
| Intrinsic Safety Rating | N/A |
| Mounting Style | N/A |
| Туре | Antenna id bands |
| Weight (GM-Gram) | 16.6 |
| Dimensions (MM- Millimeter) | 13.5 (W) 90 (H) 13.5 (L) |
| Frequency Band | UHF |
| Frequency Range (MHz) | 400-527 MHz |
| Integrated GPS | No |
| Intrinsic Safety Rating | N/A |
| Mounting Style | Ferrule |
| Туре | N/A |
| Weight (GM-Gram) | 11.6 |
| Dimensions (MM- Millimeter) | 13.5 (W) 60 (H) 13.5 (L) |
| Frequency Band | UHF |
| Frequency Range (MHz) | 400-450 MHz |
| Integrated GPS | No |
| | |
| Intrinsic Safety Rating | N/A |
| | N/A Ferrule |
| Rating | |
| Rating Mounting Style Type | Ferrule N/A |
| Rating Mounting Style Type Weight (GM-Gram) Dimensions (MM- | Ferrule |
| Rating Mounting Style Type Weight (GM-Gram) | Ferrule N/A 11.6 |
| Rating Mounting Style Type Weight (GM-Gram) Dimensions (MM-Millimeter) | Ferrule N/A 11.6 13.5 (W) 60 (H) 13.5 (L) |
| Rating Mounting Style Type Weight (GM-Gram) Dimensions (MM-Millimeter) Frequency Band Frequency Range | Ferrule N/A 11.6 13.5 (W) 60 (H) 13.5 (L) UHF |
| Rating Mounting Style Type Weight (GM-Gram) Dimensions (MM-Millimeter) Frequency Band Frequency Range (MHz) | Ferrule N/A 11.6 13.5 (W) 60 (H) 13.5 (L) UHF 440-490 MHz |
| Rating Mounting Style Type Weight (GM-Gram) Dimensions (MM-Millimeter) Frequency Band Frequency Range (MHz) Integrated GPS Intrinsic Safety | Ferrule N/A 11.6 13.5 (W) 60 (H) 13.5 (L) UHF 440-490 MHz No |
| Rating Mounting Style Type Weight (GM-Gram) Dimensions (MM-Millimeter) Frequency Band Frequency Range (MHz) Integrated GPS Intrinsic Safety Rating | Ferrule N/A 11.6 13.5 (W) 60 (H) 13.5 (L) UHF 440-490 MHz No N/A |
| Rating Mounting Style Type Weight (GM-Gram) Dimensions (MM-Millimeter) Frequency Band Frequency Range (MHz) Integrated GPS Intrinsic Safety Rating Mounting Style | Ferrule N/A 11.6 13.5 (W) 60 (H) 13.5 (L) UHF 440-490 MHz No N/A Ferrule |
| Rating Mounting Style Type Weight (GM-Gram) Dimensions (MM-Millimeter) Frequency Band Frequency Range (MHz) Integrated GPS Intrinsic Safety Rating Mounting Style Type | Ferrule N/A 11.6 13.5 (W) 60 (H) 13.5 (L) UHF 440-490 MHz No N/A Ferrule |
| Rating Mounting Style Type Weight (GM-Gram) Dimensions (MM-Millimeter) Frequency Band Frequency Range (MHz) Integrated GPS Intrinsic Safety Rating Mounting Style Type Weight (-) Dimensions (IN- | Ferrule N/A 11.6 13.5 (W) 60 (H) 13.5 (L) UHF 440-490 MHz No N/A Ferrule N/A |
| Rating Mounting Style Type Weight (GM-Gram) Dimensions (MM-Millimeter) Frequency Band Frequency Range (MHz) Integrated GPS Intrinsic Safety Rating Mounting Style Type Weight (-) Dimensions (IN-Inch) | Ferrule N/A 11.6 13.5 (W) 60 (H) 13.5 (L) UHF 440-490 MHz No N/A Ferrule N/A (W) 6.13 (H) 0.5 (L) |
| Rating Mounting Style Type Weight (GM-Gram) Dimensions (MM-Millimeter) Frequency Band Frequency Range (MHz) Integrated GPS Intrinsic Safety Rating Mounting Style Type Weight (-) Dimensions (IN-Inch) Frequency Band Frequency Range | Ferrule N/A 11.6 13.5 (W) 60 (H) 13.5 (L) UHF 440-490 MHz No N/A Ferrule N/A (W) 6.13 (H) 0.5 (L) VHF |
| Rating Mounting Style Type Weight (GM-Gram) Dimensions (MM-Millimeter) Frequency Band Frequency Range (MHz) Integrated GPS Intrinsic Safety Rating Mounting Style Type Weight (-) Dimensions (IN-Inch) Frequency Band Frequency Range (MHz) | Ferrule N/A 11.6 13.5 (W) 60 (H) 13.5 (L) UHF 440-490 MHz No N/A Ferrule N/A (W) 6.13 (H) 0.5 (L) VHF 144-165 MHz |
| Rating Mounting Style Type Weight (GM-Gram) Dimensions (MM-Millimeter) Frequency Band Frequency Range (MHz) Integrated GPS Intrinsic Safety Rating Mounting Style Type Weight (-) Dimensions (IN-Inch) Frequency Band Frequency Range (MHz) Integrated GPS Intrinsic Safety | Ferrule N/A 11.6 13.5 (W) 60 (H) 13.5 (L) UHF 440-490 MHz No N/A Ferrule N/A (W) 6.13 (H) 0.5 (L) VHF 144-165 MHz Yes |

VHF Helical Antenna (136-155MHz)

Get the best possible reception wherever you operate.

Model No: PMAD4117A

Description: VHF HELICAL ANTENNA (136-155 MHZ) **ROHS:** Yes CE: N/A Country of Origin: MY

Price: €11.00

VHF Helical Antenna (152-174MHz)

Get the best possible reception wherever you operate.

Model No: PMAD4118A

Description: VHF HELICAL ANTENNA (152-174 MHZ) **ROHS:** Yes **CE:** N/A **Country of Origin:** N/A

Price: €11.00

UHF Stubby Antenna (136-148MHz)

Get the best possible reception wherever you operate.

Model No: PMAD4119A

Description: VHF STUBBY ANTENNA (136-148 MHZ) **ROHS:** Yes CE: N/A Country of Origin: N/A

Price: €11.00

VHF Stubby Antenna (146-160MHz)

Get the best possible reception wherever you operate.

Model No: PMAD4120A

Description: VHF STUBBY ANTENNA (146-160 MHZ) **ROHS:** Yes CE: N/A Country of Origin: MY

Price: €11.00

VHF Stubby Antenna (160-174MHz)

Get the best possible reception wherever you operate.

Model No: PMAD4121B

Description: VHF STUBBY ANTENNA (160-174 MHZ) **ROHS:** Yes **CE:** N/A **Country of Origin:** N/A

| Mainlet () | |
|------------------------------|------------------------|
| Weight (-) Dimensions (IN- | - (W) 6.25 (H) 0.5 (L) |
| Inch) | - (W) 0.23 (H) 0.3 (L) |
| Frequency Band | VHF |
| Frequency Range (MHz) | 136-155 MHz |
| Integrated GPS | Yes |
| Intrinsic Safety Rating | N/A |
| Mounting Style | SMA-FEMALE |
| Туре | Portable radio antenna |
| | |
| Weight (-) | - |
| Dimensions (IN- Inch) | - (W) 6.13 (H) 0.5 (L) |
| Frequency Band | VHF |
| Frequency Range (MHz) | 155-174 MHz |
| Integrated GPS | Yes |
| Intrinsic Safety Rating | N/A |
| Mounting Style | Ferrule |
| Туре | Portable radio antenna |
| Weight (-) | - |
| Dimensions (IN- Inch) | - (W) 3.75 (H) 0.5 (L) |
| Frequency Band | VHF |
| Frequency Range (MHz) | 136-174 MHz |
| Integrated GPS | Yes |
| Intrinsic Safety Rating | N/A |
| Mounting Style | Stud |
| Туре | Portable radio antenna |
| Weight (-) | - |
| Dimensions (IN- | - (W) 3.75 (H) 0.5 (L) |
| Inch) Frequency Band | VHF |
| Frequency Range | 147-160 MHz |
| (MHz) | |
| Integrated GPS | Yes |
| Intrinsic Safety Rating | N/A |
| Mounting Style | Stud |
| Туре | Portable radio antenna |
| Weight (-) | - |
| Dimensions (IN- Inch) | - (W) 3.75 (H) 0.5 (L) |
| Frequency Band | VHF |
| Frequency Range (MHz) | 160-174 MHz |
| Integrated GPS | Yes |
| Intrinsic Safety Rating | N/A |
| Mounting Style | Stud |
| Туре | Portable radio antenna |
| | |

VHF Wideband Whip Antenna (136-174MHz)

Get the best possible reception wherever you operate.

Model No: PMAD4147A

Description: VHF WHIP ANT ,136-174MHZ

ROHS: Yes CE: N/A Country of Origin: N/A

Price: €15.00

UHF Stubby Antenna

UHF/GPS Combination Stubby Antenna

Model No: PMAE4021B

Description: DMR UHF STUBBY ANTENNA(403-433MHZ) **ROHS:** Yes **CE:** N/A **Country of Origin:** MY

Price: €13.00

UHF Stubby Antenna (400-450MHz)

Get the best possible reception wherever you operate.

Model No: PMAE4069A

Description: ANTENNA, STAMPED METAL, UHF STUBBY

ANTENNA (400-450 MHZ)

ROHS: Yes CE: N/A Country of Origin: MY

Price: €11.00

UHF Stubby Antenna (440-490MHz)

Get the best possible reception wherever you operate.

Model No: PMAE4070A

Description: UHF STUBBY ANTENNA (440-490 MHZ) **ROHS:** Yes CE: N/A Country of Origin: MY

Price: €11.00

UHF Stubby Antenna (470-527MHz)

Get the best possible reception wherever you operate.

Model No: PMAE4071A

Description: UHF STUBBY ANTENNA (470-527 MHZ) **ROHS:** Yes CE: N/A Country of Origin: MY

| Weight (CM Gram) | 40 |
|----------------------------------|----------------------------|
| Weight (GM-Gram) Dimensions (MM- | 13.5 (W) 206 (H) 13.5 (L) |
| Millimeter) | 13.3 (W) 200 (11) 13.3 (L) |
| Frequency Band | VHF |
| Frequency Range (MHz) | 136-174 MHz |
| Integrated GPS | Yes |
| Intrinsic Safety Rating | N/A |
| Mounting Style | Ferrule |
| Туре | Portable radio antenna |
| | |
| Weight (-) | - |
| Dimensions (IN- Inch) | - (W) 3.5 (H) 0.5 (L) |
| Frequency Band | UHF |
| Frequency Range (MHz) | 403-450 MHz |
| Integrated GPS | Yes |
| Intrinsic Safety Rating | N/A |
| Mounting Style | SMA-FEMALE |
| Туре | Portable radio antenna |
| Weight (-) | - |
| Dimensions (IN- | - (W) 3.75 (H) 0.5 (L) |
| Inch) | |
| Frequency Band | UHF |
| Frequency Range (MHz) | 400-450 MHz |
| Integrated GPS | No |
| Intrinsic Safety Rating | N/A |
| Mounting Style | Ferrule |
| Туре | Portable radio antenna |
| Weight (-) | - |
| Dimensions (IN-Inch) | - (W) 3.75 (H) 0.5 (L) |
| Frequency Band | UHF |
| Frequency Range (MHz) | 440-490 MHz |
| Integrated GPS | No |
| Intrinsic Safety Rating | N/A |
| Mounting Style | Ferrule |
| Туре | Portable radio antenna |
| Weight (-) | - |
| Dimensions (IN- Inch) | - (W) 3.75 (H) 0.5 (L) |
| Frequency Band | UHF |
| Frequency Range (MHz) | 470-527 MHz |
| Integrated GPS | No |
| Intrinsic Safety Rating | N/A |
| Mounting Style | Ferrule |
| | |
| Туре | Portable radio antenna |



MOTOTRBO R7 ACCESSORIES

LEGACY



5 Year Repair uplift from Enhanced Warranty for MOTOTRBO R7/R7a devices


Enhances the 5 Year Enhanced Warranty fo rMOTOTRBO R7/ R7a devices devices to include Hardware Repair with one way shipping for the full term

Model No: GMLN7650A

Description: ADD RADIO HW REPAIR 5 YRS

ROHS: N/A CE: N/A Country of Origin: N/A

Price: €142.80





5 Year Repair with Accidental Damage uplift from Enhanced Warranty for MOTOTRBO R7/R7a devices

Enhances the 5 Year Enhanced Warranty for MOTOTRBO R7/ R7a devices devices to include Hardware Repair with Accidental Damage and twoway shipping for the full term

Model No: GMLN7651A

Description: ADD RADIO HW REP W/ACC DAM 5 YRS **ROHS:** N/A **CE:** N/A **Country of Origin:** N/A

Price: €334.20

| Weight (-) | - |
|------------------|-------------------|
| Dimensions (-) | - (W) - (H) - (L) |

- (W) - (H) - (L)

Nexus

Weight (-)

Dimensions (-)

Connector Type



PROFESSIONAL RADIOS

MOTOTRBO R7 ACCESSORIES

HEADSETS



SAVOX HC-2 - HELMET COM HEADSET

SAVOX non-ATEX HC-2 headset.

Model No: GMMN4584A

Description: AUDIO ACCESSORY-HEADSET, SAVOX NON

ATEX HC-2 HEADSET

ROHS: Yes CE: Yes Country of Origin: FI

Price: €476.00



SAVOX HC-1 - HELMET COM HEADSET

SAVOX non-ATEX HC-1 headset.

Model No: GMMN4585A

Description: AUDIO ACCESSORY-HEADSET, SAVOX NON

ATEX HC-1 HEADSET

ROHS: Yes CE: Yes Country of Origin: FI

Price: €306.00



Behind-the-Head Headset, GCAI Mini

Maximum comfort for extended wear with superior audio quality.

Model No: PMLN8085A

Description: BEHIND-THE-HEAD HEADSET

ROHS: Yes CE: Yes Country of Origin: N/A

Price: €800.00

| Connector Type | Nexus |
|--|---|
| Earpiece Style | Dual-muff |
| Headset Type | Helmet attached |
| Industry | N/A |
| Intelligent Audio | N/A |
| Intrinsic Safety Rating | N/A |
| Microphone | Embedded microphone |
| Noise Reduction Rating | N/A |
| Technology | N/A |
| PTT | Requires RSM |
| Weight (-) | |
| Dimensions (-) | - (W) - (H) - (L) |
| Connector Type | Nexus |
| Earpiece Style | Single-ear |
| Headset Type | Helmet attached |
| Industry | N/A |
| Intelligent Audio | N/A |
| Intrinsic Safety Rating | N/A |
| Microphone | Embedded microphone |
| Noise Reduction Rating | N/A |
| Technology | N/A |
| PTT | Requires RSM |
| Weight (GM-Gram) | 752 |
| Dimensions (MM- Millimeter) | 114 (W) 197 (H) 914 (L) |
| Connector Type | Direct to radio |
| | |
| Earpiece Style | Dual-muff |
| Earpiece Style Headset Type | |
| | Dual-muff |
| Headset Type Industry Intelligent Audio | Dual-muff Behind-the-head |
| Headset Type Industry | Dual-muff Behind-the-head N/A |
| Headset Type Industry Intelligent Audio Intrinsic Safety | Dual-muff Behind-the-head N/A N/A |
| Headset Type Industry Intelligent Audio Intrinsic Safety Rating | Dual-muff Behind-the-head N/A N/A TIA4950(UL) |
| Headset Type Industry Intelligent Audio Intrinsic Safety Rating Microphone Noise Reduction | Dual-muff Behind-the-head N/A N/A TIA4950(UL) Boom mic |



Over-the-Head Headset, GCAI Mini

Maximum comfort for extended wear with superior audio quality.

Model No: PMLN8086A

Description: OVER-THE-HEAD HEADSET

ROHS: Yes CE: Yes Country of Origin: N/A

Price: €800.00



3M™ Peltor Headband Headset w/Nexus Connector

The 3M Peltor CH-3 Series is designed for industrial users working in high noise environments. The headband-style headset features a Nexus connector, dual-ear speakers and a noise cancelling boom microphone for clearer audio transmission.

Model No: PMLN8265A

Description: HEADBAND HEADSET W/ NEXUS

ROHS: Yes CE: Yes Country of Origin: PL

Price: €550.00



3M™ Neckband Headset w/Nexus

The 3M Peltor CH-3 Series is designed for industrial users working in high noise environments. The neckband-style headset features a Nexus connector, dual-ear speakers and a noise cancelling boom microphone for clearer audio transmission. It has a noise reduction rating of 24 dB for excellent hearing protection. Requires PMLN8297 push-to-talk adapter (not included).

Model No: PMLN8266A

Description: NECKBAND HEADSET W/ NEXUS **ROHS**: Yes **CE**: Yes **Country of Origin**: PL

Price: €550.00

| Weight (GM-Gram) 830 Dimensions (MM-Millimeter) 83 (W) 191 (H) 914 (L) Connector Type Direct to radio Earpiece Style Dual-muff Headset Type Over-the-head Industry N/A Intelligent Audio N/A Intrinsic Safety Rating TIA4950(UL) Microphone Boom mic Noise Reduction Rating 24 dB Technology Motorola original PTT On ear cup Weight (GM-Gram) 357 Dimensions (IN-Inch) 4.5 (W) 7 (H) 4.75 (L) Connector Type Nexus Earpiece Style Dual-muff Headset Type Over-the-head Industry N/A Intelligent Audio N/A Intrinsic Safety Rating N/A Microphone Boom mic |
|--|
| Connector Type Direct to radio Earpiece Style Dual-muff Headset Type Over-the-head Industry N/A Intelligent Audio N/A Intrinsic Safety Rating Microphone Boom mic Noise Reduction Rating Technology Motorola original PTT On ear cup Weight (GM-Gram) 357 Dimensions (IN-Inch) Connector Type Nexus Earpiece Style Dual-muff Headset Type Over-the-head Industry N/A Intelligent Audio N/A Intrinsic Safety RAMA Direction radio Direct to radio Dual-muff A.5 (W) 7 (H) 4.75 (L) Inchl N/A Intelligent Audio N/A Intrinsic Safety Rating |
| Earpiece Style Dual-muff Headset Type Over-the-head Industry N/A Intelligent Audio N/A Intrinsic Safety Rating Microphone Boom mic Noise Reduction Rating Technology Motorola original PTT On ear cup Weight (GM-Gram) 357 Dimensions (IN-Inch) Connector Type Nexus Earpiece Style Dual-muff Headset Type Over-the-head Industry N/A Intelligent Audio N/A Intrinsic Safety Rating |
| Headset Type Over-the-head Industry N/A Intelligent Audio N/A Intrinsic Safety Rating TIA4950(UL) Rating Boom mic Noise Reduction Rating Technology Motorola original PTT On ear cup Weight (GM-Gram) 357 Dimensions (IN-Inch) 4.5 (W) 7 (H) 4.75 (L) Inch) Connector Type Nexus Earpiece Style Dual-muff Headset Type Over-the-head Industry N/A Intelligent Audio N/A Intrinsic Safety Rating |
| Industry N/A Intelligent Audio N/A Intrinsic Safety Rating Microphone Boom mic Noise Reduction Rating Technology Motorola original PTT On ear cup Weight (GM-Gram) 357 Dimensions (IN-Inch) Connector Type Nexus Earpiece Style Dual-muff Headset Type Over-the-head Industry N/A Intelligent Audio N/A Intrinsic Safety Rating |
| Intelligent Audio N/A Intrinsic Safety Rating Microphone Boom mic Noise Reduction Rating Technology Motorola original PTT On ear cup Weight (GM-Gram) 357 Dimensions (IN-Inch) Connector Type Nexus Earpiece Style Dual-muff Headset Type Over-the-head Industry N/A Intelligent Audio N/A Intrinsic Safety Rating |
| Intrinsic Safety Rating Microphone Boom mic Noise Reduction Rating Technology Motorola original On ear cup Weight (GM-Gram) Dimensions (IN- Inch) Connector Type Nexus Earpiece Style Dual-muff Headset Type Over-the-head Industry N/A Intrinsic Safety Rating TIA4950(UL) A Unich A Unich A Unich A Unich A Unich TIA4950(UL) A Unich A Unich A Unich Boom mic A Unich A Unich A Unich A Unich A Unich A Unich Boom mic Boom mic A Unich Boom mic Boom mic A Unich Boom mic A Unich Boom mic A Unich Boom mich Boom mic A Unich Boom mic Boom mic A Unich Boom mich Boom mich Boom mich A Unich Boom mich B |
| Rating Microphone Boom mic Noise Reduction Rating Technology Motorola original PTT On ear cup Weight (GM-Gram) 357 Dimensions (IN-Inch) 4.5 (W) 7 (H) 4.75 (L) Connector Type Nexus Earpiece Style Dual-muff Headset Type Over-the-head Industry N/A Intelligent Audio N/A Intrinsic Safety Rating |
| Noise Reduction Rating Technology Motorola original PTT On ear cup Weight (GM-Gram) 357 Dimensions (IN- Inch) 4.5 (W) 7 (H) 4.75 (L) Connector Type Nexus Earpiece Style Dual-muff Headset Type Over-the-head Industry N/A Intelligent Audio N/A Intrinsic Safety Rating |
| Rating Technology Motorola original PTT On ear cup Weight (GM-Gram) 357 Dimensions (IN- Inch) 4.5 (W) 7 (H) 4.75 (L) Connector Type Nexus Earpiece Style Dual-muff Headset Type Over-the-head Industry N/A Intelligent Audio N/A Intrinsic Safety Rating |
| PTT On ear cup Weight (GM-Gram) 357 Dimensions (IN- Inch) 4.5 (W) 7 (H) 4.75 (L) Connector Type Nexus Earpiece Style Dual-muff Headset Type Over-the-head Industry N/A Intelligent Audio N/A Intrinsic Safety Rating |
| Weight (GM-Gram) 357 Dimensions (IN-Inch) 4.5 (W) 7 (H) 4.75 (L) Connector Type Nexus Earpiece Style Dual-muff Headset Type Over-the-head Industry N/A Intelligent Audio N/A Intrinsic Safety Rating |
| Dimensions (IN-Inch) Connector Type Nexus Earpiece Style Dual-muff Headset Type Over-the-head Industry N/A Intelligent Audio N/A Intrinsic Safety Rating |
| Dimensions (IN-Inch) Connector Type Nexus Earpiece Style Dual-muff Headset Type Over-the-head Industry N/A Intelligent Audio N/A Intrinsic Safety Rating |
| Inch) Connector Type Nexus Earpiece Style Dual-muff Headset Type Over-the-head Industry N/A Intelligent Audio N/A Intrinsic Safety Rating |
| Earpiece Style Dual-muff Headset Type Over-the-head Industry N/A Intelligent Audio N/A Intrinsic Safety Rating |
| Headset Type Over-the-head Industry N/A Intelligent Audio N/A Intrinsic Safety N/A Rating |
| Industry N/A Intelligent Audio N/A Intrinsic Safety N/A Rating |
| Intelligent Audio N/A Intrinsic Safety N/A Rating |
| Intrinsic Safety N/A Rating |
| Rating |
| Microphone Boom mic |
| · |
| Noise Reduction 26 dB Rating |
| Technology Motorola original |
| PTT N/A |
| Weight (ON Grove) 227 |
| Weight (GM-Gram) 337 |
| Dimensions (IN- Inch) 4.25 (W) 5.75 (H) 5.75 (L) |
| Connector Type Nexus |
| Earpiece Style Dual-muff |
| Headset Type Neckband |
| Industry N/A |
| Intelligent Audio N/A |
| Intrinsic Safety N/A Rating |
| Microphone Boom mic |
| Noise Reduction 25 dB Rating |
| Technology Motorola original |
| PTT N/A |



The 3M Peltor CH-3 Series are designed for industrial users working in high noise environments. The hard hat headset features a Nexus connector, dual-ear speakers and a noise cancelling boom microphone for clearer audio transmission.

Model No: PMLN8267A

Description: HARDHAT HEADSET W/ NEXUS

ROHS: Yes CE: Yes Country of Origin: N/A

Price: €550.00



3M™ Peltor Nexus Body Push-to-Talk Adapter

The Push-to-Talk Nexus Adapter provides quick disconnect by allowing you to quickly plug and unplug from your headset. This audio accessory works with Nexus connectors and provides you with easy access to a large push-to-talk button.

Model No: PMLN8297A

Description: GCAI-MINI PTT NEXUS ADAPTER

ROHS: Yes CE: Yes Country of Origin: SE

Price: €800.00

| Weight (GM-Gram) | 369 |
|--|--|
| Dimensions (IN- Inch) | 5 (W) 6.25 (H) 3.25 (L) |
| Connector Type | Nexus |
| Earpiece Style | Dual-muff |
| Headset Type | Helmet attached |
| Industry | N/A |
| Intelligent Audio | N/A |
| Intrinsic Safety Rating | N/A |
| Microphone | Boom mic |
| Noise Reduction Rating | 24 dB |
| Technology | Motorola original |
| PTT | N/A |
| | |
| Weight (GM-Gram) | 129 54 (W) 47 (H) 67 (L) |
| Weight (GM-Gram) Dimensions (MM-Millimeter) | 129 54 (W) 47 (H) 67 (L) |
| Dimensions (MM- | |
| Dimensions (MM- Millimeter) | 54 (W) 47 (H) 67 (L) |
| Dimensions (MM- Millimeter) Connector Type | 54 (W) 47 (H) 67 (L) Nexus |
| Dimensions (MM- Millimeter) Connector Type Earpiece Style | 54 (W) 47 (H) 67 (L) Nexus N/A |
| Dimensions (MM-Millimeter) Connector Type Earpiece Style Headset Type | 54 (W) 47 (H) 67 (L) Nexus N/A Headset accessories |
| Dimensions (MM-Millimeter) Connector Type Earpiece Style Headset Type Industry | 54 (W) 47 (H) 67 (L) Nexus N/A Headset accessories N/A |
| Dimensions (MM-Millimeter) Connector Type Earpiece Style Headset Type Industry Intelligent Audio Intrinsic Safety | 54 (W) 47 (H) 67 (L) Nexus N/A Headset accessories N/A N/A |
| Dimensions (MM-Millimeter) Connector Type Earpiece Style Headset Type Industry Intelligent Audio Intrinsic Safety Rating | 54 (W) 47 (H) 67 (L) Nexus N/A Headset accessories N/A N/A N/A |
| Dimensions (MM-Millimeter) Connector Type Earpiece Style Headset Type Industry Intelligent Audio Intrinsic Safety Rating Microphone Noise Reduction | 54 (W) 47 (H) 67 (L) Nexus N/A Headset accessories N/A N/A N/A N/A |
| Dimensions (MM-Millimeter) Connector Type Earpiece Style Headset Type Industry Intelligent Audio Intrinsic Safety Rating Microphone Noise Reduction Rating | 54 (W) 47 (H) 67 (L) Nexus N/A Headset accessories N/A N/A N/A N/A N/A |



MOTOTRBO R7 ACCESSORIES

CPSSOFTWARE




IMPRES™ Battery Fleet Management EMEA Entitlement ID (EID)

After ordering the BFM Entitlement ID (EID), you will receive an email with the EID License which will enable you to download the BFM 4.0 software through the MSI internal MYVIEW Portal. Refer to the Ordering and Deployment Guide in the resources section for more details.

Model No: HKVN4037A

Description: EMEA FLEET MANAGEMENT LICENSE KEY **ROHS:** N/A **CE:** N/A **Country of Origin:** N/A

Price: €0.00



R.

Enhanced Privacy Feature - Licence Key

This orders the Licence key to activate the Enhanced Privacy feature in the radio. Enhanced Privacy provides a 40 bit encryption solution for voice and data in digital mode.

Model No: HKVN4059A

Description: MOTOTRBO RADIO ENH PRIVACY LIC KEY **ROHS:** N/A **CE:** N/A **Country of Origin:** N/A

Price: €54.00

| Weight (-) | - |
|---------------------------------|-------------------|
| Dimensions (-) | - (W) - (H) - (L) |
| MSI Software Delivery Method | Electronic |
| MSI Software Type | License |
| Software Release Version | N/A |

R.

AES Privacy Feature - Licence Key

This orders the Licence key to activate the AES Privacy feature in the radios.

AES Privacy provides a 256 bit encryption solution for voice and data in digital mode.

Model No: HKVN4241A

Description: AES PRIVACY SUBSCRIBER LICENSE KEY ROHS: N/A CE: N/A Country of Origin: N/A

Price: €294.00

| Weight (-) | - |
|---------------------------------|-------------------|
| Dimensions (-) | - (W) - (H) - (L) |
| MSI Software Delivery Method | Electronic |
| MSI Software Type | License |
| Software Release Version | N/A |

R

Capacity Max Full Subscription - Licence Key

Model No: HKVN4330A

Description: CAPACITY MAX FULL SUBSCRIBER LICENSE **ROHS:** N/A **CE:** N/A **Country of Origin:** N/A

Price: €138.00

| Weight (-) | - |
|---------------------------------|-------------------|
| Dimensions (-) | - (W) - (H) - (L) |
| MSI Software Delivery Method | Electronic |
| MSI Software Type | License |
| Software Release Version | N/A |

Wi-Fi - Licence Key

This orders the Licence key to activate the WiFi feature in the

B

æ

This feature provides connectivity to Wi-Fi networks for fast and secure exchange of large volumes of data.

Model No: HKVN4379A

Description: TRBO RADIO WIFI LIC KEY

ROHS: N/A CE: N/A Country of Origin: US

Price: €54.00

Integrated Mandown - Licence Key

Model No: HKVN4405A

Description: TRBO MAN DOWN LIC KEY

ROHS: N/A CE: N/A Country of Origin: N/A

Price: €0.00

Capacity Max Advantage Subscription - Licence Key

Allows your MOTOTRBO radio to operate in Capacity Max

Advantage mode.

Advantage Mode: MOTOTRBO radios and infrastructure.

Performance-optimized. Full feature set.

Model No: HKVN4422A

Description: CAPACITY MAX ADVANTAGE SUBSCRIBER

LICENSE

ROHS: N/A CE: N/A Country of Origin: US

Price: €138.00

Indoor Location Tracking - Licence Key

This feature is available for MOTOTRBO radio models which support Bluetooth Low Energy (BLE) and relies on Bluetooth beacons (iBeacons) which are installed at known, fixed points

around a building.

Model No: HKVN4431A **Description: EM INDOOR LOCATION**

ROHS: N/A Country of Origin: N/A CE: N/A

Price: €54.00

Bluetooth PTT AT Command - License Key

This orders the license key to enable Bluetooth PTT (Push to Talk) connectivity for approved 3rd party Bluetooth accessories in

the MOTOTRBO radio. Model No: HKVN4465A

Description: LICENSE, BT ACCESSORY COMMANDS RADIO

æ

æ

ROHS: N/A CE: N/A Country of Origin: US

Price: €54.00

MOTOTRBO Spanish Band Restriction Feature - Licence Key

This License Key is needed to activate the Spanish Band Restriction feature in the CPS/RM application.

The Spanish Band Restriction feature is supported by CPS

Version 13.5 (Build 679) onwards.

Model No: HKVN4487A

Description: LICENSE, SPAIN BAND FREQUENCY RANGE ROHS: N/A Country of Origin: US CE: N/A

Price: €0.00

Weight (-) Dimensions (-) - (W) - (H) - (L) **MSI Software** Electronic **Delivery Method MSI Software Type** License Software Release N/A Version

Weight (-)

Dimensions (-) - (W) - (H) - (L) **MSI Software** Electronic **Delivery Method**

MSI Software Type License Software Release N/A

Weight (-)

Version

Dimensions (-) - (W) - (H) - (L)

MSI Software Delivery Method

MSI Software Type License

Software Release

N/A

Version

Weight (-)

MSI Software

Dimensions (-) - (W) - (H) - (L)

Electronic

Electronic

Delivery Method

MSI Software Type License Software Release N/A

Version

Weight (-)

Dimensions (-)

- (W) - (H) - (L) Electronic

MSI Software **Delivery Method**

MSI Software Type License

Software Release Version

N/A

Weight (-)

Dimensions (-) **MSI Software**

Electronic

License

- (W) - (H) - (L)

Delivery Method MSI Software Type

N/A

Software Release Version

| | BT Audio and Radio Programming - Licence Key |
|----|--|
| Æ. | This orders the Licence key to activate the BT Audio |

This orders the Licence key to activate the BT Audio and Data feature in the MOTOTRBO R7 CAPABLE radio models.

Model No: HKVN4522A

Description: LICENSE,BT AUDIO AND RADIO PROG RADIO -

EΑ

Æ.

B

Æ.

B

ROHS: N/A CE: N/A Country of Origin: N/A

Price: €45.00

Enable GNSS - Licence Key

This orders the licence key to enable GNSS feature in the radios.

Model No: HKVN4876A

Description: LICENSE, ENABLE GNSS - EM

ROHS: N/A CE: N/A Country of Origin: N/A

Price: €45.00

Enable Audio Recording - Licence Key

Automatically records received calls, available for on-demand playback, enabling your team to focus on the job at hand without missing key information.

Model No: HKVN4881A

Price: €45.00

Enable Sensor Integration - Licence Key

Model No: HKVN4885A

Description: LICENSE, BLUETOOTH SENSOR_GENERIC - EM

ROHS: N/A CE: N/A Country of Origin: N/A

Price: €45.00

Enable M-Radio Control App - Licence Key

Model No: HKVN4889A

Description: LICENSE, SMARTPHONE COLLABORATION - EM

ROHS: N/A CE: N/A Country of Origin: N/A

Price: €4.00

| Weight (-) | - |
|---------------------------------|-------------------|
| Dimensions (-) | - (W) - (H) - (L) |
| MSI Software Delivery Method | Electronic |
| MSI Software Type | License |
| Software Release Version | N/A |

Weight (-)

| Dimensions (-) | - (W) - (H) - (L) |
|---------------------------------|--------------------------------------|
| MSI Software Delivery Method | Electronic |
| MSI Software Type | License |
| Software Release Version | N/A |
| | |
| | |
| Weight (-) | - |
| Weight (-) | - - (W) - (H) - (L) |
| | - - (W) - (H) - (L) Electronic |
| Dimensions (-) MSI Software | · / · / / / |

| - |
|-------------------|
| - (W) - (H) - (L) |
| Electronic |
| License |
| N/A |
| - |
| - (W) - (H) - (L) |
| Electronic |
| License |
| N/A |
| |



MOTOTRBO R7 ACCESSORIES

CARRY



Universal Chest Pack

Compatible with both APX and MOTOTRBO radios, this carry accessory is a universal chest pack with radio holder, pen holder and velcro secured patch made with a nylon material.

Model No: HLN6602A

Description: UNIVERSAL CHESTPACK

ROHS: Yes CE: N/A Country of Origin: CN

Price: €63.00



Waterproof Baggie

This waterproof bag fits any Motorola two-way radio and includes a convenient carrying strap.

Model No: HLN9985B

Description: WEATHERPOOF BAGGIE

ROHS: Yes CE: N/A Country of Origin: TH

Price: €54.00



Shoulder Strap

Shoulder Strap for Carry Cases

Model No: NTN5243A Description: STRAP

ROHS: Yes CE: N/A Country of Origin: US

Price: €27.00



2" Belt Clip

This rugged, spring-action belt clip allows you to keep your radio on your hip and instantly access it.

Model No: PMLN4651A

Description: 2 INCH BELT CLIP

ROHS: Yes CE: N/A Country of Origin: ID

Price: €5.50

| Weight (GM-Gram) | 113.4 |
|------------------------------------|--------------------|
| Dimensions (IN- Inch) | 2 (W) 10 (H) 5 (L) |
| Belt Loop / Clip Dimension (in) | N/A |
| Compatible Batteries | N/A |
| Display | N/A |
| Material | Nylon |
| Туре | Chest packs |
| | |

| Weight (GM-Gram) | 70 |
|------------------------------------|-----------------------|
| Dimensions (MM- Millimeter) | 0.02 (W) 15 (H) 5 (L) |
| Belt Loop / Clip Dimension (in) | N/A |
| Compatible Batteries | N/A |
| Display | Display visible |
| Material | Plastic |
| Туре | Specialty |
| | |

| Weight (GM-Gram) | 125 |
|------------------------------------|--------------------------|
| Dimensions (IN- Inch) | 0.13 (W) 36 (H) 0.63 (L) |
| Belt Loop / Clip Dimension (in) | N/A |
| Compatible Batteries | N/A |
| Display | N/A |
| Material | Nylon |
| Туре | Belts and straps |

| Weight (GM-Gram) | 22.7 |
|------------------------------------|-------------------------|
| Dimensions (IN- Inch) | 0.25 (W) 3 (H) 1.25 (L) |
| Belt Loop / Clip Dimension (in) | 2 inch |
| Compatible Batteries | N/A |
| Display | N/A |
| Material | Plastic |
| Туре | Belt Clip |
| | |



This swivel latch system allows the radio to swing freely from side to side and ensures that the radio remains securely in place during a foot chase.

Model No: PMLN5610A

Description: ACCESSORY KIT, 2.5 INCH SWIVEL BELT LOOP

ROHS: Yes CE: N/A Country of Origin: IN

Price: €12.00

3" Swivel Belt Loop

This swivel latch system allows the radio to swing freely from side to side and ensures that the radio remains securely in place during a foot chase.

Model No: PMLN5611A

Description: ACCESSORY KIT, 3.0 INCH SWIVEL BELT LOOP

ROHS: Yes CE: N/A Country of Origin: N/A

Price: €13.00

Nylon Wrist Strap

This nylon strap wraps conveniently around the wrist, allowing you to easily carry your radio. The adjustable strap adds protection against accidental drops.

Model No: PMLN6074A

Description: WRIST STRAP

ROHS: Yes CE: N/A Country of Origin: CN

Price: €11.00

2.5" Belt Clip

This rugged spring-action belt clip allows you to instantly access your radio. When paired with a remote speaker microphone or other audio accessory, you can securely keep the radio in the clip while communicating.

Model No: PMLN7008A

Description: 2.5-INCH BELT CLIP

ROHS: Yes CE: N/A Country of Origin: MY

Price: €8.00

Hard Leather Carry Case, 3" Swivel Belt Loop, Display

Features a full keypad display, 3" swivel belt loop, all designed to withstand harsh conditions.

Model No: PMLN8299A

Description: HARD LEATHER CARRY CASE 3 INCH SWIVEL

BELT LOOP DISPLAY

ROHS: Yes CE: N/A Country of Origin: N/A

Price: €70.00

| Weight (GM-Gram) | 47 |
|------------------------------------|----------------------------------|
| Dimensions (IN-Inch) | 1 (W) 3.75 (H) 2.5 (L) |
| Belt Loop / Clip Dimension (in) | 2.5 inch |
| Compatible Batteries | N/A |
| Display | N/A |
| Material | Hard leather |
| Туре | Swivel |
| | |
| Weight (GM-Gram) | 46.7 |
| Dimensions (IN- Inch) | 1 (W) 4 (H) 2.38 (L) |
| Belt Loop / Clip Dimension (in) | 3 inch |
| Compatible Batteries | N/A |
| Display | N/A |
| Material | Hard leather |
| Туре | Swivel |
| Weight (GM-Gram) | 8.7 |
| Dimensions (IN-Inch) | 0.13 (W) 12.38 (H) 0.25 (L) |
| Belt Loop / Clip Dimension (in) | N/A |
| Compatible Batteries | N/A |
| Display | N/A |
| Material | Nylon |
| Туре | Belts and straps |
| | |
| Weight (GM-Gram) | 88.7 |
| Dimensions (IN- Inch) | 0.19 (W) 3.62 (H) 1.25 (L) |
| Belt Loop / Clip Dimension (in) | 2.5 inch |
| Compatible Batteries | N/A |
| Display | N/A |
| Material | Plastic |
| Туре | Belt Clip |
| Weight (GM-Gram) | 149 |
| Dimensions (MM- Millimeter) | 65 (W) 134 (H) 75 (L) |
| Belt Loop / Clip | 3 inch |
| Dimension (in) Compatible | N/A |
| Batteries | No diaplay visible |
| Display Material | No display visible Hard leather |
| | Swivel |
| Туре | SWIVE |

Hard Leather Carry Case, 2.5" Swivel Belt Loop, Display

Features a full keypad display, 2.5" swivel belt loop, all designed to withstand harsh conditions.

Model No: PMLN8300A

Description: HARD LEATHER CARRY CASE 2.5 INCH SWIVEL

BELT LOOP DISPLAY

ROHS: Yes CE: N/A Country of Origin: CN

Price: €70.00



Hard Leather Carry Case, 3" Fixed Belt Loop, Display

High-quality leather & fixed belt loop ensure keeping your radio secure.

Model No: PMLN8301A

Description: HARD LEATHER CARRY CASE 3 INCH FIXED

BELT LOOP DISPLAY

ROHS: Yes CE: N/A Country of Origin: CN

Price: €70.00



Hard Leather Carry Case, 3" Swivel Belt Loop, Non Display

The 3" swivel secures to a belt loop and is designed to withstand harsh conditions.

Model No: PMLN8302A

Description: HARD LEATHER CARRY CASE 3 INCH SWIVEL

BELT LOOP NON DISPLAY

ROHS: Yes CE: N/A Coun

es CE: N/A Country of Origin: CN

Price: €66.00



Hard Leather Carry Case, 2.5" Swivel Belt Loop, Non Display

The 2.5" swivel secures to a belt loop and is designed to withstand harsh conditions.

Model No: PMLN8303A

Description: HARD LEATHER CARRY CASE 2.5 INCH SWIVEL

BELT LOOP NON DISPLAY

ROHS: Yes CE: N/A Country of Origin: CN

Price: €66.00



Hard Leather Carry Case, 3 Fixed Belt Loop, Non Display

High-quality leather & fixed belt loop ensure keeping your radio secure.

Model No: PMLN8304A

Description: HARD LEATHER CARRY CASE 3 INCH FIXED

BELT LOOP NON DISPLAY

ROHS: Yes CE: N/A Country of Origin: CN

Price: €60.00

| Weight (GM-Gram) 134 Dimensions (MM-Millimeter) 65 (W) 134 (H) 85 (L) Belt Loop / Clip Dimension (in) 2.5 inch Compatible Batteries N/A Display No display visible Material Hard leather Type Swivel Weight (GM-Gram) 103 Dimensions (MM-Millimeter) 65 (W) 134 (H) 85 (L) Belt Loop / Clip Dimension (in) N/A Compatible Batteries N/A Display No display visible Material Hard leather Type Belt Loop Weight (GM-Gram) 164 Dimensions (MM-Millimeter) 65 (W) 134 (H) 90 (L) Belt Loop / Clip Dimension (in) N/A Compatible Batteries N/A Display No display visible Material Hard leather Type Swivel Weight (GM-Gram) 149 Dimensions (MM-Millimeter) 65 (W) 134 (H) 90 (L) Belt Loop / Clip Dimension (in) 2.5 inch Compatible Batteries N/A Display No display visible Material Hard leather Type Swivel Weight (GM-Gram) 113 Dimensions (MM-Millimeter) <t< th=""><th>Maint (OM O)</th><th>404</th></t<> | Maint (OM O) | 404 |
|---|------------------|-----------------------|
| Belt Loop / Clip Dimension (in) Compatible Batteries Display No display visible Material Hard leather Type Swivel Weight (GM-Gram) 103 Dimensions (MM-Millimeter) Belt Loop / Clip Dimension (in) Compatible Batteries Display No display visible Material Hard leather Type Belt loop Weight (GM-Gram) 164 Dimensions (MM-Millimeter) Belt Loop / Clip Dimension (in) Compatible Batteries Display No display visible Material Hard leather Type Belt Loop Weight (GM-Gram) 164 Dimensions (MM-Millimeter) Belt Loop / Clip Dimension (in) Compatible Batteries Display No display visible Material Hard leather Type Swivel Weight (GM-Gram) 149 Dimensions (MM-Millimeter) Belt Loop / Clip Dimension (in) Compatible Batteries Display No display visible Material Hard leather Type Swivel Weight (GM-Gram) 149 Dimensions (MM-Millimeter) Belt Loop / Clip Dimension (in) Compatible Swivel Weight (GM-Gram) 149 Dimensions (MM-Millimeter) Belt Loop / Clip Dimension (in) Compatible N/A Batteries Display No display visible Material Hard leather Type Swivel Weight (GM-Gram) 113 | | |
| Dimension (in) Compatible Batteries Display No display visible Material Hard leather Type Swivel Weight (GM-Gram) Belt Loop / Clip Dimensions (MM-Millimeter) Belt Loop / Clip Dimension (MM-Millimeter) Belt Loop / Clip Dimension (MM-Millimeter) Belt Loop / Clip Dimension (MM-Millimeter) Weight (GM-Gram) Hard leather Type Belt Loop / Clip Dimension (MM-Millimeter) Belt Loop / Clip Dimension (MM-Millimeter) Belt Loop / Clip Dimension (In) Compatible Batteries Display No display visible Material Hard leather Type Swivel Weight (GM-Gram) 149 Dimensions (MM-Millimeter) Belt Loop / Clip Dimensions (MM-Millimeter) Display No display visible Material Hard leather Type Swivel Weight (GM-Gram) 149 Dimensions (MM-Millimeter) Belt Loop / Clip Dimension (in) Compatible Swivel Weight (GM-Gram) N/A Belt Loop / Clip Dimension (MM-Millimeter) Belt Loop / Clip Dimension (In) Compatible N/A Batteries Display No display visible Material Hard leather Type Swivel Weight (GM-Gram) 113 | • | 65 (W) 134 (H) 85 (L) |
| Battéries Display No display visible Material Hard leather Type Swivel Weight (GM-Gram) 103 Dimensions (MM- Millimeter) 8- 3 inch Compatible Batteries No display visible Material Hard leather Type Belt Loop Weight (GM-Gram) 164 Dimensions (MM- Millimeter) 8- 8- 8- 8- 8- 8- 8- 8- 8- 8- 8- 8- 8- | | 2.5 inch |
| MaterialHard leatherTypeSwivelWeight (GM-Gram)103Dimensions (MM-Millimeter)65 (W) 134 (H) 85 (L)Belt Loop / Clip Dimension (in)3 inchCompatible BatteriesN/ADisplayNo display visibleMaterialHard leatherTypeBelt loopWeight (GM-Gram)164Dimensions (MM-Millimeter)65 (W) 134 (H) 90 (L)Belt Loop / Clip Dimension (in)3 inchCompatible BatteriesN/ADisplayNo display visibleMaterialHard leatherTypeSwivelWeight (GM-Gram)149Dimensions (MM-Millimeter)65 (W) 134 (H) 90 (L)Belt Loop / Clip Dimension (in)2.5 inchCompatible BatteriesN/ADisplayNo display visibleMaterialHard leatherTypeSwivelWeight (GM-Gram)113 | • | N/A |
| Type Swivel Weight (GM-Gram) 103 Dimensions (MM-Millimeter) 5 (W) 134 (H) 85 (L) Belt Loop / Clip Dimension (in) N/A Batteries No display visible Material Hard leather Type Belt Loop Weight (GM-Gram) 164 Dimensions (MM-Millimeter) 65 (W) 134 (H) 90 (L) Millimeter) 3 inch Compatible Batteries N/A Belt Loop / Clip Dimension (in) Compatible Batteries No display visible Material Hard leather Type Swivel Weight (GM-Gram) 149 Dimensions (MM-Millimeter) 65 (W) 134 (H) 90 (L) Millimeter) Swivel Weight (GM-Gram) 149 Dimensions (MM-Millimeter) 65 (W) 134 (H) 90 (L) Millimeter) Swivel Weight (GM-Gram) 149 Dimensions (MM-Millimeter) 2.5 inch Dimension (in) N/A Batteries N/A Batteries N/A Material Hard leather Type Swivel Weight (GM-Gram) 143 | Display | No display visible |
| Weight (GM-Gram) 103 Dimensions (MM-Millimeter) 65 (W) 134 (H) 85 (L) Belt Loop / Clip Dimension (in) N/A Batteries No display visible Material Hard leather Type Belt loop Weight (GM-Gram) 164 Dimensions (MM-Millimeter) 3 inch Dimensions (MM-Millimeter) 3 inch Belt Loop / Clip Dimension (in) N/A Batteries No display visible Material Hard leather Type Swivel Weight (GM-Gram) 149 Dimensions (MM-Millimeter) 49 Dimensions (MM-Millimeter) 55 (W) 134 (H) 90 (L) Millimeter) 65 (W) 134 (H) 90 (L) Millimeter) 65 (W) 134 (H) 90 (L) Millimeter) 149 Dimensions (MM-Millimeter) 65 (W) 134 (H) 90 (L) Millimeter) 8elt Loop / Clip Dimension (in) Compatible Batteries N/A Batteries N/A Batteries N/A Material Hard leather Type Swivel Weight (GM-Gram) 113 | Material | Hard leather |
| Dimensions (MM-Millimeter) Belt Loop / Clip Dimension (in) Compatible Batteries Display No display visible Material Hard leather Type Belt loop Weight (GM-Gram) 164 Dimensions (MM-Millimeter) Belt Loop / Clip Dimension (in) Compatible Batteries Display No display visible Material Hard leather Type Swivel Weight (GM-Gram) 164 Dimensions (MM-Millimeter) Belt Loop / Clip Dimension (in) Compatible Batterial Hard leather Type Swivel Weight (GM-Gram) 149 Dimensions (MM-Millimeter) Belt Loop / Clip Dimension (in) Compatible Batteries Display No display visible Material Hard leather Type Swivel Weight (GM-Gram) 149 Dimensions (MM-Millimeter) Belt Loop / Clip Dimension (in) Compatible Batteries Display No display visible Material Hard leather Type Swivel Weight (GM-Gram) 113 | Туре | Swivel |
| Dimensions (MM-Millimeter) Belt Loop / Clip Dimension (in) Compatible Batteries Display No display visible Material Hard leather Type Belt loop Weight (GM-Gram) 164 Dimensions (MM-Millimeter) Belt Loop / Clip Dimension (in) Compatible Batteries Display No display visible Material Hard leather Type Swivel Weight (GM-Gram) 164 Dimensions (MM-Millimeter) Belt Loop / Clip Dimension (in) Compatible Batterial Hard leather Type Swivel Weight (GM-Gram) 149 Dimensions (MM-Millimeter) Belt Loop / Clip Dimension (in) Compatible Batteries Display No display visible Material Hard leather Type Swivel Weight (GM-Gram) 149 Dimensions (MM-Millimeter) Belt Loop / Clip Dimension (in) Compatible Batteries Display No display visible Material Hard leather Type Swivel Weight (GM-Gram) 113 | | |
| Millimeter) Belt Loop / Clip Dimension (in) Compatible Batteries Display No display visible Material Hard leather Type Belt loop Weight (GM-Gram) Belt Loop / Clip Dimension (in) Compatible Batteries Display No display visible N/A Millimeter) N/A Batteries Display No display visible Material Hard leather Type Swivel Weight (GM-Gram) 149 Dimensions (MM-Millimeter) Belt Loop / Clip Dimensions (MM-Millimeter) Swivel Weight (GM-Gram) 149 Dimensions (MM-Millimeter) Belt Loop / Clip Dimension (in) Compatible Batteries Display No display visible Material Hard leather Type N/A Batteries Display No display visible Material Hard leather Type Swivel | Weight (GM-Gram) | 103 |
| Dimension (in) Compatible Batteries Display No display visible Material Hard leather Type Belt loop Weight (GM-Gram) Belt Loop / Clip Dimension (In) Compatible Batteries Display No display visible Material Hard leather Type Swivel Weight (GM-Gram) 149 Dimensions (MM-Millimeter) Belt Loop / Clip Dimension (In) Compatible Batteries Display No display visible Material Hard leather Type Swivel Weight (GM-Gram) 149 Dimensions (MM-Millimeter) Belt Loop / Clip Dimension (In) Compatible Batteries Display No display visible N/A Batteries Display No display visible Material Hard leather Type Swivel | • | 65 (W) 134 (H) 85 (L) |
| Display No display visible Material Hard leather Type Belt loop Weight (GM-Gram) 164 Dimensions (MM-Millimeter) 3 inch Dimension (in) Compatible Batteries Display No display visible Material Hard leather Type Swivel Weight (GM-Gram) 149 Dimensions (MM-Millimeter) 55 (W) 134 (H) 90 (L) Weight (GM-Gram) 149 Dimensions (MM-Millimeter) 2.5 inch Dimension (in) Compatible Batteries Display No display visible Weight (GM-Gram) 449 Dimensions (MM-Millimeter) 2.5 inch Dimension (in) Compatible Batteries Display No display visible Material Hard leather Type Swivel Weight (GM-Gram) 113 | | 3 inch |
| Material Hard leather Type Belt loop Weight (GM-Gram) 164 Dimensions (MM-Millimeter) 3 inch Compatible Batteries Display No display visible Material Hard leather Type Swivel Weight (GM-Gram) 149 Dimensions (MM-Millimeter) 2.5 inch Dimension (in) 2.5 inch Compatible Batteries Weight (GM-Gram) 149 Dimensions (MM-Millimeter) 2.5 inch Dimension (in) N/A Batteries Display No display visible Material Hard leather Type Swivel | | N/A |
| Type Belt loop Weight (GM-Gram) 164 Dimensions (MM-Millimeter) 65 (W) 134 (H) 90 (L) Belt Loop / Clip Dimension (in) N/A Compatible Batteries Display No display visible Material Hard leather Type Swivel Weight (GM-Gram) 149 Dimensions (MM-Millimeter) 2.5 inch Dimension (in) N/A Belt Loop / Clip Dimension (in) Compatible Batteries Display No display visible Material Hard leather Type Swivel Weight (GM-Gram) 149 Dimension (MM-Millimeter) 2.5 inch Dimension (in) N/A Swivel Weight (GM-Gram) 113 | Display | No display visible |
| Weight (GM-Gram) 164 Dimensions (MM-Millimeter) 3 inch Dimension (in) N/A Compatible Batteries No display visible Material Hard leather Type Swivel Weight (GM-Gram) 149 Dimensions (MM-Millimeter) 65 (W) 134 (H) 90 (L) Millimeter) 2.5 inch Dimension (in) N/A Batteries N/A Belt Loop / Clip Dimension (in) N/A Compatible Batteries N/A Batteries Sinch N/A Weight (GM-Gram) 113 | Material | Hard leather |
| Dimensions (MM-Millimeter) Belt Loop / Clip Dimension (in) Compatible Batteries Display No display visible Material Hard leather Type Swivel Weight (GM-Gram) 149 Dimensions (MM-Millimeter) Belt Loop / Clip Dimension (in) Compatible Batteries Display No display visible N/A Batteries Display Avisible N/A Weight (GM-Gram) 149 Dimensions (MM-Millimeter) Belt Loop / Clip Dimension (in) Compatible Batteries Display No display visible Material Hard leather Type Swivel Weight (GM-Gram) 113 | Туре | Belt loop |
| Dimensions (MM-Millimeter) Belt Loop / Clip Dimension (in) Compatible Batteries Display No display visible Material Hard leather Type Swivel Weight (GM-Gram) 149 Dimensions (MM-Millimeter) Belt Loop / Clip Dimension (in) Compatible Batteries Display No display visible N/A Batteries Display Avisible N/A Weight (GM-Gram) 149 Dimensions (MM-Millimeter) Belt Loop / Clip Dimension (in) Compatible Batteries Display No display visible Material Hard leather Type Swivel Weight (GM-Gram) 113 | | |
| Millimeter) 3 inch Dimension (in) N/A Compatible Batteries N/A Display No display visible Material Hard leather Type Swivel Weight (GM-Gram) 149 Dimensions (MM-Millimeter) 65 (W) 134 (H) 90 (L) Belt Loop / Clip Dimension (in) 2.5 inch Compatible Batteries N/A Display No display visible Material Hard leather Type Swivel Weight (GM-Gram) 113 | Weight (GM-Gram) | 164 |
| Dimension (in) Compatible Batteries Display No display visible Material Hard leather Type Swivel Weight (GM-Gram) 149 Dimensions (MM-Millimeter) Belt Loop / Clip Dimension (in) Compatible Batteries Display No display visible Material Hard leather Type Swivel Weight (GM-Gram) 113 | • | 65 (W) 134 (H) 90 (L) |
| Batteries Display No display visible Material Hard leather Type Swivel Weight (GM-Gram) 149 Dimensions (MM-Millimeter) 65 (W) 134 (H) 90 (L) Belt Loop / Clip Dimension (in) Compatible Batteries Display No display visible Material Hard leather Type Swivel Weight (GM-Gram) 113 | | 3 inch |
| Material Hard leather Type Swivel Weight (GM-Gram) 149 Dimensions (MM-Millimeter) 65 (W) 134 (H) 90 (L) Belt Loop / Clip Dimension (in) 2.5 inch Compatible Batteries N/A Display No display visible Material Hard leather Type Swivel Weight (GM-Gram) 113 | | N/A |
| Type Swivel Weight (GM-Gram) 149 Dimensions (MM-Millimeter) 65 (W) 134 (H) 90 (L) Belt Loop / Clip Dimension (in) 2.5 inch Compatible Batteries Display No display visible Material Hard leather Type Swivel Weight (GM-Gram) 113 | Display | No display visible |
| Weight (GM-Gram) 149 Dimensions (MM-Millimeter) 65 (W) 134 (H) 90 (L) Belt Loop / Clip Dimension (in) 2.5 inch Compatible N/A Batteries Display No display visible Material Hard leather Type Swivel Weight (GM-Gram) 113 | Material | Hard leather |
| Dimensions (MM-Millimeter) Belt Loop / Clip Dimension (in) Compatible Batteries Display No display visible Material Hard leather Type Swivel Weight (GM-Gram) 113 | Туре | Swivel |
| Millimeter) Belt Loop / Clip Dimension (in) Compatible Batteries Display No display visible Material Hard leather Type Swivel Weight (GM-Gram) 113 | Weight (GM-Gram) | 149 |
| Dimension (in) Compatible Batteries Display No display visible Material Hard leather Type Swivel Weight (GM-Gram) 113 | | 65 (W) 134 (H) 90 (L) |
| Batteries Display No display visible Material Hard leather Type Swivel Weight (GM-Gram) 113 | | 2.5 inch |
| Material Hard leather Type Swivel Weight (GM-Gram) 113 | | N/A |
| Type Swivel Weight (GM-Gram) 113 | Display | No display visible |
| Weight (GM-Gram) 113 | Material | Hard leather |
| - 3 - (| Туре | Swivel |
| Dimensions (MM- 65 (W) 134 (H) 75 (L) | Weight (GM-Gram) | 113 |
| Millimeter) | • | 65 (W) 134 (H) 75 (L) |
| Belt Loop / Clip 3 inch Dimension (in) | | 3 inch |
| Compatible N/A Batteries | | N/A |
| Display No display visible | Display | No display visible |
| Material Hard leather | Material | Hard leather |
| Type Belt loop | Туре | Belt loop |



Fireman's Radio Strap

Compatible with APX and MOTOTRBO radios, this accessory is a Boston leather fireman's radio strap.

Model No: RLN6486A

Description: FIREMAN'S RADIO STRAP

ROHS: No CE: No Country of Origin: US

Price: €27.00



Fireman's Radio Strap, XL

Compatible with APX and MOTOTRBO radios, this accessory is a Boston leather fireman's radio strap, Extra Large.

Model No: RLN6487A

Description: FIREMAN'S RADIO STRAP, XL

ROHS: No CE: No Country of Origin: US

Price: €29.50



Anti-Sway Strap

Compatible with APX and MOTOTRBO radios, this accessory is a Boston leather anti-sway strap for Boston leather fireman's radio strap.

Model No: RLN6488A

Description: ANTI-SWAY STRAP

ROHS: No CE: No Country of Origin: US

Price: €11.00

| Weight (GM-Gram) | 270.3 |
|---|---|
| Dimensions (IN- Inch) | 0.13 (W) 50 (H) 1.25 (L) |
| Belt Loop / Clip Dimension (in) | N/A |
| Compatible Batteries | N/A |
| Display | N/A |
| Material | Hard leather |
| Туре | Belts and straps |
| | |
| Weight (GM-Gram) | 270.3 |
| Dimensions (IN- Inch) | 0.13 (W) 58 (H) 1.13 (L) |
| Belt Loop / Clip Dimension (in) | N/A |
| Compatible | N/A |
| Batteries | |
| | N/A |
| Batteries | N/A Hard leather |
| Batteries Display | |
| Batteries Display Material | Hard leather |
| Batteries Display Material | Hard leather |
| Batteries Display Material Type | Hard leather Belts and straps |
| Batteries Display Material Type Weight (GM-Gram) Dimensions (IN- | Hard leather Belts and straps 88.7 |
| Batteries Display Material Type Weight (GM-Gram) Dimensions (IN-Inch) Belt Loop / Clip | Hard leather Belts and straps 88.7 0.13 (W) 9.5 (H) 0.75 (L) |
| Batteries Display Material Type Weight (GM-Gram) Dimensions (IN-Inch) Belt Loop / Clip Dimension (in) Compatible | Hard leather Belts and straps 88.7 0.13 (W) 9.5 (H) 0.75 (L) N/A |
| Batteries Display Material Type Weight (GM-Gram) Dimensions (IN-Inch) Belt Loop / Clip Dimension (in) Compatible Batteries | Hard leather Belts and straps 88.7 0.13 (W) 9.5 (H) 0.75 (L) N/A N/A |
| Batteries Display Material Type Weight (GM-Gram) Dimensions (IN-Inch) Belt Loop / Clip Dimension (in) Compatible Batteries Display | Hard leather Belts and straps 88.7 0.13 (W) 9.5 (H) 0.75 (L) N/A N/A |

MOTOTRBO R7 ACCESSORIES

REPAIR-PARTS



Dust Cover, GCAI Mini

This is the radio dust cover for protecting the accessory connector when no audio devices have been connected to the radio

Model No: PMHN4429A

Description: DUST COVER, GCAI MINI

ROHS: Yes CE: N/A Country of Origin: MY

Price: €4.00



Programming, Test and Alignment Cable

Model No: PMKN4231A

Description: CABLE, PORT PROG, TEST AND ALIGN CABLE

PSA

ROHS: Yes CE: Yes Country of Origin: CN

Price: €100.00



Data Cable

Mini GCAI Interface cable connects the radio to your computer through the USB port. It allows data transfers such as audio recordings from the device to the computer.

Model No: PMKN4265A

Description: CABLE, DATA CABLE

ROHS: Yes CE: Yes Country of Origin: CN

Price: €80.00

| Weight (-) | - |
|------------------|-------------------|
| Dimensions (-) | - (W) - (H) - (L) |

| Weight (GM-Gram) | 220 |
|------------------|-------------------|
| Dimensions (-) | - (W) - (H) - (L) |
| Cable Type | Programming |

| Weight (GM-Gram) | 91 |
|------------------|-------------------|
| Dimensions (-) | - (W) - (H) - (L) |
| Cable Type | Programming |



PROFESSIONAL RADIOS MOTOTRBO R7 ACCESSORIES

CABLESMISC



Data and Programming Cable, TIA4950 Intrinsically Safe

Model No: PMKN4230A

Description: DATA UL CABLE

ROHS: Yes CE: Yes Country of Origin: N/A

Price: €230.00



CABLE, DATA UL CABLE

Model No: PMKN4230B

Description: CABLE, DATA UL CABLE

ROHS: Yes CE: Yes Country of Origin: CN

Price: €230.00

| Cable Type | Data |
|------------------|-------------------|
| Dimensions (-) | - (W) - (H) - (L) |
| Weight (GM-Gram) | 1.67 |

| Weight (-) | - |
|------------------|-------------------|
| Dimensions (-) | - (W) - (H) - (L) |
| Cable Type | Data |



MOTOTRBO R7 ACCESSORIES

EARPIECES



Receive-Only Earpiece With Translucent Tube

This earpiece accessory is a receive-only earpiece with comfort eartube.

Model No: PMLN7560A

Description: REC ONLY EARPIECE W/TRANSLUCENT TUBE

ROHS: Yes CE: Yes Country of Origin: CN

Price: €43.00



Earhook Eartip, Small

These replacement earpiece tips can be used to replace lost tips, to issue separate tips to each user to maintain hygiene, or to provide a tip that better fits the wearer.

Model No: PMLN8068A

Description: EARHOOK EARTIP, S (PACK OF 5) **ROHS:** Yes **CE:** N/A **Country of Origin:** CN

Price: €20.12



Earhook Eartip, Medium

These replacement earpiece tips can be used to replace lost tips, to issue separate tips to each user to maintain hygiene, or to provide a tip that better fits the wearer.

Model No: PMLN8069A

Description: EARHOOK EARTIP, M (PACK OF 5) **ROHS:** Yes **CE:** N/A **Country of Origin:** CN

Price: €20.12



Earhook Eartip, Large

These replacement earpiece tips can be used to replace lost tips, to issue separate tips to each user to maintain hygiene, or to provide a tip that better fits the wearer.

Model No: PMLN8070A

Description: EARHOOK EARTIP, L (PACK OF 5) **ROHS:** Yes **CE:** N/A **Country of Origin:** CN

Price: €20.12

| Weight (GW-Grain) | 01 |
|--------------------------------|------------------------------|
| Dimensions (IN- Inch) | 0.63 (W) 6.5 (H) 0.75 (L) |
| Earpiece Type | RSM 3.5mm unthreaded rx only |
| Industry | N/A |
| Intrinsic Safety Rating | N/A |
| Microphone | N/A |
| PTT | N/A |
| Weight (GM-Gram) | 0.6 |
| Dimensions (MM- Millimeter) | 12.5 (W) 8.5 (H) 17.4 (L) |
| Earpiece Type | Earpiece part |
| Industry | N/A |
| Intrinsic Safety Rating | N/A |
| Microphone | N/A |
| PTT | N/A |
| Weight (GM-Gram) | 0.61 |
| Dimensions (MM- Millimeter) | 13 (W) 9.4 (H) 17.4 (L) |
| Earpiece Type | Earpiece part |
| Industry | N/A |
| Intrinsic Safety Rating | N/A |
| Microphone | N/A |
| PTT | N/A |
| Weight (GM-Gram) | 0.7 |
| Dimensions (MM- Millimeter) | 14 (W) 10.9 (H) 17.4 (L) |
| Earpiece Type | Earpiece part |
| Industry | N/A |
| Intrinsic Safety Rating | N/A |
| Microphone | |
| шогорионо | N/A |

Weight (GM-Gram)

61



Earpiece, Cloth Clip (Pack of 10)

Model No: PMLN8079A

Description: EARPIECE,CLOTH CLIP (PACK OF 10) **ROHS:** Yes **CE:** N/A **Country of Origin:** CN

Price: €42.33



Acoustic Tube with Rubber Earbud, Replacement Kit

Model No: PMLN8092A

Description: ACOUSTIC TUBE WITH RUBBER EARBUD,

REPLACEMENT KIT

ROHS: Yes CE: N/A Country of Origin: CN

Price: €5.00



3.5mm Receive Only Xtra Loud Translucent Tube RSM Earpiece

Discreetly receive messages when using a remote speaker microphone. Supports loud audio feature enabled by the device. Speaker is wideband ready. The clearClear tube is replaceable with quick disconnect.

Model No: PMLN8120A

Description: RX ONLY XL CLEAR TUBE EARPIECE, 3.5MM

JACK

ROHS: Yes CE: Yes Country of Origin: CN

Price: €40.00



2-Wire, IMPRES™ Swivel Loud Audio Earpiece with Eartip

Equipped with one wire for receiving transmissions and a second with a combined microphone, programmable button and push-to-talk. Securely wear this earpiece on either side of the ear with a soft rubber ear hook. Earbuds are removable.

Model No: PMLN8295A

Description: 2-WIRE SWIVEL LOUD AUDIO EARPIECE WITH

EARTIP

ROHS: Yes CE: Yes Country of Origin: CN

Price: €100.00



1-Wire, IMPRES™ Single Earbud with Removable Earhook

Comfortably wear the 1-Wire Single Earbud with the optional earhook for additional support. This earpiece comes with 3 different sized rubber sleeves to provide additional friction when

worn.

Model No: PMLN8337A

Description: 1-WIRE SINGLE EARBUD WITH REMOVABLE

EARHOOK LOUD AUDIO EARPIECE

ROHS: Yes CE: Yes Country of Origin: N/A

Price: €50.00

| Weight (GM-Gram) | 1.8 |
|--------------------------------|---------------------------|
| Dimensions (MM- Millimeter) | 9.6 (W) 22.6 (H) 28.7 (L) |
| Earpiece Type | Earpiece part |
| Industry | N/A |
| Intrinsic Safety Rating | N/A |
| Microphone | N/A |
| PTT | N/A |
| | |
| Weight (GM-Gram) | 4 |

| Weight (GM-Gram) | 4 |
|--|----------------------|
| Dimensions (MM- Millimeter) | 20 (W) 10 (H) 40 (L) |
| Earpiece Type | Earpiece part |
| Industry | N/A |
| Intrinsic Safety Rating | N/A |
| Microphone | N/A |
| PTT | N/A |
| Intrinsic Safety Rating Microphone | N/A |

| Weight (GM-Gram) | 14.8 |
|--------------------------------|------------------------------|
| Dimensions (MM- Millimeter) | 24 (W) 19 (H) 490 (L) |
| Earpiece Type | RSM 3.5mm unthreaded rx only |
| Industry | N/A |
| Intrinsic Safety Rating | TIA4950(UL) |
| Microphone | N/A |
| PTT | N/A |
| | |

| Weight (GM-Gram) | 43 |
|--------------------------------|------------------------|
| Dimensions (MM- Millimeter) | 19 (W) 13 (H) 1086 (L) |
| Earpiece Type | Over ear |
| Industry | N/A |
| Intrinsic Safety Rating | TIA4950(UL) |
| Microphone | In-line |
| PTT | In-line |

| Weight (GM-Gram) | 35 |
|--------------------------------|------------------------|
| Dimensions (MM- Millimeter) | 42 (W) 16 (H) 1095 (L) |
| Earpiece Type | Over ear |
| Industry | N/A |
| Intrinsic Safety Rating | N/A |
| Microphone | In-line |
| PTT | In-line |



1-Wire, IMPRES™ Surveillance Kit, with Audio Translucent Tube (PMLN8341)

Discreetly send and receive messages with this single-wire surveillance kit with an inline microphone and Push-to-Talk. The clear tube earpiece is replaceable with quick disconnect and supports loud audio features enabled by the device.


Model No: PMLN8341A

Description: 1-WIRE SURVEILLANCE KIT WITH LOUD AUDIO

TRANSLUCENT TUBE

ROHS: Yes CE: Yes Country of Origin: CN

Price: €60.00





2-Wire, IMPRES™ Surveillance Kit, with Audio Translucent Tube

This earpiece allows you to discreetly send and receive messages in loud environments. Equipped with one wire for receiving transmissions and a second wire with a combined microphone, programmable button and push-to-talk.

Model No: PMLN8342A

Description: 2-WIRE SURVEILLANCE KIT WITH LOUD AUDIO

TRANSLUCENT TUBE

ROHS: Yes CE: Yes Country of Origin: CN

Price: €120.00

| Weight (GM-Gram) | 45 |
|--------------------------------|-------------------------|
| Dimensions (MM- Millimeter) | 19 (W) 13 (H) 1286 (L) |
| Earpiece Type | Surveillance and covert |
| Industry | Police |
| Intrinsic Safety Rating | TIA4950(UL) |
| Microphone | In-line |
| PTT | In-line |



3-Wire, IMPRES™ Survelliance Kit, with Audio Translucent Tube

Discreetly send and receive messages in loud environments. Each wire with a designated purpose, receiving transmissions, connecting to the microphone, and for the programmable button and PTT. Supports loud audio features from the device.

Model No: PMLN8343A

Description: 3-WIRE SURVEILLANCE KIT WITH LOUD AUDIO

TRANSLUCENT TUBE

ROHS: Yes CE: Yes Country of Origin: N/A

Price: €150.00

| Weight (GM-Gram) | 54 |
|--------------------------------|-------------------------|
| Dimensions (MM- Millimeter) | 14 (W) 14 (H) 1286 (L) |
| Earpiece Type | Surveillance and covert |
| Industry | Police |
| Intrinsic Safety Rating | TIA4950(UL) |
| Microphone | In-line |
| PTT | In-line |



Rubber Sleeve for Earbud, Small

These rubber sleeves work with our 1-Wire Single Earbud with Removable Earhook (PMLN8337A).

Model No: PMLN8363A

Description: RUBBER SLEEVE FOR EARBUD, S "QTY 1,

PACK OF 25"

ROHS: Yes CE: N/A Country of Origin: N/A

Price: €23.00

| Weight (GM-Gram) | 0.2 |
|--------------------------------|------------------------|
| Dimensions (MM- Millimeter) | 4.6 (W) 1.5 (H) 15 (L) |
| Earpiece Type | Earpiece part |
| Industry | N/A |
| Intrinsic Safety Rating | N/A |
| Microphone | N/A |
| PTT | N/A |

000

Rubber Sleeve for Earbud, Medium

These rubber sleeves work with our 1-Wire Single Earbud with Removable Earhook (PMLN8337A).

Model No: PMLN8364A

Description: RUBBER SLEEVE FOR EARBUD, M "QTY 1,

PACK OF 25"

ROHS: Yes CE: N/A Country of Origin: CN

Price: €23.00

| Weight (GM-Gram) | 0.3 |
|--------------------------------|------------------------|
| Dimensions (MM- Millimeter) | 4.6 (W) 1.5 (H) 16 (L) |
| Earpiece Type | Earpiece part |
| Industry | N/A |
| Intrinsic Safety Rating | N/A |
| Microphone | N/A |
| PTT | N/A |
| | |

000

Rubber Sleeve for Earbud, Large

TRUE

Model No: PMLN8365A

Description: RUBBER SLEEVE FOR EARBUD, L "QTY 1,

PACK OF 25"

ROHS: Yes Country of Origin: CN CE: N/A

Price: €23.00

Small Clear Custom Earpiece for the Right Ear

Compatible with APX radios, this APX surveillance kit accessory is a small clear comfortable earpiece for your right ear.

Model No: RLN4760A

Description: RT CSTM EARPC SZ:SM USED W/NTN8371A ROHS: Yes CE: N/A

Price: €25.00

Country of Origin: SG



Custom Earpiece, Small

Compatible with APX radios, this APX surveillance kit accessory is a small clear comfortable earpiece for your left ear.

Model No: RLN4763A

Description: LFT CSTM EARPC SM USED W/NTN8371A ROHS: Yes CE: N/A Country of Origin: SG

Price: €25.00



Medium Custom Earpiece, Left Ear

Compatible with XPR 6000, 7000, 7000e and SL 7000 and 7000e series, this MOTOTRBO custom left ear earpiece is a size medium and is compatible with the RLN6242 surveillance kit

Model No: RLN4764A

Description: LFT CSTM EARPC MED USED W/NTN8371A **ROHS:** Yes CE: N/A Country of Origin: SG

Price: €25.00

Weight (GM-Gram) **Dimensions (MM-**4.6 (W) 1.5 (H) 17 (L) Millimeter) **Earpiece Type** Earpiece part Industry N/A Intrinsic Safety N/A Rating Microphone N/A PTT N/A Weight (-) **Dimensions (IN-**0.5 (W) 1 (H) 0.75 (L) Inch) **Earpiece Type** Earpiece part Industry N/A **Intrinsic Safety** N/A Rating Microphone N/A **PTT** N/A Weight (-) **Dimensions (IN-**0.25 (W) 0.88 (H) 0.88 (L) Inch) **Earpiece Type** Earpiece part Industry N/A Intrinsic Safety N/A Rating

| Microphone | N/A |
|----------------------------|-------------------|
| PTT | N/A |
| | |
| Weight (-) | - |
| Dimensions (-) | - (W) - (H) - (L) |
| Earpiece Type | Earpiece part |
| Industry | N/A |
| Intrinsic Safety Rating | N/A |
| Microphone | N/A |
| PTT | N/A |
| | |



MOTOTRBO R7 ACCESSORIES

BATTERIES

IMPRES™ Li-Ion, 2200mAh, IP68 Battery

The 2200mAh slim battery is equipped with our IMPRES Self Calibration feature which allows you to quickly charge the battery without long hours of calibration or reconditioning every month

Model No: PMNN4807A

Description: BATTERY PACK, BATT IMPRES LIION IP68 2200T

ROHS: Yes Country of Origin: MY CE: Yes

Price: €120.00

Li-lon, 2450mAh, IP68 Battery

Model No: PMNN4808A

Description: BATT LIION IP68 2450T

ROHS: Yes CE: Yes Country of Origin: MY

Price: €90.00

IMPRES™ Li-Ion, 2850mAh, IP68, Slim Battery

Powered by new generation high energy density lithium cells, the 2850mAh IMPRES battery provides more energy, despite being thinner and lighter, providing 25+ hours of talk time when used with MOTOTRBO R7 radio series. Equipped with our IMPRES Self Calibration feature which allows you to quickly charge the battery without long hours of calibration or reconditioning every month

Model No: PMNN4809A

Description: BATTERY PACK, BATTERY PACK, BATT IMPRES

LIION İP68 2850T

ROHS: Yes Country of Origin: MY

Price: €170.00

IMPRES™ Li-Ion, 3200mAh, IP68, TIA4950

The TIA4950 battery is certified as intrinsically safe. Equipped with our IMPRES Self Calibration feature which allows you to quickly charge the battery without long hours of calibration or reconditioning every month.

Model No: PMNN4810A

Description: BATTERY PACK, BATT IMPRES LIION TIA4950

IP68 3200T

ROHS: Yes CE: Yes Country of Origin: MY

Price: €210.00

| Weight (GM-Gram) | 120 | | |
|--------------------------------|-------------------------------|--|--|
| Dimensions (MM- Millimeter) | 55.58 (W) 17.15 (H) 116.3 (L) | | |
| Chemistry | Li-lon 2200 mAh | | |
| Intrinsic Safety Rating | No rating | | |
| IP Rating | IP68 | | |
| Technology | IMPRES | | |
| Туре | Battery | | |
| Weight (GM-Gram) | 150 | | |
| Dimensions (MM- Millimeter) | 55.58 (W) 17.15 (H) 116.3 (L) | | |
| Chemistry | Li-lon 2450 mAh | | |
| Intrinsic Safety Rating | No rating | | |
| IP Rating | IP68 | | |
| Technology | Original | | |
| Туре | Battery | | |
| Weight (GM-Gram) | 137 | | |
| Dimensions (MM- Millimeter) | 55.58 (W) 17.15 (H) 116.3 (L) | | |
| Chemistry | Li-lon 2850 mAh | | |
| Intrinsic Safety Rating | No rating | | |
| IP Rating | IP68 | | |
| Technology | IMPRES | | |
| Туре | Battery | | |

| Weight (GM-Gram) | 170 |
|--------------------------------|-------------------------------|
| Dimensions (MM- Millimeter) | 55.58 (W) 23.15 (H) 116.3 (L) |
| Chemistry | Li-lon 3200 mAh |
| Intrinsic Safety Rating | TIA4950(UL) |
| IP Rating | IP68 |
| Technology | IMPRES |
| Туре | Battery |



MOTOTRBO R7A

MOTOTRBO R7A TIA VHF NKP PRA302C



MOTOTRBO™ R7a is a digital portable two-way radio that offers loud, clear, and customisable audio in a rugged, dependable, and connected device.

Loud and clear

By providing exceptional noise cancelling, loudness, and voice clarity, the MOTOTRBO R7 excels where audio communications can be challenging. R7 ensures your team can hear and be heard anywhere you operate, even in the noisiest environments. Designed for business

Built rugged, developed for maximum uptime, and ready to connect your team, the MOTOTRBO R7 two-way radio is designed to perfectly meet the needs of your business. The R7 is tested to stringent military standards and is rated to IP66 and IP68 for maximum robustness, while built-in security features and over-the-air programming minimise device downtime.

Model No Technical Description

| MDH06JDC9VA1AN | MOTOTRBO R7A TIA VHF NKP PRA302C | | | |
|----------------|----------------------------------|---------|------------------------|--|
| | ROHS: N/A | CE: Yes | Country of Origin: N/A | |

PRODUCT OPTIONS

| VHF Non-Display,No Keypad Basic Privacy,Enhanced Privacy Yes (TIA) IP66/IP68 | | | |
|--|--|--|--|
| Basic Privacy,Enhanced Privacy Yes (TIA) | | | |
| Yes (TIA) | | | |
| | | | |
| IP66/IP68 | | | |
| | | | |
| 64 | | | |
| 5W | | | |
| Analog Conventional, Digital Conventional, IP Site Connect, Capacity Plus Single, Capacity Plus Multi, Capacity Max (Optional) | | | |
| 1 x Radio,Battery,Charger,Antenna,Dust Cover,Belt Clip | | | |
| Portable | | | |
| | | | |



MOTOTRBO R7A

MOTOTRBO R7A TIA VHF NKP PRA302C

| Model No | Technical Description | Price |
|----------------|----------------------------------|---------|
| MDH06JDC9VA1AN | MOTOTRBO R7A TIA VHF NKP PRA302C | €835.00 |

MANDATORY OPTIONS:

| | Option SKU | Description | Price |
|---------------------|--------------|---|---------|
| CLASS VHF ANTENNA | QA08387AA | ADD: VHF WHIP ANT ,136-174MHZ | €0.00 |
| | QA08388AA | ADD:VHF HELICAL ANTENNA(144-165MHZ) | €0.00 |
| | QA08389AA | ADD:VHF HELICAL ANTENNA(136-155MHZ) | €0.00 |
| | QA08390AA | ADD:VHF HELICAL ANTENNA(152-174MHZ) | €0.00 |
| | QA08391AA | ADD:VHF STUBBY ANTENNA(136-148 MHZ) | €0.00 |
| | QA08392AA | ADD:VHF STUBBY ANTENNA(146-160 MHZ) | €0.00 |
| | QA08584AA | ADD: VHF STUBBY ANTENNA (160-174 MHZ) | €0.00 |
| CLASS CHARGER | QA08618AA | ADD: IMPRES SUC SMPS-CE UK 230V SINGLE PACK MODEL | €0.00 |
| | QA08619AA | ADD: IMPRES SUC SMPS-CE EU 220/240V SINGLE PACK MODEL | €0.00 |
| | QA08620AA | DEL: CHARGER SINGLE PACK MODEL | -€48.00 |
| | QA08812AA | ADD: IMPRES SUC SMPS-CE UK 230V UNPACKED MODEL | €0.00 |
| | QA08813AA | ADD: IMPRES SUC SMPS-CE EU 220/240V UNPACKED MODEL | €0.00 |
| | QA08814AA | DEL: CHARGER UNPACKED MODEL | -€48.00 |
| CLASS MANUAL | QA08621AA | ADD: QUICK REFERENCE GUIDE | €2.50 |
| | QA08622AA | DEL: QUICK REFERENCE GUIDE | €0.00 |
| CLASS BATTERY | QA08624AA | STD:BATT IMPRES LIION TIA4950 IP68 3200T | €0.00 |
| CLASS RADIO | QA08656AA | STD: EMEA R7A VHF TIA NKP | €0.00 |
| CLS SOFTWARE OPTION | STDSYE0865AA | STD:RADIO CODEPLUG OPTION | €0.00 |

NON-MANDATORY OPTIONS:

| | Option SKU | Description | Price |
|------------------|------------|-----------------|-------|
| CLASS DUST COVER | QA08623AA | ADD: DUST COVER | €3.00 |



MOTOTRBO R7A

MOTOTRBO R7A VHF NKP PRA302C



MOTOTRBO™ R7a is a digital portable two-way radio that offers loud, clear, and customisable audio in a rugged, dependable, and connected device.

Loud and clear

By providing exceptional noise cancelling, loudness, and voice clarity, the MOTOTRBO R7 excels where audio communications can be challenging. R7 ensures your team can hear and be heard anywhere you operate, even in the noisiest environments. Designed for business

Built rugged, developed for maximum uptime, and ready to connect your team, the MOTOTRBO R7 two-way radio is designed to perfectly meet the needs of your business. The R7 is tested to stringent military standards and is rated to IP66 and IP68 for maximum robustness, while built-in security features and over-the-air programming minimise device downtime.

Model No Technical Description

| MDH06JDC9VA2AN | MOTOTRBO F | R7A VHF NKI | P PRA302C |
|----------------|------------|-------------|------------------------|
| | ROHS: N/A | CE: Yes | Country of Origin: N/A |

PRODUCT OPTIONS

| Band Split | VHF |
|---------------------------|--|
| Display & Keypad Type | Non-Display,No Keypad |
| Encryption Type | Basic Privacy,Enhanced Privacy |
| Intrinsically Safe | No |
| IP Rating | IP66/IP68 |
| Number of Channels | 64 |
| Power | 5W |
| Radio Protocol | Analog Conventional, Digital Conventional, IP Site Connect, Capacity Plus Single, Capacity Plus Multi, Capacity Max (Optional) |
| Standard Package Includes | 1 x Radio,Battery,Charger,Antenna,Dust Cover,Belt Clip |
| Туре | Portable |
| | |



MOTOTRBO R7A

MOTOTRBO R7A VHF NKP PRA302C

| Model No | Technical Description | Price |
|----------------|------------------------------|---------|
| MDH06JDC9VA2AN | MOTOTRBO R7A VHF NKP PRA302C | €720.00 |

MANDATORY OPTIONS:

| | Option SKU | Description | Price |
|---------------------|--------------|---|---------|
| CLASS VHF ANTENNA | QA08387AA | ADD: VHF WHIP ANT ,136-174MHZ | €0.00 |
| | QA08388AA | ADD:VHF HELICAL ANTENNA(144-165MHZ) | €0.00 |
| | QA08389AA | ADD:VHF HELICAL ANTENNA(136-155MHZ) | €0.00 |
| | QA08390AA | ADD:VHF HELICAL ANTENNA(152-174MHZ) | €0.00 |
| | QA08391AA | ADD:VHF STUBBY ANTENNA(136-148 MHZ) | €0.00 |
| | QA08392AA | ADD:VHF STUBBY ANTENNA(146-160 MHZ) | €0.00 |
| | QA08584AA | ADD: VHF STUBBY ANTENNA (160-174 MHZ) | €0.00 |
| CLASS CHARGER | QA08618AA | ADD: IMPRES SUC SMPS-CE UK 230V SINGLE PACK MODEL | €0.00 |
| | QA08619AA | ADD: IMPRES SUC SMPS-CE EU 220/240V SINGLE PACK MODEL | €0.00 |
| | QA08620AA | DEL: CHARGER SINGLE PACK MODEL | -€48.00 |
| | QA08812AA | ADD: IMPRES SUC SMPS-CE UK 230V UNPACKED MODEL | €0.00 |
| | QA08813AA | ADD: IMPRES SUC SMPS-CE EU 220/240V UNPACKED MODEL | €0.00 |
| | QA08814AA | DEL: CHARGER UNPACKED MODEL | -€48.00 |
| CLASS RADIO | QA08657AA | STD: EMEA R7A VHF NKP | €0.00 |
| CLASS BATTERY | QA08862AA | STD: BATT IMPRES LIION IP68 2200T | €40.00 |
| | QA08863AA | ALT: BATT LIION IP68 2450T | €0.00 |
| | QA08864AA | ALT: BATT IMPRES LIION IP68 2850T | €80.00 |
| CLS SOFTWARE OPTION | STDSYE0865AA | STD:RADIO CODEPLUG OPTION | €0.00 |

NON-MANDATORY OPTIONS:

| | Option SKU | Description | Price |
|------------------|------------|----------------------------|-------|
| CLASS MANUAL | QA08621AA | ADD: QUICK REFERENCE GUIDE | €2.50 |
| | QA08622AA | DEL: QUICK REFERENCE GUIDE | €0.00 |
| CLASS DUST COVER | QA08623AA | ADD: DUST COVER | €3.00 |



MOTOTRBO R7A

MOTOTRBO R7A TIA UHF NKP PRA502C



MOTOTRBO™ R7a is a digital portable two-way radio that offers loud, clear, and customisable audio in a rugged, dependable, and connected device.

Loud and clear

By providing exceptional noise cancelling, loudness, and voice clarity, the MOTOTRBO R7 excels where audio communications can be challenging. R7 ensures your team can hear and be heard anywhere you operate, even in the noisiest environments. Designed for business

Built rugged, developed for maximum uptime, and ready to connect your team, the MOTOTRBO R7 two-way radio is designed to perfectly meet the needs of your business. The R7 is tested to stringent military standards and is rated to IP66 and IP68 for maximum robustness, while built-in security features and over-the-air programming minimise device downtime.

Model No Technical Description

| MDH06RDC9VA1AN | MOTOTRBO R7 | MOTOTRBO R7A TIA UHF NKP PRA502C | | |
|----------------|-------------|----------------------------------|------------------------|--|
| | ROHS: N/A | CE: Yes | Country of Origin: N/A | |

PRODUCT OPTIONS

| Band Split Display & Keypad Type | UHF |
|----------------------------------|--|
| Display & Keynad Type | |
| Diopidy a Noypud Typo | Non-Display,No Keypad |
| Encryption Type | Basic Privacy,Enhanced Privacy |
| Intrinsically Safe | Yes (TIA) |
| IP Rating | IP66/IP68 |
| Number of Channels | 64 |
| Power | 4W |
| Radio Protocol | Analog Conventional, Digital Conventional, IP Site Connect, Capacity Plus Single, Capacity Plus Multi, Capacity Max (Optional) |
| Standard Package Includes | 1 x Radio,Battery,Charger,Antenna,Dust Cover,Belt Clip |
| Туре | Portable |



MOTOTRBO R7A

MOTOTRBO R7A TIA UHF NKP PRA502C

| MDH06RDC9VA1AN MOTOTRBO R7A TIA UHF NKP PRA502C | €835.00 |
|---|---------|

MANDATORY OPTIONS:

| | Option SKU | Description | Price |
|---------------------|--------------|--|---------|
| CLASS RADIO | QA08575AA | STD: EMEA R7A UHF TIA NKP | €0.00 |
| CLASS UHF ANTENNA | QA08611AA | ADD: ANTENNA, STAMPED METAL,UHF STUBBY ANTENNA (400-450 MHZ) | €0.00 |
| | QA08612AA | ADD: UHF STUBBY ANTENNA (440-490 MHZ) | €0.00 |
| | QA08613AA | ADD: UHF STUBBY ANTENNA (470-527 MHZ) | €0.00 |
| | QA08614AA | ADD: ANTENNA, STAMPED METAL, UHF SLIM WHIP ANTENNA | €0.00 |
| | QA08615AA | ADD: ANTENNA, STUBBY, 400-527MHZ, 90MM, FERRULE | €0.00 |
| | QA08616AA | ADD: ANTENNA, STUBBY, 400-450MHZ, 60MM, FERRULE | €0.00 |
| | QA08617AA | ADD: ANTENNA, STUBBY, 440-490MHZ, 60MM, FERRULE | €0.00 |
| CLASS CHARGER | QA08618AA | ADD: IMPRES SUC SMPS-CE UK 230V SINGLE PACK MODEL | €0.00 |
| | QA08619AA | ADD: IMPRES SUC SMPS-CE EU 220/240V SINGLE PACK MODEL | €0.00 |
| | QA08620AA | DEL: CHARGER SINGLE PACK MODEL | -€48.00 |
| | QA08812AA | ADD: IMPRES SUC SMPS-CE UK 230V UNPACKED MODEL | €0.00 |
| | QA08813AA | ADD: IMPRES SUC SMPS-CE EU 220/240V UNPACKED MODEL | €0.00 |
| | QA08814AA | DEL: CHARGER UNPACKED MODEL | -€48.00 |
| CLASS MANUAL | QA08621AA | ADD: QUICK REFERENCE GUIDE | €2.50 |
| | QA08622AA | DEL: QUICK REFERENCE GUIDE | €0.00 |
| CLASS BATTERY | QA08624AA | STD:BATT IMPRES LIION TIA4950 IP68 3200T | €0.00 |
| CLS SOFTWARE OPTION | STDSYE0865AA | STD:RADIO CODEPLUG OPTION | €0.00 |

NON-MANDATORY OPTIONS:

| | Option SKU | Description | Price |
|------------------|------------|-----------------|-------|
| CLASS DUST COVER | QA08623AA | ADD: DUST COVER | €3.00 |



MOTOTRBO R7A

MOTOTRBO R7A UHF NKP PRA502C



MOTOTRBO™ R7a is a digital portable two-way radio that offers loud, clear, and customisable audio in a rugged, dependable, and connected device.

Loud and clear

By providing exceptional noise cancelling, loudness, and voice clarity, the MOTOTRBO R7 excels where audio communications can be challenging. R7 ensures your team can hear and be heard anywhere you operate, even in the noisiest environments. Designed for business

Built rugged, developed for maximum uptime, and ready to connect your team, the MOTOTRBO R7 two-way radio is designed to perfectly meet the needs of your business. The R7 is tested to stringent military standards and is rated to IP66 and IP68 for maximum robustness, while built-in security features and over-the-air programming minimise device downtime.

Model No Technical Description

| MDH06RDC9VA2AN | MOTOTRBO | R7A UHF NKI | P PRA502C |
|----------------|-----------|-------------|------------------------|
| | ROHS: N/A | CE: Yes | Country of Origin: N/A |

PRODUCT OPTIONS

| Band Split | UHF | |
|---------------------------|---|--|
| Display & Keypad Type | Non-Display,No Keypad | |
| Encryption Type | Basic Privacy,Enhanced Privacy | |
| Intrinsically Safe | No | |
| IP Rating | IP66/IP68 | |
| Number of Channels | 64 | |
| Power | 4W | |
| Radio Protocol | Analog Conventional,Digital Conventional,IP Site Connect,Capacity Plus Single,Capacity Plus Multi,Capacity Max (Optional) | |
| Standard Package Includes | 1 x Radio,Battery,Charger,Antenna,Dust Cover,Belt Clip | |
| Туре | Portable | |
| | | |



MOTOTRBO R7A

MOTOTRBO R7A UHF NKP PRA502C

| Model No | Technical Description | Price |
|----------------|------------------------------|---------|
| MDH06RDC9VA2AN | MOTOTRBO R7A UHF NKP PRA502C | €720.00 |

MANDATORY OPTIONS:

| | Option SKU | Description | Price |
|-------------------|------------|--|---------|
| CLASS RADIO | QA08576AA | STD: EMEA R7A UHF NKP | €0.00 |
| CLASS UHF ANTENNA | QA08611AA | ADD: ANTENNA, STAMPED METAL,UHF STUBBY ANTENNA (400-450 MHZ) | €0.00 |
| | QA08612AA | ADD: UHF STUBBY ANTENNA (440-490 MHZ) | €0.00 |
| | QA08613AA | ADD: UHF STUBBY ANTENNA (470-527 MHZ) | €0.00 |
| | QA08614AA | ADD: ANTENNA, STAMPED METAL, UHF SLIM WHIP ANTENNA | €0.00 |
| | QA08615AA | ADD: ANTENNA, STUBBY, 400-527MHZ, 90MM, FERRULE | €0.00 |
| | QA08616AA | ADD: ANTENNA, STUBBY, 400-450MHZ, 60MM, FERRULE | €0.00 |
| | QA08617AA | ADD: ANTENNA, STUBBY, 440-490MHZ, 60MM, FERRULE | €0.00 |
| CLASS CHARGER | QA08618AA | ADD: IMPRES SUC SMPS-CE UK 230V SINGLE PACK MODEL | €0.00 |
| | QA08619AA | ADD: IMPRES SUC SMPS-CE EU 220/240V SINGLE PACK MODEL | €0.00 |
| | QA08620AA | DEL: CHARGER SINGLE PACK MODEL | -€48.00 |
| | QA08812AA | ADD: IMPRES SUC SMPS-CE UK 230V UNPACKED MODEL | €0.00 |
| | QA08813AA | ADD: IMPRES SUC SMPS-CE EU 220/240V UNPACKED MODEL | €0.00 |
| | QA08814AA | DEL: CHARGER UNPACKED MODEL | -€48.00 |
| CLASS MANUAL | QA08621AA | ADD: QUICK REFERENCE GUIDE | €2.50 |
| | QA08622AA | DEL: QUICK REFERENCE GUIDE | €0.00 |
| CLASS BATTERY | QA08862AA | STD: BATT IMPRES LIION IP68 2200T | €40.00 |
| | QA08863AA | ALT: BATT LIION IP68 2450T | €0.00 |
| | | | |

| | Option SKU | Description | Price |
|---------------------|--------------|-----------------------------------|--------|
| | QA08864AA | ALT: BATT IMPRES LIION IP68 2850T | €80.00 |
| CLS SOFTWARE OPTION | STDSYE0865AA | STD:RADIO CODEPLUG OPTION | €0.00 |

NON-MANDATORY OPTIONS:

| | Option SKU | Description | Price |
|------------------|------------|-----------------|-------|
| CLASS DUST COVER | QA08623AA | ADD: DUST COVER | €3.00 |



PROFESSIONAL RADIOS MOTOTRBO R7A ACCESSORIES

REMOTESPEAKERMICS



REPLACEMENT BELT CLIP SUBASSEMBLY

Model No: 0104068J78

Description: REPLACEMENT BELT CLIP SUBASSEMBLY ROHS: Yes CE: N/A Country of Origin: MY

Price: €14.21



ACCESSORY KIT, REPLACEMENT CABLE FOR RSM

Model No: PMKN4232A

Description: REPLACEMENT CABLE FOR RSM **ROHS:** Yes **CE:** N/A **Country of Origin:** CN

Price: €42.68

| Weight (-) | - |
|----------------------------------|-----------------------------------|
| Dimensions (-) | - (W) - (H) - (L) |
| Channel Control | N/A |
| Display | N/A |
| Industry | N/A |
| Intelligent Audio | N/A |
| Intrinsic Safety Rating | No rating |
| IP Rating | N/A |
| Microphone Type | N/A |
| Programmable Button | N/A |
| Technology | RSM part |
| Volume Control | No |
| Audiobuchse | None |
| Weight (GM-Gram) Dimensions (MM- | 128.9 12.5 (W) 127 (H) 304 (L) |
| Millimeter) | 12.3 (11) 33 1 (2) |
| Channel Control | N/A |
| Display | N/A |
| Industry | N/A |
| Intelligent Audio | N/A |
| Intrinsic Safety Rating | No rating |
| IP Rating | N/A |
| Microphone Type | RSM cable |
| Programmable Button | N/A |
| Technology | RSM part |
| Volume Control | No |
| volume Control | INO |
| Audiobuchse | None |

Maight ()




Low Profile Swivel Clip

Model No: PMLN8121A

Description: LOW PROFILE SWIVEL CLIP

ROHS: Yes CE: N/A Country of Origin: CN

Price: €9.36





Replacement Dust Cover for RSMs (Pack of 10)


Model No: PMLN8122A

Description: REPLACEMENT DUST COVER FOR RSM (PACK

OF 10)

ROHS: Yes CE: N/A Country of Origin: MY

Price: €10.65





ACCESSORY KIT, REPLACEMENT DUST COVER (PACK OF 10)

Model No: PMLN8253A

Description: ACCESSORY KIT, REPLACEMENT DUST COVER

(PACK OF 10)

ROHS: Yes CE: N/A Country of Origin: MY

Price: €16.00

| Weight (-) | - |
|----------------------------|-------------------|
| Dimensions (-) | - (W) - (H) - (L) |
| Channel Control | N/A |
| Display | N/A |
| Industry | N/A |
| Intelligent Audio | N/A |
| Intrinsic Safety Rating | No rating |
| IP Rating | N/A |
| Microphone Type | N/A |
| Programmable Button | N/A |
| Technology | RSM part |
| Volume Control | No |
| Audiobuchse | None |
| | |



Green Colour Identification Labels (10 per pack)

The colour indentification labels adhere to the front Push-to-Talk button of the NS750 Remote Speaker Microphone, allowing you to differentiate groups across your organisation (RSM not included)

Model No: PMLN8464A

Description: AUDIO ACCESSORY-REMOTE SPEAKER MICROPHONE, AUDIO ACCESSORY-REMOTE SPEAKER MICROPHONE, REPLACEMENT GREEN PTT LABEL (10 PER PACK), OMNI RSM NEXUS 3.5MM (PMMN4150/PMMN4151)

ROHS: Yes CE: N/A Country of Origin: MY

Price: €10.00



Blue Colour Identification Labels (10 per pack)

The colour indentification labels adhere to the front Push-to-Talk button of the NS750 Remote Speaker Microphone, allowing you to differentiate groups across your organisation (RSM not included)

Model No: PMLN8465A

Description: AUDIO ACCESSORY-REMOTE SPEAKER MICROPHONE, AUDIO ACCESSORY-REMOTE SPEAKER MICROPHONE, REPLACEMENT BLUE PTT LABEL (10 PER PACK), OMNI RSM NEXUS 3.5MM (PMMN4150/PMMN4151)

ROHS: Yes CE: N/A Country of Origin: MY

Price: €10.00



Red Colour Identification Labels (10 per pack)

The colour indentification labels adhere to the front Push-to-Talk button of the NS750 Remote Speaker Microphone, allowing you to differentiate groups across your organisation (RSM not included)

Model No: PMLN8466A

Description: AUDIO ACCESSORY-REMOTE SPEAKER MICROPHONE, AUDIO ACCESSORY-REMOTE SPEAKER MICROPHONE, REPLACEMENT RED PTT LABEL (10 PER PACK), OMNI RSM NEXUS 3.5MM (PMMN4150/PMMN4151)

ROHS: Yes CE: N/A Country of Origin: MY

Price: €10.00

| Weight (-) | - |
|------------------------------------|-------------------|
| Dimensions (-) | - (W) - (H) - (L) |
| Channel Control | N/A |
| Display | N/A |
| Industry | N/A |
| Intelligent Audio | N/A |
| Intrinsic Safety Rating | No rating |
| IP Rating | N/A |
| Microphone Type | N/A |
| Programmable Button | N/A |
| Technology | RSM part |
| Volume Control | No |
| Audiobuchse | None |
| | |
| Weight (-) | - (4.1) (4.1) |
| Dimensions (-) | - (W) - (H) - (L) |
| Channel Control | N/A |
| Display | N/A |
| Industry | N/A |
| Intelligent Audio Intrinsic Safety | No rating |
| Rating | |
| IP Rating | N/A |
| Microphone Type | N/A |
| Programmable Button | N/A |
| Technology | RSM part |
| Volume Control | No |
| Audiobuchse | None |
| Weight (-) | - |
| Dimensions (-) | - (W) - (H) - (L) |
| Channel Control | N/A |
| Display | N/A |
| Industry | N/A |
| Intelligent Audio | N/A |
| Intrinsic Safety Rating | No rating |
| IP Rating | N/A |
| Microphone Type | N/A |
| Programmable Button | N/A |
| Technology | RSM part |
| Volume Control | No |
| Audiobuchse | None |
| | |



Yellow Colour Identification Labels (10 per pack)

The colour indentification labels adhere to the front Push-to-Talk button of the NS750 Remote Speaker Microphone, allowing you to differentiate groups across your organisation (RSM not included)

Model No: PMLN8468A

Description: AUDIO ACCESSORY-REMOTE SPEAKER MICROPHONE, AUDIO ACCESSORY-REMOTE SPEAKER MICROPHONE, REPLACEMENT YELLOW PTT LABEL (10 PER PACK), OMNI RSM NEXUS 3.5MM (PMMN4150/PMMN4151)

ROHS: Yes CE: N/A Country of Origin: MY

Price: €10.00



Silver Colour Identification Labels (10 per pack)

The colour indentification labels adhere to the front Push-to-Talk button of the NS750 Remote Speaker Microphone, allowing you to differentiate groups across your organisation (RSM not included)

Model No: PMLN8469A

Description: AUDIO ACCESSORY-REMOTE SPEAKER MICROPHONE, AUDIO ACCESSORY-REMOTE SPEAKER MICROPHONE, REPLACEMENT SILVER PTT LABEL (10 PER PACK), OMNI RSM NEXUS 3.5MM (PMMN4150/PMMN4151)

ROHS: Yes CE: N/A Country of Origin: MY

Price: €10.00



Orange Colour Identification Labels (10 per pack)

The colour indentification labels adhere to the front Push-to-Talk button of the NS750 Remote Speaker Microphone, allowing you to differentiate groups across your organisation (RSM not included)

Model No: PMLN8523A

Description: AUDIO ACCESSORY-REMOTE SPEAKER MICROPHONE,AUDIO ACCESSORY-REMOTE SPEAKER MICROPHONE,REPLACEMENT ORANGE PTT LABEL (10 PER PACK), OMNI RSM NEXUS 3.5MM (PMMN4150/PMMN4151)

ROHS: Yes CE: N/A Country of Origin: MY

Price: €10.00

| Weight (-) | - |
|------------------------------------|-------------------|
| Dimensions (-) | - (W) - (H) - (L) |
| Channel Control | N/A |
| Display | N/A |
| Industry | N/A |
| Intelligent Audio | N/A |
| Intrinsic Safety Rating | No rating |
| IP Rating | N/A |
| Microphone Type | N/A |
| Programmable Button | N/A |
| Technology | RSM part |
| Volume Control | No |
| Audiobuchse | None |
| | |
| Weight (-) | - (4.1) (4.1) |
| Dimensions (-) | - (W) - (H) - (L) |
| Channel Control | N/A |
| Display | N/A |
| Industry | N/A |
| Intelligent Audio Intrinsic Safety | No rating |
| Rating | |
| IP Rating | N/A |
| Microphone Type | N/A |
| Programmable Button | N/A |
| Technology | RSM part |
| Volume Control | No |
| Audiobuchse | None |
| Weight (-) | - |
| Dimensions (-) | - (W) - (H) - (L) |
| Channel Control | N/A |
| Display | N/A |
| Industry | N/A |
| Intelligent Audio | N/A |
| Intrinsic Safety Rating | No rating |
| IP Rating | N/A |
| Microphone Type | N/A |
| Programmable Button | N/A |
| Technology | RSM part |
| Volume Control | No |
| Audiobuchse | None |
| | |



WM500 Wireless PoC/Radio Remote Speaker

Motorolas first wireless RSM compatible with PTT-over-cellular applications. The WM500 has been tested and works with the KODIAK broadband PTT platform, which is used by major wireless carriers - including AT&T, Bell Canada, Sprint, and Verizon - as well as WAVE, our cloud-based broadband PTT service.

Model No: PMMN4127A

Description: OPERATIONAL CRITICAL WIRELESS REMOTE

SPEAKER MIC WM500

ROHS: Yes CE: Yes Country of Origin: MY

Price: €285.00



RM780 IMPRES™ RSM, 3.5mm earpiece, radio controls, IP68, HAZLOC

Equipped with a loud and clear speaker, low profile swivel clip keeping the RSM closer to your body and a 3.5mm audio jack to attach an earpiece for discreet communications, it allows you to hear and be heard clearly.

Model No: PMMN4128A

Description: RM780 IMPRES WINDPORTING REMOTE

SPEAKER MICROPHONE, LARGE (IP68)

ROHS: Yes CE: Yes Country of Origin: MY

Price: €140.00



RM730 IMPRES™ Windporting Remote Speaker Microphone, Small

Equipped with a loud and clear speaker, the wired RM730 RSM delivers exceptional design. When paired with the R7 radio, the noise suppression algorithm removes background noise to communicate clearly. IP68 (2m 4hours) certified.

Model No: PMMN4131A

Description: RM730 IMPRES WINDPORTING REMOTE

SPEAKER MICROPHONE, SMALL (IP68)

ROHS: Yes CE: Yes Country of Origin: N/A

Price: €110.00

| Weight (LB-Pound) | 0.235 |
|--------------------------------|--|
| Dimensions (MM- Millimeter) | 58 (W) 24.5 (H) 81 (L) |
| Channel Control | No |
| Display | No display |
| Industry | N/A |
| Intelligent Audio | N/A |
| Intrinsic Safety Rating | No rating |
| IP Rating | IP67 |
| Microphone Type | Windporting |
| Programmable Button | Orange emergency and multiple programmable buttons |
| Technology | Wireless |
| Volume Control | Yes |
| Audiobuchse | 3.5mm non-threaded |
| | |
| Weight (LB-Pound) | 0.462971 |
| Dimensions (IN- Inch) | 2.28 (W) 1.25 (H) 3.46 (L) |
| Channel Control | No |
| Display | No display |
| Industry | N/A |
| Intelligent Audio | N/A |
| Intrinsic Safety Rating | TIA4950(UL) |
| IP Rating | IP68 |
| Microphone Type | Windporting |
| Programmable Button | Orange emergency and multiple programmable buttons |
| Technology | IMPRES |
| Volume Control | Yes |
| Audiobuchse | 3.5mm non-threaded |
| Weight (LB-Pound) | 0.17637 |
| Dimensions (IN- Inch) | 2.16 (W) 0.86 (H) 2.75 (L) |
| Channel Control | No |
| Display | No display |
| Industry | N/A |
| Intelligent Audio | N/A |
| Intrinsic Safety Rating | TIA4950(UL) |
| IP Rating | IP68 |
| Microphone Type | Windporting |
| Programmable Button | Orange/emergency button only |
| Technology | IMPRES |
| Volume Control | No |
| Audiahuahaa | 2 Emm non threeded |

3.5mm non-threaded

Audiobuchse



RM760 IMPRES™ Windporting Remote Speaker Microphone, Large

The RM760 large RSM is capable of performing clearly at 102 Phon loudness with a windporting microphone. It is Work-When-Wet and IP68 rated. It comes with a low profile swivel clip and the 3.5mm audio jack allows you to receive audio discreetly.

Model No: PMMN4140A

Description: RM760 IMPRES WINDPORTING REMOTE

SPEAKER MICROPHONE, LARGE (IP68)

ROHS: Yes CE: Yes Country of Origin: N/A

Price: €120.00



NS750 IMPRES™ Remote Speaker Microphone, Long Cable

The NS750 Remote Speaker Microphone is equipped with two Push-to-Talk buttons (large front PTT and side PTT), two audio accessories connections (3.5mm audio jack and Nexus Connector to connect to a 3rd party headset) and is IP68 rated. The long cable allows you to wear the RSM in different wearing positions.

Model No: PMMN4150A

Description: NS750, REMOTE SPEAKER

MICROPHONE, IMPRES OMNI WITH LARGE FRONT

PTT, NEXUS, 3.5MM (LONG CABLE)

ROHS: Yes CE: Yes Country of Origin: MY

Price: €560.00



NS750 IMPRES™ Remote Speaker Microphone, Short Cable

The NS750 Remote Speaker Microphone is equipped with two Push-to-Talk buttons (large front PTT and side PTT), two audio accessories connections (3.5mm audio jack and Nexus Connector to connect to a 3rd party headset) and is IP68 rated.

Model No: PMMN4151A

Description: NS750, REMOTE SPEAKER

MICROPHONE, IMPRES OMNI WITH LARGE FRONT

PTT, NEXUS, 3.5MM (SHORT CABLE)

ROHS: Yes CE: Yes Country of Origin: MY

Price: €540.00

| Weight (LB-Pound) | 0.46 |
|--------------------------------|--|
| Dimensions (MM- Millimeter) | 26 (W) 85 (H) 61 (L) |
| Channel Control | No |
| Display | No display |
| Industry | N/A |
| Intelligent Audio | N/A |
| Intrinsic Safety Rating | TIA4950(UL) |
| IP Rating | IP68 |
| Microphone Type | Windporting |
| Programmable Button | No |
| Technology | IMPRES |
| Volume Control | No |
| Audiobuchse | 3.5mm non-threaded |
| Weight (-) | - |
| Dimensions (-) | - (W) - (H) - (L) |
| Channel Control | No |
| Display | No display |
| Industry | N/A |
| Intelligent Audio | N/A |
| Intrinsic Safety Rating | TIA4950(UL) |
| IP Rating | IP68 |
| Microphone Type | Omni-directional |
| Programmable Button | Orange emergency and programmable button |
| Technology | IMPRES |
| Volume Control | No |
| Audiobuchse | Nexus and 3.5mm locking |
| Weight (-) | - |
| Dimensions (-) | - (W) - (H) - (L) |
| Channel Control | No |
| Display | No display |
| Industry | N/A |
| Intelligent Audio | N/A |
| Intrinsic Safety Rating | TIA4950(UL) |
| IP Rating | IP68 |
| Microphone Type | Omni-directional |
| Programmable Button | Orange emergency and programmable button |
| Technology | IMPRES |
| Volume Control | No |
| Audiobuchse | Nexus and 3.5mm locking |
| | |



MOTOTRBO R7A ACCESSORIES

CHARGERS



Switch Mode Power Supply for Single Unit Chargers, US

Pluç

Replacement Power Supply for IMPRES Single-Unit Charger, US

Plug.

Model No: 25009297001

Description: POWER SUPPLY ADAPTOR, POWER- WALL CUBE, AC, POWER SUPPLY, SWITCH-MODE, LOW NOISE,

18W, US/NA

ROHS: Yes CE: No

Country of Origin: CN

Price: €22.00



Power Cord, US

Replacement Power Cord with US plug for use with the Multi-Unit

Chargers

Model No: 3087791G01

Description: CABLE, POWER CORD, US

ROHS: Yes CE: No Country of Origin: CN

Price: €11.00



Power Cord, EU

Replacement Power Cord with EU plug for use with the Multi-Unit

Chargers

Model No: 3087791G04

Description: CABLE,POWER CORD, EURO, 250 VAC 3A **ROHS:** Yes **CE:** Yes **Country of Origin:** CN

Price: €11.00



Power Cord, UK/HK

Replacement Power Cord with UK/HK plug for use with the Multi-

Unit Chargers

Model No: 3087791G07

Description: POWER CORD, UK

ROHS: Yes CE: Yes Country of Origin: CN

Price: €11.00

| Weight (-) | - |
|--------------------------|----------------------------|
| Dimensions (IN- Inch) | 2.13 (W) 2.63 (H) 1.25 (L) |
| Number of Displays | 0 |
| Number of Pockets | 1 |
| Plug Type | US |
| Power Source | N/A |
| Technology | Power supply |
| Туре | Charger component |
| | |

| Weight (GM-Gram) | 195 |
|--------------------------------|----------------------|
| Dimensions (MM- Millimeter) | - (W) - (H) 2300 (L) |
| Number of Displays | 0 |
| Number of Pockets | 1 |
| Plug Type | US |
| Power Source | N/A |
| Technology | Line cord |
| Туре | Charger component |
| | |

| Weight (GM-Gram) | 240 |
|-----------------------|-------------------|
| Dimensions (-) | - (W) - (H) - (L) |
| Number of Displays | 0 |
| Number of Pockets | 1 |
| Plug Type | EURO |
| Power Source | N/A |
| Technology | Line cord |
| Туре | Charger component |
| | |

| Weight (GM-Gram) | 275 |
|--------------------------------|----------------------------|
| Dimensions (MM- Millimeter) | 0.88 (W) 1.88 (H) 2300 (L) |
| Number of Displays | 0 |
| Number of Pockets | 1 |
| Plug Type | UK |
| Power Source | N/A |
| Technology | Line cord |
| Туре | Charger component |



Wall Mount Bracket

This bracket is used to mount your multi-unit charger on the wall.

Model No: BR000272A01

Description: BRACKET, WALL MOUNT, 6WAY MAINTENANCE

MUC

ROHS: Yes

CE: N/A Country of Origin: MY

Price: €74.00



IMPRES Compatible Vehicular Charger

This IMPRES vehicular charger has full IMPRES charger-tobattery communication capability to optimize the life of your battery.

Model No: NNTN7616D

Description: CHR IMP VEH EXT EU

ROHS: Yes CE: Yes Country of Origin: MX

Price: €737.00



Single unit charger with Euro power supply

Rapid rate charger with LED to indicate charge status, comes with Euro specification power supply and cord

Model No: NNTN8273A

Description: ACCESSORY KIT, CHARGER STD SUC W/

POWER SUPPLY, SWITCH-MODE-21W, EURO

ROHS: Yes CE: Yes Country of Origin: MY

Price: €80.00



Core Single Unit Charger (UK)

Rapid rate standard charger for non-IMPRES MOTOTRBO batteries. Note that if IMPRES batteries are charged in a non-IMPRES charger, additional six month warranty is voided.

Model No: NNTN8274A

Description: ACCESSORY KIT, CHARGER STD SUC W/POWER SUPPLY, SWITCH-MODE-21W, UK/HONG KONG

ROHS: Yes CE: Yes Country of Origin: MY

Price: €80.00



Vehicular Travel Charger Adapter With Mounting Base and

Coil Cord

Model No: NNTN8525A

Description: CHARGER TRAVEL

ROHS: Yes CE: Yes Country of Origin: MY

Price: €207.00

| Weight (KG- Kilogram) | 2.2 |
|--|--|
| Dimensions (IN- Inch) | 16 (W) 6.8 (H) 8.5 (L) |
| Number of Displays | 0 |
| Number of Pockets | 1 |
| Plug Type | N/A |
| Power Source | N/A |
| Technology | Mounting component(s) |
| Туре | Charger component |
| Mataka () | |
| Weight (-) | 2.5 (M) 5.25 (H) 2.5 (H) |
| Dimensions (IN- Inch) | 3.5 (W) 5.25 (H) 3.5 (L) |
| Number of Displays | 0 |
| Number of Pockets | 1 |
| Plug Type | N/A |
| Power Source | Vehicle power hardware |
| Technology | IMPRES™ |
| Туре | Vehicular charger kit |
| Weight (GM-Gram) | 165 |
| Dimensions (MM- | 114 (W) 26 (H) 115 (L) |
| Millimeter) | |
| Number of Displays | 0 |
| Number of Pockets | 1 |
| | EUD 0 |
| Plug Type | EURO |
| Power Source | N/A |
| | |
| Power Source | N/A |
| Power Source Technology Type | N/A Motorola original Single unit charger |
| Power Source Technology Type Weight (GM-Gram) | N/A Motorola original Single unit charger |
| Power Source Technology Type Weight (GM-Gram) Dimensions (MM-Millimeter) | N/A Motorola original Single unit charger 165 114 (W) 26 (H) 115 (L) |
| Power Source Technology Type Weight (GM-Gram) Dimensions (MM-Millimeter) Number of Displays | N/A Motorola original Single unit charger |
| Power Source Technology Type Weight (GM-Gram) Dimensions (MM-Millimeter) Number of | N/A Motorola original Single unit charger 165 114 (W) 26 (H) 115 (L) |
| Power Source Technology Type Weight (GM-Gram) Dimensions (MM-Millimeter) Number of Displays | N/A Motorola original Single unit charger 165 114 (W) 26 (H) 115 (L) |
| Power Source Technology Type Weight (GM-Gram) Dimensions (MM-Millimeter) Number of Displays Number of Pockets Plug Type Power Source | N/A Motorola original Single unit charger 165 114 (W) 26 (H) 115 (L) 0 |
| Power Source Technology Type Weight (GM-Gram) Dimensions (MM-Millimeter) Number of Displays Number of Pockets Plug Type | N/A Motorola original Single unit charger 165 114 (W) 26 (H) 115 (L) 0 1 UK/HK |
| Power Source Technology Type Weight (GM-Gram) Dimensions (MM-Millimeter) Number of Displays Number of Pockets Plug Type Power Source | N/A Motorola original Single unit charger 165 114 (W) 26 (H) 115 (L) 0 1 UK/HK N/A |
| Power Source Technology Type Weight (GM-Gram) Dimensions (MM-Millimeter) Number of Displays Number of Pockets Plug Type Power Source Technology | N/A Motorola original Single unit charger 165 114 (W) 26 (H) 115 (L) 0 1 UK/HK N/A Motorola original |
| Power Source Technology Type Weight (GM-Gram) Dimensions (MM-Millimeter) Number of Displays Number of Pockets Plug Type Power Source Technology Type | N/A Motorola original Single unit charger 165 114 (W) 26 (H) 115 (L) 0 1 UK/HK N/A Motorola original Single unit charger |
| Power Source Technology Type Weight (GM-Gram) Dimensions (MM-Millimeter) Number of Displays Number of Pockets Plug Type Power Source Technology Type Weight (GM-Gram) Dimensions (MM- | N/A Motorola original Single unit charger 165 114 (W) 26 (H) 115 (L) 0 1 UK/HK N/A Motorola original Single unit charger 160 |
| Power Source Technology Type Weight (GM-Gram) Dimensions (MM-Millimeter) Number of Displays Number of Pockets Plug Type Power Source Technology Type Weight (GM-Gram) Dimensions (MM-Millimeter) Number of | N/A Motorola original Single unit charger 165 114 (W) 26 (H) 115 (L) 0 1 UK/HK N/A Motorola original Single unit charger 160 57 (W) 63 (H) 67 (L) |
| Power Source Technology Type Weight (GM-Gram) Dimensions (MM-Millimeter) Number of Displays Number of Pockets Plug Type Power Source Technology Type Weight (GM-Gram) Dimensions (MM-Millimeter) Number of Displays Number of Pockets | N/A Motorola original Single unit charger 165 114 (W) 26 (H) 115 (L) 0 1 UK/HK N/A Motorola original Single unit charger 160 57 (W) 63 (H) 67 (L) 0 |
| Power Source Technology Type Weight (GM-Gram) Dimensions (MM-Millimeter) Number of Displays Number of Pockets Plug Type Power Source Technology Type Weight (GM-Gram) Dimensions (MM-Millimeter) Number of Displays | N/A Motorola original Single unit charger 165 114 (W) 26 (H) 115 (L) 0 1 UK/HK N/A Motorola original Single unit charger 160 57 (W) 63 (H) 67 (L) 0 1 N/A |
| Power Source Technology Type Weight (GM-Gram) Dimensions (MM-Millimeter) Number of Displays Number of Pockets Plug Type Power Source Technology Type Weight (GM-Gram) Dimensions (MM-Millimeter) Number of Displays Number of Pockets Plug Type Power Source | N/A Motorola original Single unit charger 165 114 (W) 26 (H) 115 (L) 0 1 UK/HK N/A Motorola original Single unit charger 160 57 (W) 63 (H) 67 (L) 0 1 N/A Vehicle power outlet |
| Power Source Technology Type Weight (GM-Gram) Dimensions (MM-Millimeter) Number of Displays Number of Pockets Plug Type Power Source Technology Type Weight (GM-Gram) Dimensions (MM-Millimeter) Number of Displays Number of Pockets Plug Type | N/A Motorola original Single unit charger 165 114 (W) 26 (H) 115 (L) 0 1 UK/HK N/A Motorola original Single unit charger 160 57 (W) 63 (H) 67 (L) 0 1 N/A |



IMPRES™ 2 Multi-Unit Charger, Base Only

Model No: PMPN4283A

Description: CHARGER DESKTOP MULTI-UNIT IMPRES 2 1

DISPLAY EXT PS 100-240VAC

ROHS: Yes CE: Yes Country of Origin: MY

Price: €791.00





CHARGER DESKTOP MULTI-UNIT IMPRES 2 1 DISPLAY EXT PS 100-240VAC

Model No: PMPN4283B

Description: CHARGER DESKTOP MULTI-UNIT IMPRES 2 1

DISPLAY EXT PS 100-240VAC

ROHS: Yes CE: Yes Country of Origin: MY

Price: €791.00



IMPRES™ 2 Multi-Unit Charger, w/Power Supply US

Simultaneously charges up to 6 batteries or devices with IMPRES(TM) extended service life algorithms. Includes one display to view battery information. Built in USB interface for charger firmware upgrades and connectivity to Fleet Management application. See below for compatible solutions and field service items.

Model No: PMPN4284A

Description: CHARGER DESKTOP MULTI-UNIT IMPRES 2 1

DISPLAY EXT PS 100-240VAC US/NA

ROHS: Yes CE: Yes Country of Origin: MY

Price: €823.00



IMPRES™ 2 Multi-Unit Charger, w/Power Supply EU

Compatible with XPR and DP series radios, this MOTOTRBO charger is an IMPRES 2 multi-unit fast charger with 1 display, EURO plug.

Model No: PMPN4289A

Description: CHARGER DESKTOP MULTI-UNIT IMPRES 2 1

DISPLAY EXT PS 100-240VAC EU

ROHS: Yes CE: Yes Country of Origin: MY

Price: €823.00



CHARGER DESKTOP MULTI-UNIT IMPRES 2 1 DISPLAY EXT PS 100 - 240VAC EU

Model No: PMPN4289B

Description: CHARGER DESKTOP MULTI-UNIT IMPRES 2 1

DISPLAY EXT PS 100 - 240VAC EU

ROHS: Yes CE: Yes Country of Origin: N/A

Price: €823.00

| Weight (GM-Gram) | 2200 |
|--------------------------------|------------------------|
| Dimensions (MM- Millimeter) | 95 (W) 116 (H) 445 (L) |
| Number of Displays | 1 |
| Number of Pockets | 6 |
| Plug Type | N/A |
| Power Source | N/A |
| Technology | IMPRES™ 2 |
| Туре | Charger base |
| | |
| Weight (-) | - |
| Dimensions (-) | - (W) - (H) - (L) |
| Number of Displays | 1 |
| Number of Pockets | 6 |
| Plug Type | N/A |
| Power Source | 100-240 VAC |
| Technology | IMPRES™ |
| Туре | Charger base |
| Weight (GM-Gram) | 2200 |
| Dimensions (MM- Millimeter) | 95 (W) 116 (H) 445 (L) |
| Number of Displays | 1 |

Number of Pockets

Plug Type

Power Source

Technology

Type

6

US

N/A

IMPRES™ 2

Multi unit charger

| Weight (GM-Gram) | 2200 |
|--|--|
| Dimensions (MM- Millimeter) | 95 (W) 116 (H) 445 (L) |
| Number of Displays | 1 |
| Number of Pockets | 6 |
| Plug Type | EURO |
| Power Source | N/A |
| Technology | IMPRES™ 2 |
| Туре | Multi unit charger |
| | |
| Weight (-) | - |
| Weight (-) Dimensions (-) | - - (W) - (H) - (L) |
| | |
| Dimensions (-) Number of | - (W) - (H) - (L) |
| Dimensions (-) Number of Displays | - (W) - (H) - (L) 1 |
| Dimensions (-) Number of Displays Number of Pockets | - (W) - (H) - (L) 1 |
| Dimensions (-) Number of Displays Number of Pockets Plug Type | - (W) - (H) - (L) 1 6 EURO |
| Dimensions (-) Number of Displays Number of Pockets Plug Type Power Source | - (W) - (H) - (L) 1 6 EURO 100-240 VAC |



IMPRES™ 2 Multi-Unit Charger, w/Power Supply UK/HK

Model No: PMPN4290A

Description: CHARGER DESKTOP MULTI-UNIT IMPRES 2 1

DISPLAY EXT PS 100-240VAC UK/HK

ROHS: Yes CE: Yes

Country of Origin: N/A

Price: €823.00



CHARGER DESKTOP MULTI-UNIT IMPRES 2 1 DISPLAY EXT PS 100 - 240VAC UK/HK

Model No: PMPN4290B

Description: CHARGER DESKTOP MULTI-UNIT IMPRES 2 1

DISPLAY EXT PS 100 - 240VAC UK/HK

ROHS: Yes CE: Yes Country of Origin: MY

Price: €823.00



IMPRES™ Single Unit Charger, Base Only

The IMPRES™ single-unit charger offers extended talk time, thanks to optimized battery life and reliable IMPRES technology.

Model No: PMPN4527A

Description: CHARGER, CHGR DESKTOP SINGLE UNIT

IMPRES BASE ONLY EXT PS

ROHS: Yes CE: Yes Country of Origin: MY

Price: €80.00



IMPRES™ Single Unit Charger, w/Power Supply UK/HK

The IMPRES™ single-unit charger offers extended talk time, thanks to optimized battery life and reliable IMPRES technology.

Model No: PMPN4572A

Description: CHARGER, CHGR DESKTOP SINGLE UNIT

IMPRES EXT PS UK/HK

ROHS: Yes CE: Yes Country of Origin: MY

Price: €96.00



IMPRES™ Single Unit Charger w/Power Supply, North America plug

The IMPRES™ single-unit charger offers extended talk time, thanks to optimized battery life and reliable IMPRES technology.

Model No: PMPN4576A

Description: CHARGER, CHGR DESKTOP SINGLE UNIT

IMPRES EXT PS US/NA/TW

ROHS: Yes CE: Yes Country of Origin: MY

Price: €96.00

| Weight (GM-Gram) | 2200 |
|--------------------------------|------------------------|
| Dimensions (MM- Millimeter) | 95 (W) 116 (H) 445 (L) |
| Number of Displays | 1 |
| Number of Pockets | 6 |
| Plug Type | UK/HK |
| Power Source | N/A |
| Technology | IMPRES™ 2 |
| Туре | Multi unit charger |
| | |
| Weight (-) | - |
| Dimensions (-) | - (W) - (H) - (L) |
| Number of Displays | 1 |
| Number of Pockets | 6 |
| Plug Type | UK/HK |
| Power Source | N/A |
| Technology | IMPRES™ 2 |
| Туре | Multi unit charger |
| Weight (GM-Gram) | 110 |
| Dimensions (MM- Millimeter) | 94 (W) 51 (H) 88 (L) |
| Number of Displays | 0 |
| Number of Pockets | 1 |
| Plug Type | N/A |
| Power Source | N/A |
| Technology | IMPRES™ |
| Туре | Charger base |
| | |
| Weight (GM-Gram) | 110 |
| Dimensions (MM- Millimeter) | 94 (W) 51 (H) 88 (L) |
| Number of Displays | 0 |
| Number of Pockets | 1 |
| Plug Type | UK/HK |
| Power Source | N/A |
| Technology | IMPRES™ |
| Туре | Single unit charger |
| Weight (GM-Gram) | 110 |
| Dimensions (MM- Millimeter) | 94 (W) 51 (H) 88 (L) |
| Number of Displays | 0 |
| Number of Pockets | 1 |
| Plug Type | US/NA |
| Power Source | N/A |
| Technology | IMPRES™ |
| Туре | Single unit charger |
| | |



IMPRES™ Single Unit Charger, w/Power Supply EU

The IMPRES™ single-unit charger offers extended talk time, thanks to optimized battery life and reliable IMPRES technology.

Model No: PMPN4577A

Description: CHARGER, CHGR DESKTOP SINGLE UNIT

IMPRES EXT PS EU

ROHS: Yes CE: Yes Country of Origin: MY

Price: €96.00



Switch Mode Power Supply for Single Unit Chargers, EU Plug

Replacement Switch Mode 14 Watt AC Power Supply for Single-Unit Chargers.

Model No: PS000037A01

Description: POWER SUPPLY ADAPTOR, POWER- WALL CUBE, AC, DC, SWITCH MODE, 14W, 207 V - 253 V, EU **ROHS:** Yes **CE:** Yes **Country of Origin:** CN

Price: €22.00



Switch Mode Power Supply for Single Unit Chargers, UK/HK Plug

Replacement Switch Mode 14 Watt AC Power Supply for Single Unit Chargers.

Model No: PS000037A02

Description: POWER SUPPLY ADAPTOR, POWER- WALL CUBE, AC, DC, SWITCH MODE, 14W, 207 V - 253 V, UK/HK **ROHS:** Yes **CE:** Yes **Country of Origin:** CN

Price: €22.00



Replacement Power Supply Adaptor

Replacement Power Supply (100-240 VAC) for IMPRES 2 Multi-Unit Fast Charger

Model No: PS000242A01

Description: POWER SUPPLY ADAPTOR, POWER SUPPLY

BRICK 100-240VAC UNIVERSAL 15V/6A L6 C6P

ROHS: Yes CE: Yes Country of Origin: CN

Price: €99.00

| Weight (GM-Gram) | 110 |
|---|---|
| Dimensions (MM- Millimeter) | 94 (W) 51 (H) 88 (L) |
| Number of Displays | 0 |
| Number of Pockets | 1 |
| Plug Type | EURO |
| Power Source | N/A |
| Technology | IMPRES™ |
| Туре | Single unit charger |
| | |
| Weight (GM-Gram) | 90 |
| Dimensions (MM- Millimeter) | 33.4 (W) 69.7 (H) 70 (L) |
| Number of Displays | 0 |
| Number of Pockets | 1 |
| Plug Type | EURO |
| Power Source | N/A |
| Technology | Power supply |
| Туре | Charger component |
| | |
| | |
| Weight (GM-Gram) | 97 |
| Weight (GM-Gram) Dimensions (MM-Millimeter) | 97 50.5 (W) 57.3 (H) 70 (L) |
| Dimensions (MM- | |
| Dimensions (MM- Millimeter) Number of | 50.5 (W) 57.3 (H) 70 (L) |
| Dimensions (MM- Millimeter) Number of Displays | 50.5 (W) 57.3 (H) 70 (L) 0 |
| Dimensions (MM- Millimeter) Number of Displays Number of Pockets | 50.5 (W) 57.3 (H) 70 (L) 0 |
| Dimensions (MM-Millimeter) Number of Displays Number of Pockets Plug Type | 50.5 (W) 57.3 (H) 70 (L) 0 1 UK/HK |
| Dimensions (MM-Millimeter) Number of Displays Number of Pockets Plug Type Power Source | 50.5 (W) 57.3 (H) 70 (L) 0 1 UK/HK N/A |
| Dimensions (MM-Millimeter) Number of Displays Number of Pockets Plug Type Power Source Technology Type | 50.5 (W) 57.3 (H) 70 (L) 0 1 UK/HK N/A Power supply Charger component |
| Dimensions (MM-Millimeter) Number of Displays Number of Pockets Plug Type Power Source Technology | 50.5 (W) 57.3 (H) 70 (L) 0 1 UK/HK N/A Power supply |
| Dimensions (MM-Millimeter) Number of Displays Number of Pockets Plug Type Power Source Technology Type | 50.5 (W) 57.3 (H) 70 (L) 0 1 UK/HK N/A Power supply Charger component |
| Dimensions (MM-Millimeter) Number of Displays Number of Pockets Plug Type Power Source Technology Type Weight (LB-Pound) Dimensions (IN- | 50.5 (W) 57.3 (H) 70 (L) 0 1 UK/HK N/A Power supply Charger component 0.5 |
| Dimensions (MM-Millimeter) Number of Displays Number of Pockets Plug Type Power Source Technology Type Weight (LB-Pound) Dimensions (IN-Inch) Number of | 50.5 (W) 57.3 (H) 70 (L) 0 1 UK/HK N/A Power supply Charger component 0.5 2.4 (W) 1.2 (H) 6 (L) |
| Dimensions (MM-Millimeter) Number of Displays Number of Pockets Plug Type Power Source Technology Type Weight (LB-Pound) Dimensions (IN-Inch) Number of Displays | 50.5 (W) 57.3 (H) 70 (L) 0 1 UK/HK N/A Power supply Charger component 0.5 2.4 (W) 1.2 (H) 6 (L) 0 |
| Dimensions (MM-Millimeter) Number of Displays Number of Pockets Plug Type Power Source Technology Type Weight (LB-Pound) Dimensions (IN-Inch) Number of Displays Number of Pockets | 50.5 (W) 57.3 (H) 70 (L) 0 1 UK/HK N/A Power supply Charger component 0.5 2.4 (W) 1.2 (H) 6 (L) 0 |
| Dimensions (MM-Millimeter) Number of Displays Number of Pockets Plug Type Power Source Technology Type Weight (LB-Pound) Dimensions (IN-Inch) Number of Displays Number of Pockets Plug Type | 50.5 (W) 57.3 (H) 70 (L) 0 1 UK/HK N/A Power supply Charger component 0.5 2.4 (W) 1.2 (H) 6 (L) 0 1 N/A |
| Dimensions (MM-Millimeter) Number of Displays Number of Pockets Plug Type Power Source Technology Type Weight (LB-Pound) Dimensions (IN-Inch) Number of Displays Number of Pockets Plug Type Power Source | 50.5 (W) 57.3 (H) 70 (L) 0 1 UK/HK N/A Power supply Charger component 0.5 2.4 (W) 1.2 (H) 6 (L) 0 1 N/A N/A |

Weight (-)



PROFESSIONAL RADIOS

MOTOTRBO R7A ACCESSORIES

ANTENNAS



Antenna ID Bands, 10 Pack

Compatible with XPR 3000, 3000e, 7000 and 7000e series, this MOTOTRBO antenna accessory ID band comes in yellow and ships as a pack of 10.

Model No: 32012144002

Description: ANTENNA ID BAND (YELLOW-PACK OF 10PCS)

ROHS: Yes CE: N/A Country of Origin: N/A

Price: €14.00



Antenna ID Bands, 10 Pack

Compatible with XPR series 3000,3000e,7000 and 7000e series, these MOTOTRBO atenna ID bands come in green and ships in pack of 10.

Model No: 32012144003

Description: ANTENNA ID BAND (GREEN- PACK OF 10PCS)

ROHS: Yes CE: N/A Country of Origin: CN

Price: €14.00



Antenna ID Bands, 10 Pack

Compatible with XPR series 3000,3000e,7000 and 7000e series, these MOTOTRBO atenna ID bands come in blue and ships in pack of 10.

Model No: 32012144004

Description: ANTENNA ID BAND (BLUE- PACK OF 10PCS) **ROHS:** Yes **CE:** N/A **Country of Origin:** N/A

Price: €14.00



Antenna ID Bands, 10 Pack

Compatible with XPR series 3000,3000e,7000 and 7000e series, these MOTOTRBO atenna ID bands come in purple and ships in pack of 10.

Model No: 32012144005

Description: ANTENNA ID BAND (PURPLE- PACK OF 10PCS)

ROHS: Yes CE: N/A Country of Origin: CN

Price: €14.00

| *********** | |
|--|---|
| Dimensions (IN- Inch) | 0.38 (W) 0.5 (H) 0.5 (L) |
| Frequency Band | N/A |
| Frequency Range (MHz) | N/A |
| Integrated GPS | N/A |
| Intrinsic Safety Rating | N/A |
| Mounting Style | N/A |
| Туре | Antenna id bands |
| Weight (-) | - |
| Dimensions (IN- Inch) | 0.38 (W) 0.5 (H) 0.5 (L) |
| Frequency Band | N/A |
| Frequency Range (MHz) | N/A |
| Integrated GPS | N/A |
| Intrinsic Safety Rating | N/A |
| Mounting Style | N/A |
| Туре | Antenna id bands |
| | |
| | |
| Weight (-) | - |
| Dimensions (IN- Inch) | - 0.38 (W) 0.5 (H) 0.5 (L) |
| Dimensions (IN- | - 0.38 (W) 0.5 (H) 0.5 (L) N/A |
| Dimensions (IN- Inch) | |
| Dimensions (IN- Inch) Frequency Band Frequency Range (MHz) Integrated GPS | N/A |
| Dimensions (IN- Inch) Frequency Band Frequency Range (MHz) | N/A N/A |
| Dimensions (IN- Inch) Frequency Band Frequency Range (MHz) Integrated GPS Intrinsic Safety | N/A N/A |
| Dimensions (IN-Inch) Frequency Band Frequency Range (MHz) Integrated GPS Intrinsic Safety Rating | N/A N/A N/A N/A |
| Dimensions (IN- Inch) Frequency Band Frequency Range (MHz) Integrated GPS Intrinsic Safety Rating Mounting Style | N/A N/A N/A N/A N/A |
| Dimensions (IN-Inch) Frequency Band Frequency Range (MHz) Integrated GPS Intrinsic Safety Rating Mounting Style Type | N/A N/A N/A N/A N/A |
| Dimensions (IN-Inch) Frequency Band Frequency Range (MHz) Integrated GPS Intrinsic Safety Rating Mounting Style Type Weight (-) Dimensions (IN- | N/A N/A N/A N/A N/A Antenna id bands |
| Dimensions (IN-Inch) Frequency Band Frequency Range (MHz) Integrated GPS Intrinsic Safety Rating Mounting Style Type Weight (-) Dimensions (IN-Inch) | N/A N/A N/A N/A N/A N/A Antenna id bands - 0.38 (W) 0.5 (H) 0.5 (L) |
| Dimensions (IN-Inch) Frequency Band Frequency Range (MHz) Integrated GPS Intrinsic Safety Rating Mounting Style Type Weight (-) Dimensions (IN-Inch) Frequency Band Frequency Range | N/A N/A N/A N/A N/A N/A Antenna id bands - 0.38 (W) 0.5 (H) 0.5 (L) N/A |
| Dimensions (IN-Inch) Frequency Band Frequency Range (MHz) Integrated GPS Intrinsic Safety Rating Mounting Style Type Weight (-) Dimensions (IN-Inch) Frequency Band Frequency Range (MHz) | N/A N/A N/A N/A N/A N/A Antenna id bands - 0.38 (W) 0.5 (H) 0.5 (L) N/A N/A |
| Dimensions (IN-Inch) Frequency Band Frequency Range (MHz) Integrated GPS Intrinsic Safety Rating Mounting Style Type Weight (-) Dimensions (IN-Inch) Frequency Band Frequency Range (MHz) Integrated GPS Intrinsic Safety | N/A N/A N/A N/A N/A Antenna id bands - 0.38 (W) 0.5 (H) 0.5 (L) N/A N/A |



UHF Wideband Stubby Antenna (400-527 MHz)

MOTOTRBO antenna is shorter and more flexible than legacy MOTOTRBO antennas, making it more comfortable to wear and easier to use without snagging on clothing, all without compromising its 400-527MHz range.

Model No: AN000348A01

Description: ANTENNA, STUBBY, 400-527MHZ, 90MM,

FERRULE

ROHS: Yes CE: N/A Country of Origin: N/A

Price: €19.00



UHF Stubby Antenna (400-450MHz)

MOTOTRBO antenna is more flexible than legacy MOTOTRBO antennas, making it more comfortable to wear and easier to use without snagging on clothing—all without compromising its 400-450MHz range.

Model No: AN000350A01

Description: ANTENNA, STUBBY, 400-450MHZ, 60MM,

FERRULE

ROHS: Yes CE: N/A Country of Origin: MY

Price: €13.00



UHF Stubby Antenna (440-490MHz)

MOTOTRBO antenna is more flexible than legacy MOTOTRBO antennas, making it more comfortable to wear and easier to use without snagging on clothing—all without compromising its 440-490MHz range.

Model No: AN000351A01

Description: ANTENNA, STUBBY, 440-490MHZ, 60MM,

FERRÜLE

ROHS: Yes CE: N/A Country of Origin: MY

Price: €13.00




Get the best possible reception wherever you operate.

Model No: PMAD4116A

Description: VHF HELICAL ANTENNA (144-165 MHZ) **ROHS:** Yes **CE:** N/A **Country of Origin:** MY

Price: €11.00



Get the best possible reception wherever you operate.

Model No: PMAD4117A

Description: VHF HELICAL ANTENNA (136-155 MHZ) **ROHS:** Yes **CE:** N/A **Country of Origin:** MY

Price: €11.00

| Weight (GM-Gram) | 16.6 |
|---|---|
| Dimensions (MM- Millimeter) | 13.5 (W) 90 (H) 13.5 (L) |
| Frequency Band | UHF |
| Frequency Range (MHz) | 400-527 MHz |
| Integrated GPS | No |
| Intrinsic Safety Rating | N/A |
| Mounting Style | Ferrule |
| Туре | N/A |
| Weight (GM-Gram) | 11.6 |
| Dimensions (MM- Millimeter) | 13.5 (W) 60 (H) 13.5 (L) |
| Frequency Band | UHF |
| Frequency Range (MHz) | 400-450 MHz |
| Integrated GPS | No |
| Intrinsic Safety Rating | N/A |
| Mounting Style | Ferrule |
| Туре | N/A |
| Weight (GM-Gram) | 11.6 |
| Dimensions (MM- Millimeter) | 13.5 (W) 60 (H) 13.5 (L) |
| Frequency Band | UHF |
| Frequency Range (MHz) | 440-490 MHz |
| | |
| Integrated GPS | No |
| Intrinsic Safety Rating | No N/A |
| Intrinsic Safety Rating Mounting Style | N/A Ferrule |
| Intrinsic Safety Rating | N/A |
| Intrinsic Safety Rating Mounting Style | N/A Ferrule |
| Intrinsic Safety Rating Mounting Style Type Weight (-) Dimensions (IN-Inch) | N/A Ferrule |
| Intrinsic Safety Rating Mounting Style Type Weight (-) Dimensions (IN-Inch) Frequency Band | N/A Ferrule N/A |
| Intrinsic Safety Rating Mounting Style Type Weight (-) Dimensions (IN- Inch) Frequency Band Frequency Range (MHz) | N/A Ferrule N/A (W) 6.13 (H) 0.5 (L) |
| Intrinsic Safety Rating Mounting Style Type Weight (-) Dimensions (IN-Inch) Frequency Band Frequency Range (MHz) Integrated GPS | N/A Ferrule N/A (W) 6.13 (H) 0.5 (L) VHF 144-165 MHz Yes |
| Intrinsic Safety Rating Mounting Style Type Weight (-) Dimensions (IN-Inch) Frequency Band Frequency Range (MHz) Integrated GPS Intrinsic Safety Rating | N/A Ferrule N/A (W) 6.13 (H) 0.5 (L) VHF 144-165 MHz Yes N/A |
| Intrinsic Safety Rating Mounting Style Type Weight (-) Dimensions (IN-Inch) Frequency Band Frequency Range (MHz) Integrated GPS Intrinsic Safety Rating Mounting Style | N/A Ferrule N/A (W) 6.13 (H) 0.5 (L) VHF 144-165 MHz Yes N/A SMA-FEMALE |
| Intrinsic Safety Rating Mounting Style Type Weight (-) Dimensions (IN-Inch) Frequency Band Frequency Range (MHz) Integrated GPS Intrinsic Safety Rating | N/A Ferrule N/A (W) 6.13 (H) 0.5 (L) VHF 144-165 MHz Yes N/A |
| Intrinsic Safety Rating Mounting Style Type Weight (-) Dimensions (IN-Inch) Frequency Band Frequency Range (MHz) Integrated GPS Intrinsic Safety Rating Mounting Style | N/A Ferrule N/A (W) 6.13 (H) 0.5 (L) VHF 144-165 MHz Yes N/A SMA-FEMALE |
| Intrinsic Safety Rating Mounting Style Type Weight (-) Dimensions (IN- Inch) Frequency Band Frequency Range (MHz) Integrated GPS Intrinsic Safety Rating Mounting Style Type | N/A Ferrule N/A (W) 6.13 (H) 0.5 (L) VHF 144-165 MHz Yes N/A SMA-FEMALE |
| Intrinsic Safety Rating Mounting Style Type Weight (-) Dimensions (IN- Inch) Frequency Band Frequency Range (MHz) Integrated GPS Intrinsic Safety Rating Mounting Style Type Weight (-) Dimensions (IN- | N/A Ferrule N/A (W) 6.13 (H) 0.5 (L) VHF 144-165 MHz Yes N/A SMA-FEMALE Portable radio antenna |
| Intrinsic Safety Rating Mounting Style Type Weight (-) Dimensions (IN- Inch) Frequency Band Frequency Range (MHz) Integrated GPS Intrinsic Safety Rating Mounting Style Type Weight (-) Dimensions (IN- Inch) | N/A Ferrule N/A (W) 6.13 (H) 0.5 (L) VHF 144-165 MHz Yes N/A SMA-FEMALE Portable radio antenna (W) 6.25 (H) 0.5 (L) |
| Intrinsic Safety Rating Mounting Style Type Weight (-) Dimensions (IN- Inch) Frequency Band Frequency Range (MHz) Integrated GPS Intrinsic Safety Rating Mounting Style Type Weight (-) Dimensions (IN- Inch) Frequency Band Frequency Range (MHz) Integrated GPS | N/A Ferrule N/A (W) 6.13 (H) 0.5 (L) VHF 144-165 MHz Yes N/A SMA-FEMALE Portable radio antenna (W) 6.25 (H) 0.5 (L) VHF 136-155 MHz Yes |
| Intrinsic Safety Rating Mounting Style Type Weight (-) Dimensions (IN- Inch) Frequency Band Frequency Range (MHz) Integrated GPS Intrinsic Safety Rating Mounting Style Type Weight (-) Dimensions (IN- Inch) Frequency Band Frequency Range (MHz) Integrated GPS Intrinsic Safety Rating | N/A Ferrule N/A (W) 6.13 (H) 0.5 (L) VHF 144-165 MHz Yes N/A SMA-FEMALE Portable radio antenna (W) 6.25 (H) 0.5 (L) VHF 136-155 MHz Yes N/A |
| Intrinsic Safety Rating Mounting Style Type Weight (-) Dimensions (IN- Inch) Frequency Band Frequency Range (MHz) Integrated GPS Intrinsic Safety Rating Mounting Style Type Weight (-) Dimensions (IN- Inch) Frequency Band Frequency Range (MHz) Integrated GPS Intrinsic Safety | N/A Ferrule N/A (W) 6.13 (H) 0.5 (L) VHF 144-165 MHz Yes N/A SMA-FEMALE Portable radio antenna (W) 6.25 (H) 0.5 (L) VHF 136-155 MHz Yes |

VHF Helical Antenna (152-174MHz)

Get the best possible reception wherever you operate.

Model No: PMAD4118A

Description: VHF HELICAL ANTENNA (152-174 MHZ) **ROHS:** Yes **CE:** N/A **Country of Origin:** N/A

Price: €11.00

UHF Stubby Antenna (136-148MHz)

Get the best possible reception wherever you operate.

Model No: PMAD4119A

Description: VHF STUBBY ANTENNA (136-148 MHZ) **ROHS:** Yes **CE:** N/A **Country of Origin:** N/A

Price: €11.00

VHF Stubby Antenna (146-160MHz)

Get the best possible reception wherever you operate.

Model No: PMAD4120A

Description: VHF STUBBY ANTENNA (146-160 MHZ) **ROHS:** Yes CE: N/A Country of Origin: MY

Price: €11.00

VHF Stubby Antenna (160-174MHz)

Get the best possible reception wherever you operate.

Model No: PMAD4121B

Description: VHF STUBBY ANTENNA (160-174 MHZ) **ROHS:** Yes **CE:** N/A **Country of Origin:** N/A

Price: €11.00

VHF Wideband Whip Antenna (136-174MHz)

Get the best possible reception wherever you operate.

Model No: PMAD4147A

Description: VHF WHIP ANT ,136-174MHZ

ROHS: Yes CE: N/A Country of Origin: N/A

Price: €15.00

| Weight (-) | - |
|--|--|
| Dimensions (IN-Inch) | - (W) 6.13 (H) 0.5 (L) |
| Frequency Band | VHF |
| Frequency Range (MHz) | 155-174 MHz |
| Integrated GPS | Yes |
| Intrinsic Safety Rating | N/A |
| Mounting Style | Ferrule |
| Туре | Portable radio antenna |
| Weight (-) | _ |
| Dimensions (IN- | - (W) 3.75 (H) 0.5 (L) |
| Inch) | (1) (1) (1) (2) |
| Frequency Band | VHF |
| Frequency Range (MHz) | 136-174 MHz |
| Integrated GPS | Yes |
| Intrinsic Safety Rating | N/A |
| Mounting Style | Stud |
| Туре | Portable radio antenna |
| Weight (-) | - |
| Dimensions (IN- Inch) | - (W) 3.75 (H) 0.5 (L) |
| Frequency Band | VHF |
| Frequency Range (MHz) | 147-160 MHz |
| | |
| Integrated GPS | Yes |
| Integrated GPS Intrinsic Safety Rating | Yes N/A |
| Intrinsic Safety | |
| Intrinsic Safety Rating | N/A |
| Intrinsic Safety Rating Mounting Style Type | N/A Stud |
| Intrinsic Safety Rating Mounting Style | N/A Stud |
| Intrinsic Safety Rating Mounting Style Type Weight (-) Dimensions (IN- | N/A Stud Portable radio antenna |
| Intrinsic Safety Rating Mounting Style Type Weight (-) Dimensions (IN-Inch) | N/A Stud Portable radio antenna (W) 3.75 (H) 0.5 (L) |
| Intrinsic Safety Rating Mounting Style Type Weight (-) Dimensions (IN-Inch) Frequency Band Frequency Range | N/A Stud Portable radio antenna (W) 3.75 (H) 0.5 (L) VHF |
| Intrinsic Safety Rating Mounting Style Type Weight (-) Dimensions (IN-Inch) Frequency Band Frequency Range (MHz) | N/A Stud Portable radio antenna (W) 3.75 (H) 0.5 (L) VHF 160-174 MHz |
| Intrinsic Safety Rating Mounting Style Type Weight (-) Dimensions (IN- Inch) Frequency Band Frequency Range (MHz) Integrated GPS Intrinsic Safety | N/A Stud Portable radio antenna (W) 3.75 (H) 0.5 (L) VHF 160-174 MHz Yes |
| Intrinsic Safety Rating Mounting Style Type Weight (-) Dimensions (IN-Inch) Frequency Band Frequency Range (MHz) Integrated GPS Intrinsic Safety Rating | N/A Stud Portable radio antenna (W) 3.75 (H) 0.5 (L) VHF 160-174 MHz Yes N/A |
| Intrinsic Safety Rating Mounting Style Type Weight (-) Dimensions (IN-Inch) Frequency Band Frequency Range (MHz) Integrated GPS Intrinsic Safety Rating Mounting Style | N/A Stud Portable radio antenna (W) 3.75 (H) 0.5 (L) VHF 160-174 MHz Yes N/A Stud |
| Intrinsic Safety Rating Mounting Style Type Weight (-) Dimensions (IN- Inch) Frequency Band Frequency Range (MHz) Integrated GPS Intrinsic Safety Rating Mounting Style Type | N/A Stud Portable radio antenna (W) 3.75 (H) 0.5 (L) VHF 160-174 MHz Yes N/A Stud Portable radio antenna |
| Intrinsic Safety Rating Mounting Style Type Weight (-) Dimensions (IN- Inch) Frequency Band Frequency Range (MHz) Integrated GPS Intrinsic Safety Rating Mounting Style Type Weight (GM-Gram) Dimensions (MM- | N/A Stud Portable radio antenna (W) 3.75 (H) 0.5 (L) VHF 160-174 MHz Yes N/A Stud Portable radio antenna 40 |
| Intrinsic Safety Rating Mounting Style Type Weight (-) Dimensions (IN-Inch) Frequency Band Frequency Range (MHz) Integrated GPS Intrinsic Safety Rating Mounting Style Type Weight (GM-Gram) Dimensions (MM-Millimeter) | N/A Stud Portable radio antenna (W) 3.75 (H) 0.5 (L) VHF 160-174 MHz Yes N/A Stud Portable radio antenna 40 13.5 (W) 206 (H) 13.5 (L) |
| Intrinsic Safety Rating Mounting Style Type Weight (-) Dimensions (IN-Inch) Frequency Band Frequency Range (MHz) Integrated GPS Intrinsic Safety Rating Mounting Style Type Weight (GM-Gram) Dimensions (MM-Millimeter) Frequency Band Frequency Range | N/A Stud Portable radio antenna (W) 3.75 (H) 0.5 (L) VHF 160-174 MHz Yes N/A Stud Portable radio antenna 40 13.5 (W) 206 (H) 13.5 (L) VHF |
| Intrinsic Safety Rating Mounting Style Type Weight (-) Dimensions (IN- Inch) Frequency Band Frequency Range (MHz) Integrated GPS Intrinsic Safety Rating Mounting Style Type Weight (GM-Gram) Dimensions (MM- Millimeter) Frequency Band Frequency Range (MHz) | N/A Stud Portable radio antenna (W) 3.75 (H) 0.5 (L) VHF 160-174 MHz Yes N/A Stud Portable radio antenna 40 13.5 (W) 206 (H) 13.5 (L) VHF 136-174 MHz |
| Intrinsic Safety Rating Mounting Style Type Weight (-) Dimensions (IN- Inch) Frequency Band Frequency Range (MHz) Integrated GPS Intrinsic Safety Rating Mounting Style Type Weight (GM-Gram) Dimensions (MM- Millimeter) Frequency Band Frequency Range (MHz) Integrated GPS Intrinsic Safety | N/A Stud Portable radio antenna (W) 3.75 (H) 0.5 (L) VHF 160-174 MHz Yes N/A Stud Portable radio antenna 40 13.5 (W) 206 (H) 13.5 (L) VHF 136-174 MHz |

UHF Stubby Antenna (400-450MHz)

CE: N/A

Get the best possible reception wherever you operate.

Model No: PMAE4069A

Description: ANTENNA, STAMPED METAL, UHF STUBBY

ANTENNA (400-450 MHZ)

ROHS: Yes

Country of Origin: MY

Price: €11.00

UHF Stubby Antenna (440-490MHz)

Get the best possible reception wherever you operate.

Model No: PMAE4070A

Description: UHF STUBBY ANTENNA (440-490 MHZ) **ROHS:** Yes CE: N/A Country of Origin: MY

Price: €11.00

UHF Stubby Antenna (470-527MHz)

Get the best possible reception wherever you operate.

Model No: PMAE4071A

Description: UHF STUBBY ANTENNA (470-527 MHZ) **ROHS:** Yes CE: N/A Country of Origin: MY

Price: €11.00

| Weight (-) | - |
|----------------------------|------------------------|
| Dimensions (IN- Inch) | - (W) 3.75 (H) 0.5 (L) |
| Frequency Band | UHF |
| Frequency Range (MHz) | 400-450 MHz |
| Integrated GPS | No |
| Intrinsic Safety Rating | N/A |
| Mounting Style | Ferrule |
| Туре | Portable radio antenna |
| Weight (-) | - |
| Dimensions (IN- Inch) | - (W) 3.75 (H) 0.5 (L) |
| Frequency Band | UHF |
| Frequency Range (MHz) | 440-490 MHz |
| Integrated GPS | No |
| Intrinsic Safety Rating | N/A |
| Mounting Style | Ferrule |
| Туре | Portable radio antenna |
| Weight (-) | - |
| Dimensions (IN- Inch) | - (W) 3.75 (H) 0.5 (L) |
| Frequency Band | UHF |
| Frequency Range (MHz) | 470-527 MHz |
| Integrated GPS | No |
| Intrinsic Safety Rating | N/A |
| Mounting Style | Ferrule |
| Туре | Portable radio antenna |
| | |



MOTOTRBO R7A ACCESSORIES

LEGACY



5 Year Repair uplift from Enhanced Warranty for MOTOTRBO R7/R7a devices

Enhances the 5 Year Enhanced Warranty fo rMOTOTRBO R7/ R7a devices devices to include Hardware Repair with one way shipping for the full term

Model No: GMLN7650A

Description: ADD RADIO HW REPAIR 5 YRS

ROHS: N/A CE: N/A Country of Origin: N/A

Price: €142.80



5 Year Repair with Accidental Damage uplift from Enhanced Warranty for MOTOTRBO R7/R7a devices

Enhances the 5 Year Enhanced Warranty for MOTOTRBO R7/ R7a devices devices to include Hardware Repair with Accidental Damage and twoway shipping for the full term

Model No: GMLN7651A

Description: ADD RADIO HW REP W/ACC DAM 5 YRS **ROHS:** N/A **CE:** N/A **Country of Origin:** N/A

Price: €334.20

| Weight (-) | - |
|------------------|-------------------|
| Dimensions (-) | - (W) - (H) - (L) |

| Weight (-) | - |
|------------------|-------------------|
| Dimensions (-) | - (W) - (H) - (L) |

- (W) - (H) - (L)

Nexus

Dual-muff

Weight (-)

Dimensions (-)

Connector Type

Earpiece Style



PROFESSIONAL RADIOS

MOTOTRBO R7A ACCESSORIES

HEADSETS

-

SAVOX HC-2 - HELMET COM HEADSET

SAVOX non-ATEX HC-2 headset.

Model No: GMMN4584A

Description: AUDIO ACCESSORY-HEADSET, SAVOX NON

ATEX HC-2 HEADSET

ROHS: Yes CE: Yes Country of Origin: FI

Price: €476.00



SAVOX HC-1 - HELMET COM HEADSET

SAVOX non-ATEX HC-1 headset.

Model No: GMMN4585A

Description: AUDIO ACCESSORY-HEADSET, SAVOX NON

ATEX HC-1 HEADSET

ROHS: Yes CE: Yes Country of Origin: FI

Price: €306.00



Behind-the-Head Headset, GCAI Mini

Maximum comfort for extended wear with superior audio quality.

Model No: PMLN8085A

Description: BEHIND-THE-HEAD HEADSET

ROHS: Yes CE: Yes Country of Origin: N/A

Price: €800.00

| Headset Type | Helmet attached |
|--------------------------------|-------------------------|
| Industry | N/A |
| Intelligent Audio | N/A |
| Intrinsic Safety Rating | N/A |
| Microphone | Embedded microphone |
| Noise Reduction Rating | N/A |
| Technology | N/A |
| PTT | Requires RSM |
| | |
| Weight (-) | - |
| Dimensions (-) | - (W) - (H) - (L) |
| Connector Type | Nexus |
| Earpiece Style | Single-ear |
| Headset Type | Helmet attached |
| Industry | N/A |
| Intelligent Audio | N/A |
| Intrinsic Safety Rating | N/A |
| Microphone | Embedded microphone |
| Noise Reduction Rating | N/A |
| Technology | N/A |
| PTT | Requires RSM |
| | |
| Weight (GM-Gram) | 752 |
| Dimensions (MM- Millimeter) | 114 (W) 197 (H) 914 (L) |
| Connector Type | Direct to radio |
| Earpiece Style | Dual-muff |
| Headset Type | Behind-the-head |
| Industry | N/A |
| Intelligent Audio | N/A |
| Intrinsic Safety Rating | TIA4950(UL) |
| Microphone | Boom mic |
| Noise Reduction Rating | 24 dB |
| Technology | Motorola original |
| PTT | On ear cup |
| | |



Over-the-Head Headset, GCAI Mini

Maximum comfort for extended wear with superior audio quality.

Model No: PMLN8086A

Description: OVER-THE-HEAD HEADSET

ROHS: Yes CE: Yes Country of Origin: N/A

Price: €800.00



3M™ Peltor Headband Headset w/Nexus Connector

The 3M Peltor CH-3 Series is designed for industrial users working in high noise environments. The headband-style headset features a Nexus connector, dual-ear speakers and a noise cancelling boom microphone for clearer audio transmission.

Model No: PMLN8265A

Description: HEADBAND HEADSET W/ NEXUS Country of Origin: PL

ROHS: Yes CE: Yes

Price: €550.00



3M™ Neckband Headset w/Nexus

The 3M Peltor CH-3 Series is designed for industrial users working in high noise environments. The neckband-style headset features a Nexus connector, dual-ear speakers and a noise cancelling boom microphone for clearer audio transmission. It has a noise reduction rating of 24 dB for excellent hearing protection. Requires PMLN8297 push-to-talk adapter (not included).

PTT

N/A

Model No: PMLN8266A

Description: NECKBAND HEADSET W/ NEXUS ROHS: Yes CE: Yes Country of Origin: PL

Price: €550.00

| Weight (GM-Gram) | 830 |
|--------------------------------|----------------------------|
| Dimensions (MM- Millimeter) | 83 (W) 191 (H) 914 (L) |
| Connector Type | Direct to radio |
| Earpiece Style | Dual-muff |
| Headset Type | Over-the-head |
| Industry | N/A |
| Intelligent Audio | N/A |
| Intrinsic Safety Rating | TIA4950(UL) |
| Microphone | Boom mic |
| Noise Reduction Rating | 24 dB |
| Technology | Motorola original |
| PTT | On ear cup |
| | |
| Weight (GM-Gram) | 357 |
| Dimensions (IN- Inch) | 4.5 (W) 7 (H) 4.75 (L) |
| Connector Type | Nexus |
| Earpiece Style | Dual-muff |
| Headset Type | Over-the-head |
| Industry | N/A |
| Intelligent Audio | N/A |
| Intrinsic Safety Rating | N/A |
| Microphone | Boom mic |
| Noise Reduction Rating | 26 dB |
| Technology | Motorola original |
| PTT | N/A |
| Weight (GM-Gram) | 337 |
| Dimensions (IN- Inch) | 4.25 (W) 5.75 (H) 5.75 (L) |
| Connector Type | Nexus |
| Earpiece Style | Dual-muff |
| Headset Type | Neckband |
| Industry | N/A |
| Intelligent Audio | N/A |
| Intrinsic Safety Rating | N/A |
| Microphone | Boom mic |
| Noise Reduction Rating | 25 dB |
| Technology | Motorola original |



$3 M^{\intercal M}$ Peltor Hard Hat Headset Attachment w/Nexus Connector

The 3M Peltor CH-3 Series are designed for industrial users working in high noise environments. The hard hat headset features a Nexus connector, dual-ear speakers and a noise cancelling boom microphone for clearer audio transmission.

Model No: PMLN8267A

Description: HARDHAT HEADSET W/ NEXUS

ROHS: Yes CE: Yes Country of Origin: N/A

Price: €550.00



3M™ Peltor Nexus Body Push-to-Talk Adapter

The Push-to-Talk Nexus Adapter provides quick disconnect by allowing you to quickly plug and unplug from your headset. This audio accessory works with Nexus connectors and provides you with easy access to a large push-to-talk button.

Model No: PMLN8297A

Description: GCAI-MINI PTT NEXUS ADAPTER

ROHS: Yes CE: Yes Country of Origin: SE

Price: €800.00

| Weight (GM-Gram) | 369 |
|--|--|
| Dimensions (IN- Inch) | 5 (W) 6.25 (H) 3.25 (L) |
| Connector Type | Nexus |
| Earpiece Style | Dual-muff |
| Headset Type | Helmet attached |
| Industry | N/A |
| Intelligent Audio | N/A |
| Intrinsic Safety Rating | N/A |
| Microphone | Boom mic |
| Noise Reduction Rating | 24 dB |
| Technology | Motorola original |
| PTT | N/A |
| | |
| Weight (GM-Gram) Dimensions (MM-Millimeter) | 129 54 (W) 47 (H) 67 (L) |
| | |
| Dimensions (MM- Millimeter) | 54 (W) 47 (H) 67 (L) |
| Dimensions (MM-Millimeter) Connector Type | 54 (W) 47 (H) 67 (L) Nexus |
| Dimensions (MM- Millimeter) Connector Type Earpiece Style | 54 (W) 47 (H) 67 (L) Nexus N/A |
| Dimensions (MM-Millimeter) Connector Type Earpiece Style Headset Type | 54 (W) 47 (H) 67 (L) Nexus N/A Headset accessories |
| Dimensions (MM-Millimeter) Connector Type Earpiece Style Headset Type Industry | 54 (W) 47 (H) 67 (L) Nexus N/A Headset accessories N/A |
| Dimensions (MM-Millimeter) Connector Type Earpiece Style Headset Type Industry Intelligent Audio Intrinsic Safety | 54 (W) 47 (H) 67 (L) Nexus N/A Headset accessories N/A N/A |
| Dimensions (MM-Millimeter) Connector Type Earpiece Style Headset Type Industry Intelligent Audio Intrinsic Safety Rating | Nexus N/A Headset accessories N/A N/A N/A |
| Dimensions (MM-Millimeter) Connector Type Earpiece Style Headset Type Industry Intelligent Audio Intrinsic Safety Rating Microphone Noise Reduction | 54 (W) 47 (H) 67 (L) Nexus N/A Headset accessories N/A N/A N/A N/A |
| Dimensions (MM-Millimeter) Connector Type Earpiece Style Headset Type Industry Intelligent Audio Intrinsic Safety Rating Microphone Noise Reduction Rating | 54 (W) 47 (H) 67 (L) Nexus N/A Headset accessories N/A N/A N/A N/A N/A |



MOTOTRBO R7A ACCESSORIES

CPSSOFTWARE




IMPRES™ Battery Fleet Management EMEA Entitlement ID (EID)

After ordering the BFM Entitlement ID (EID), you will receive an email with the EID License which will enable you to download the BFM 4.0 software through the MSI internal MYVIEW Portal. Refer to the Ordering and Deployment Guide in the resources section for more details.

Model No: HKVN4037A

Description: EMEA FLEET MANAGEMENT LICENSE KEY **ROHS:** N/A **CE:** N/A **Country of Origin:** N/A

Price: €0.00



Æ.

AES Privacy Feature - Licence Key

This orders the Licence key to activate the AES Privacy feature in the radios.

AES Privacy provides a 256 bit encryption solution for voice and data in digital mode.

Model No: HKVN4241A

Description: AES PRIVACY SUBSCRIBER LICENSE KEY **ROHS:** N/A **CE:** N/A **Country of Origin:** N/A

Price: €294.00

Weight (-) Dimensions (-) - (W) - (H) - (L)

MSI Software Delivery Method

MSI Software Type License

Software Release N/A

Version

B.

Capacity Max Full Subscription - Licence Key

Model No: HKVN4330A

 $\textbf{Description:} \ \mathsf{CAPACITY} \ \mathsf{MAX} \ \mathsf{FULL} \ \mathsf{SUBSCRIBER} \ \mathsf{LICENSE}$

ROHS: N/A CE: N/A Country of Origin: N/A

Price: €138.00

Capacity Max Advantage Subscription - Licence Key

Allows your MOTOTRBO radio to operate in Capacity Max Advantage mode.

Advantage Mode: MOTOTRBO radios and infrastructure.

Performance-optimized. Full feature set.

Model No: HKVN4422A

Description: CAPACITY MAX ADVANTAGE SUBSCRIBER

LICENSE

ROHS: N/A CE: N/A Country of Origin: US

Price: €138.00

| Weight (-) | - |
|---------------------------------|-------------------|
| Dimensions (-) | - (W) - (H) - (L) |
| MSI Software Delivery Method | Electronic |
| MSI Software Type | License |
| Software Release Version | N/A |
| Weight (-) | - |
| Dimensions (-) | - (W) - (H) - (L) |
| MSI Software Delivery Method | Electronic |
| MSI Software Type | License |
| Software Release Version | N/A |

MOTOTRBO Spanish Band Restriction Feature - Licence Key

This License Key is needed to activate the Spanish Band Restriction feature in the CPS/RM application.
The Spanish Band Restriction feature is supported by CPS Version 13.5 (Build 679) onwards.

Model No: HKVN4487A

CE: N/A

Description: LICENSE, SPAIN BAND FREQUENCY RANGE ROHS: N/A

Country of Origin: US

Price: €0.00

R.

| Weight (-) | - |
|---------------------------------|-------------------|
| Dimensions (-) | - (W) - (H) - (L) |
| MSI Software Delivery Method | Electronic |
| MSI Software Type | License |
| Software Release Version | N/A |



MOTOTRBO R7A ACCESSORIES

CARRY



Universal Chest Pack

Compatible with both APX and MOTOTRBO radios, this carry accessory is a universal chest pack with radio holder, pen holder and velcro secured patch made with a nylon material.

Model No: HLN6602A

Description: UNIVERSAL CHESTPACK

ROHS: Yes CE: N/A Country of Origin: CN

Price: €63.00



Waterproof Baggie

This waterproof bag fits any Motorola two-way radio and includes a convenient carrying strap.

Model No: HLN9985B

Description: WEATHERPOOF BAGGIE

ROHS: Yes CE: N/A Country of Origin: TH

Price: €54.00



Shoulder Strap

Shoulder Strap for Carry Cases

Model No: NTN5243A Description: STRAP

ROHS: Yes CE: N/A Country of Origin: US

Price: €27.00



2" Belt Clip

This rugged, spring-action belt clip allows you to keep your radio on your hip and instantly access it.

Model No: PMLN4651A

Description: 2 INCH BELT CLIP

ROHS: Yes CE: N/A Country of Origin: ID

Price: €5.50

| Weight (GM-Gram) | 113.4 |
|------------------------------------|--------------------|
| Dimensions (IN- Inch) | 2 (W) 10 (H) 5 (L) |
| Belt Loop / Clip Dimension (in) | N/A |
| Compatible Batteries | N/A |
| Display | N/A |
| Material | Nylon |
| Туре | Chest packs |
| | |

| Weight (GM-Gram) | 70 |
|------------------------------------|-----------------------|
| Dimensions (MM- Millimeter) | 0.02 (W) 15 (H) 5 (L) |
| Belt Loop / Clip Dimension (in) | N/A |
| Compatible Batteries | N/A |
| Display | Display visible |
| Material | Plastic |
| Туре | Specialty |
| | |

| Weight (GM-Gram) | 125 |
|------------------------------------|--------------------------|
| Dimensions (IN- Inch) | 0.13 (W) 36 (H) 0.63 (L) |
| Belt Loop / Clip Dimension (in) | N/A |
| Compatible Batteries | N/A |
| Display | N/A |
| Material | Nylon |
| Туре | Belts and straps |

| Weight (GM-Gram) | 22.7 |
|------------------------------------|-------------------------|
| Dimensions (IN- Inch) | 0.25 (W) 3 (H) 1.25 (L) |
| Belt Loop / Clip Dimension (in) | 2 inch |
| Compatible Batteries | N/A |
| Display | N/A |
| Material | Plastic |
| Туре | Belt Clip |
| | |



This swivel latch system allows the radio to swing freely from side to side and ensures that the radio remains securely in place during a foot chase.

Model No: PMLN5610A

Description: ACCESSORY KIT, 2.5 INCH SWIVEL BELT LOOP

ROHS: Yes CE: N/A Country of Origin: IN

Price: €12.00

3" Swivel Belt Loop

This swivel latch system allows the radio to swing freely from side to side and ensures that the radio remains securely in place during a foot chase.

Model No: PMLN5611A

Description: ACCESSORY KIT, 3.0 INCH SWIVEL BELT LOOP

ROHS: Yes CE: N/A Country of Origin: N/A

Price: €13.00

Nylon Wrist Strap

This nylon strap wraps conveniently around the wrist, allowing you to easily carry your radio. The adjustable strap adds protection against accidental drops.

Model No: PMLN6074A

Description: WRIST STRAP

ROHS: Yes CE: N/A Country of Origin: CN

Price: €11.00

2.5" Belt Clip

This rugged spring-action belt clip allows you to instantly access your radio. When paired with a remote speaker microphone or other audio accessory, you can securely keep the radio in the clip while communicating.

Model No: PMLN7008A

Description: 2.5-INCH BELT CLIP

ROHS: Yes CE: N/A Country of Origin: MY

Price: €8.00

Hard Leather Carry Case, 3" Swivel Belt Loop, Display

Features a full keypad display, 3" swivel belt loop, all designed to withstand harsh conditions.

Model No: PMLN8299A

Description: HARD LEATHER CARRY CASE 3 INCH SWIVEL

BELT LOOP DISPLAY

ROHS: Yes CE: N/A Country of Origin: N/A

Price: €70.00

| Weight (GM-Gram) | 47 |
|------------------------------------|-----------------------------|
| Dimensions (IN-Inch) | 1 (W) 3.75 (H) 2.5 (L) |
| Belt Loop / Clip Dimension (in) | 2.5 inch |
| Compatible Batteries | N/A |
| Display | N/A |
| Material | Hard leather |
| Туре | Swivel |
| | |
| Weight (GM-Gram) | 46.7 |
| Dimensions (IN- Inch) | 1 (W) 4 (H) 2.38 (L) |
| Belt Loop / Clip Dimension (in) | 3 inch |
| Compatible Batteries | N/A |
| Display | N/A |
| Material | Hard leather |
| Туре | Swivel |
| Weight (GM-Gram) | 8.7 |
| Dimensions (IN-Inch) | 0.13 (W) 12.38 (H) 0.25 (L) |
| Belt Loop / Clip Dimension (in) | N/A |
| Compatible Batteries | N/A |
| Display | N/A |
| Material | Nylon |
| Туре | Belts and straps |
| | |
| Weight (GM-Gram) | 88.7 |
| Dimensions (IN- Inch) | 0.19 (W) 3.62 (H) 1.25 (L) |
| Belt Loop / Clip Dimension (in) | 2.5 inch |
| Compatible Batteries | N/A |
| Display | N/A |
| Material | Plastic |
| Туре | Belt Clip |
| Weight (GM-Gram) | 149 |
| Dimensions (MM- | 65 (W) 134 (H) 75 (L) |
| Millimeter) Belt Loop / Clip | 3 inch |
| Dimension (in) Compatible | N/A |
| Batteries | |
| Display | No display visible |
| Material | Hard leather |
| Туре | Swivel |

Hard Leather Carry Case, 2.5" Swivel Belt Loop, Display

Features a full keypad display, 2.5" swivel belt loop, all designed to withstand harsh conditions.

Model No: PMLN8300A

Description: HARD LEATHER CARRY CASE 2.5 INCH SWIVEL

BELT LOOP DISPLAY

ROHS: Yes CE: N/A Country of Origin: CN

Price: €70.00



Hard Leather Carry Case, 3" Fixed Belt Loop, Display

High-quality leather & fixed belt loop ensure keeping your radio secure.

Model No: PMLN8301A

Description: HARD LEATHER CARRY CASE 3 INCH FIXED

BELT LOOP DISPLAY

ROHS: Yes CE: N/A Country of Origin: CN

Price: €70.00



Hard Leather Carry Case, 3" Swivel Belt Loop, Non Display

The 3" swivel secures to a belt loop and is designed to withstand harsh conditions.

Model No: PMLN8302A

Description: HARD LEATHER CARRY CASE 3 INCH SWIVEL

BELT LOOP NON DISPLAY

CE: N/A

ROHS: Yes Country of Origin: CN

Price: €66.00



Hard Leather Carry Case, 2.5" Swivel Belt Loop, Non Display

The 2.5" swivel secures to a belt loop and is designed to withstand harsh conditions.

Model No: PMLN8303A

Description: HARD LEATHER CARRY CASE 2.5 INCH SWIVEL

BELT LOOP NON DISPLAY

ROHS: Yes CE: N/A Country of Origin: CN

Price: €66.00



Hard Leather Carry Case, 3 Fixed Belt Loop, Non Display

High-quality leather & fixed belt loop ensure keeping your radio secure.

Model No: PMLN8304A

Description: HARD LEATHER CARRY CASE 3 INCH FIXED

BELT LOOP NON DISPLAY

ROHS: Yes CE: N/A Country of Origin: CN

Price: €60.00

| Woight (GM Gram) | 134 |
|--|---|
| Weight (GM-Gram) Dimensions (MM- | 65 (W) 134 (H) 85 (L) |
| Millimeter) | 03 (W) 134 (H) 03 (L) |
| Belt Loop / Clip Dimension (in) | 2.5 inch |
| Compatible Batteries | N/A |
| Display | No display visible |
| Material | Hard leather |
| Туре | Swivel |
| | |
| Weight (GM-Gram) | 103 |
| Dimensions (MM- Millimeter) | 65 (W) 134 (H) 85 (L) |
| Belt Loop / Clip Dimension (in) | 3 inch |
| Compatible Batteries | N/A |
| Display | No display visible |
| Material | Hard leather |
| Туре | Belt loop |
| | |
| Weight (GM-Gram) | 164 |
| Dimensions (MM- Millimeter) | 65 (W) 134 (H) 90 (L) |
| Belt Loop / Clip Dimension (in) | 3 inch |
| Compatible Batteries | N/A |
| Display | No display visible |
| Material | Hard leather |
| Туре | Swivel |
| Weight (CM Gram) | |
| Weight (GM-Gram) | 149 |
| Dimensions (MM-Millimeter) | 149 65 (W) 134 (H) 90 (L) |
| Dimensions (MM- Millimeter) Belt Loop / Clip | · |
| Dimensions (MM- Millimeter) | 65 (W) 134 (H) 90 (L) |
| Dimensions (MM-Millimeter) Belt Loop / Clip Dimension (in) Compatible | 65 (W) 134 (H) 90 (L) 2.5 inch |
| Dimensions (MM-Millimeter) Belt Loop / Clip Dimension (in) Compatible Batteries | 65 (W) 134 (H) 90 (L) 2.5 inch N/A |
| Dimensions (MM-Millimeter) Belt Loop / Clip Dimension (in) Compatible Batteries Display | 65 (W) 134 (H) 90 (L) 2.5 inch N/A No display visible |
| Dimensions (MM-Millimeter) Belt Loop / Clip Dimension (in) Compatible Batteries Display Material | 65 (W) 134 (H) 90 (L) 2.5 inch N/A No display visible Hard leather |
| Dimensions (MM-Millimeter) Belt Loop / Clip Dimension (in) Compatible Batteries Display Material Type | 65 (W) 134 (H) 90 (L) 2.5 inch N/A No display visible Hard leather Swivel |
| Dimensions (MM-Millimeter) Belt Loop / Clip Dimension (in) Compatible Batteries Display Material Type Weight (GM-Gram) Dimensions (MM- | 65 (W) 134 (H) 90 (L) 2.5 inch N/A No display visible Hard leather Swivel 113 |
| Dimensions (MM-Millimeter) Belt Loop / Clip Dimension (in) Compatible Batteries Display Material Type Weight (GM-Gram) Dimensions (MM-Millimeter) Belt Loop / Clip | 65 (W) 134 (H) 90 (L) 2.5 inch N/A No display visible Hard leather Swivel 113 65 (W) 134 (H) 75 (L) |
| Dimensions (MM-Millimeter) Belt Loop / Clip Dimension (in) Compatible Batteries Display Material Type Weight (GM-Gram) Dimensions (MM-Millimeter) Belt Loop / Clip Dimension (in) Compatible | 65 (W) 134 (H) 90 (L) 2.5 inch N/A No display visible Hard leather Swivel 113 65 (W) 134 (H) 75 (L) 3 inch |
| Dimensions (MM-Millimeter) Belt Loop / Clip Dimension (in) Compatible Batteries Display Material Type Weight (GM-Gram) Dimensions (MM-Millimeter) Belt Loop / Clip Dimension (in) Compatible Batteries | 65 (W) 134 (H) 90 (L) 2.5 inch N/A No display visible Hard leather Swivel 113 65 (W) 134 (H) 75 (L) 3 inch N/A |
| Dimensions (MM-Millimeter) Belt Loop / Clip Dimension (in) Compatible Batteries Display Material Type Weight (GM-Gram) Dimensions (MM-Millimeter) Belt Loop / Clip Dimension (in) Compatible Batteries Display | 65 (W) 134 (H) 90 (L) 2.5 inch N/A No display visible Hard leather Swivel 113 65 (W) 134 (H) 75 (L) 3 inch N/A No display visible |



Fireman's Radio Strap

Compatible with APX and MOTOTRBO radios, this accessory is a Boston leather fireman's radio strap.

Model No: RLN6486A

Description: FIREMAN'S RADIO STRAP

ROHS: No CE: No Country of Origin: US

Price: €27.00



Fireman's Radio Strap, XL

Compatible with APX and MOTOTRBO radios, this accessory is a Boston leather fireman's radio strap, Extra Large.

Model No: RLN6487A

Description: FIREMAN'S RADIO STRAP, XL

ROHS: No CE: No Country of Origin: US

Price: €29.50



Anti-Sway Strap

Compatible with APX and MOTOTRBO radios, this accessory is a Boston leather anti-sway strap for Boston leather fireman's radio strap.

Model No: RLN6488A

Description: ANTI-SWAY STRAP

ROHS: No CE: No Country of Origin: US

Price: €11.00

| Weight (GM-Gram) | 270.3 |
|--|---------------------------|
| Dimensions (IN- Inch) | 0.13 (W) 50 (H) 1.25 (L) |
| Belt Loop / Clip Dimension (in) | N/A |
| Compatible Batteries | N/A |
| Display | N/A |
| Material | Hard leather |
| Туре | Belts and straps |
| | |
| Weight (GM-Gram) | 270.3 |
| Dimensions (IN- Inch) | 0.13 (W) 58 (H) 1.13 (L) |
| Belt Loop / Clip Dimension (in) | N/A |
| Compatible Batteries | N/A |
| Display | N/A |
| Material | Hard leather |
| Туре | Belts and straps |
| | |
| Weight (GM-Gram) | 88.7 |
| Dimensions (IN- | 0.13 (W) 9.5 (H) 0.75 (L) |
| Inch) | 0.10 (W) 0.0 (H) 0.10 (E) |
| Belt Loop / Clip Dimension (in) | N/A |
| Belt Loop / Clip | |
| Belt Loop / Clip Dimension (in) Compatible | N/A |
| Belt Loop / Clip Dimension (in) Compatible Batteries | N/A N/A |
| Belt Loop / Clip Dimension (in) Compatible Batteries Display | N/A N/A N/A |

MOTOTRBO R7A ACCESSORIES

REPAIR-PARTS



Dust Cover, GCAI Mini

This is the radio dust cover for protecting the accessory connector when no audio devices have been connected to the radio

Model No: PMHN4429A

Description: DUST COVER, GCAI MINI

ROHS: Yes CE: N/A Country of Origin: MY

Price: €4.00



Programming, Test and Alignment Cable

Model No: PMKN4231A

Description: CABLE, PORT PROG, TEST AND ALIGN CABLE

PSA

ROHS: Yes CE: Yes Country of Origin: CN

Price: €100.00



Data Cable

Mini GCAI Interface cable connects the radio to your computer through the USB port. It allows data transfers such as audio recordings from the device to the computer.

Model No: PMKN4265A

Description: CABLE, DATA CABLE

ROHS: Yes CE: Yes Country of Origin: CN

Price: €80.00

| Weight (-) | - |
|------------------|-------------------|
| Dimensions (-) | - (W) - (H) - (L) |

| Weight (GM-Gram) | 220 |
|------------------|-------------------|
| Dimensions (-) | - (W) - (H) - (L) |
| Cable Type | Programming |

| Weight (GM-Gram) | 91 |
|------------------|-------------------|
| Dimensions (-) | - (W) - (H) - (L) |
| Cable Type | Programming |



MOTOTRBO R7A ACCESSORIES

CABLESMISC

101

Data and Programming Cable, TIA4950 Intrinsically Safe

Model No: PMKN4230A

Description: DATA UL CABLE

ROHS: Yes CE: Yes Country of Origin: N/A

Price: €230.00



CABLE, DATA UL CABLE

Model No: PMKN4230B

Description: CABLE, DATA UL CABLE

ROHS: Yes CE: Yes Country of Origin: CN

Price: €230.00

| Weight (GM-Gram) | 1.67 |
|------------------|-------------------|
| Dimensions (-) | - (W) - (H) - (L) |
| Cable Type | Data |

| Weight (-) | - |
|------------------|-------------------|
| Dimensions (-) | - (W) - (H) - (L) |
| Cable Type | Data |



MOTOTRBO R7A ACCESSORIES

EARPIECES



Receive-Only Earpiece With Translucent Tube

This earpiece accessory is a receive-only earpiece with comfort eartube.

Model No: PMLN7560A

Description: REC ONLY EARPIECE W/TRANSLUCENT TUBE

ROHS: Yes CE: Yes Country of Origin: CN

Price: €43.00



Earhook Eartip, Small

These replacement earpiece tips can be used to replace lost tips, to issue separate tips to each user to maintain hygiene, or to provide a tip that better fits the wearer.

Model No: PMLN8068A

Description: EARHOOK EARTIP, S (PACK OF 5)

ROHS: Yes CE: N/A Country of Origin: CN

Price: €20.12



Earhook Eartip, Medium

These replacement earpiece tips can be used to replace lost tips, to issue separate tips to each user to maintain hygiene, or to provide a tip that better fits the wearer.

Model No: PMLN8069A

Description: EARHOOK EARTIP, M (PACK OF 5) **ROHS:** Yes **CE:** N/A **Country of Origin:** CN

Price: €20.12



Earhook Eartip, Large

These replacement earpiece tips can be used to replace lost tips, to issue separate tips to each user to maintain hygiene, or to provide a tip that better fits the wearer.

PTT

N/A

Model No: PMLN8070A

Description: EARHOOK EARTIP, L (PACK OF 5) **ROHS:** Yes **CE:** N/A **Country of Origin:** CN

Price: €20.12

| Weight (GM-Gram) | 61 |
|---|--|
| Dimensions (IN- Inch) | 0.63 (W) 6.5 (H) 0.75 (L) |
| Earpiece Type | RSM 3.5mm unthreaded rx only |
| Industry | N/A |
| Intrinsic Safety Rating | N/A |
| Microphone | N/A |
| PTT | N/A |
| Weight (GM-Gram) | 0.6 |
| Dimensions (MM- Millimeter) | 12.5 (W) 8.5 (H) 17.4 (L) |
| Earpiece Type | Earpiece part |
| Industry | N/A |
| Intrinsic Safety Rating | N/A |
| Microphone | N/A |
| PTT | N/A |
| | |
| Weight (GM-Gram) | 0.61 |
| Weight (GM-Gram) Dimensions (MM-Millimeter) | 0.61 13 (W) 9.4 (H) 17.4 (L) |
| Dimensions (MM- | |
| Dimensions (MM- Millimeter) | 13 (W) 9.4 (H) 17.4 (L) |
| Dimensions (MM- Millimeter) Earpiece Type | 13 (W) 9.4 (H) 17.4 (L) Earpiece part |
| Dimensions (MM-Millimeter) Earpiece Type Industry Intrinsic Safety | 13 (W) 9.4 (H) 17.4 (L) Earpiece part N/A |
| Dimensions (MM-Millimeter) Earpiece Type Industry Intrinsic Safety Rating | 13 (W) 9.4 (H) 17.4 (L) Earpiece part N/A N/A |
| Dimensions (MM-Millimeter) Earpiece Type Industry Intrinsic Safety Rating Microphone | 13 (W) 9.4 (H) 17.4 (L) Earpiece part N/A N/A N/A |
| Dimensions (MM-Millimeter) Earpiece Type Industry Intrinsic Safety Rating Microphone PTT | 13 (W) 9.4 (H) 17.4 (L) Earpiece part N/A N/A N/A N/A |
| Dimensions (MM-Millimeter) Earpiece Type Industry Intrinsic Safety Rating Microphone PTT Weight (GM-Gram) Dimensions (MM- | 13 (W) 9.4 (H) 17.4 (L) Earpiece part N/A N/A N/A N/A 0.7 |
| Dimensions (MM-Millimeter) Earpiece Type Industry Intrinsic Safety Rating Microphone PTT Weight (GM-Gram) Dimensions (MM-Millimeter) | 13 (W) 9.4 (H) 17.4 (L) Earpiece part N/A N/A N/A N/A 0.7 14 (W) 10.9 (H) 17.4 (L) |
| Dimensions (MM-Millimeter) Earpiece Type Industry Intrinsic Safety Rating Microphone PTT Weight (GM-Gram) Dimensions (MM-Millimeter) Earpiece Type | 13 (W) 9.4 (H) 17.4 (L) Earpiece part N/A N/A N/A N/A 0.7 14 (W) 10.9 (H) 17.4 (L) Earpiece part |
| Dimensions (MM-Millimeter) Earpiece Type Industry Intrinsic Safety Rating Microphone PTT Weight (GM-Gram) Dimensions (MM-Millimeter) Earpiece Type Industry Intrinsic Safety | 13 (W) 9.4 (H) 17.4 (L) Earpiece part N/A N/A N/A N/A 0.7 14 (W) 10.9 (H) 17.4 (L) Earpiece part N/A |



Earpiece, Cloth Clip (Pack of 10)

Model No: PMLN8079A

Description: EARPIECE, CLOTH CLIP (PACK OF 10) ROHS: Yes CE: N/A Country of Origin: CN

Price: €42.33



Acoustic Tube with Rubber Earbud, Replacement Kit

Model No: PMLN8092A

Description: ACOUSTIC TUBE WITH RUBBER EARBUD,

REPLACEMENT KIT

ROHS: Yes CE: N/A Country of Origin: CN

Price: €5.00



3.5mm Receive Only Xtra Loud Translucent Tube RSM **Earpiece**

Discreetly receive messages when using a remote speaker microphone. Supports loud audio feature enabled by the device. Speaker is wideband ready. The clearClear tube is replaceable with quick disconnect.

Model No: PMLN8120A

Description: RX ONLY XL CLEAR TUBE EARPIECE, 3.5MM

JACK

ROHS: Yes CE: Yes Country of Origin: CN

Price: €40.00



2-Wire, IMPRES™ Swivel Loud Audio Earpiece with Eartip

Equipped with one wire for receiving transmissions and a second with a combined microphone, programmable button and push-totalk. Securely wear this earpiece on either side of the ear with a soft rubber ear hook. Earbuds are removable.

Model No: PMLN8295A

Description: 2-WIRE SWIVEL LOUD AUDIO EARPIECE WITH

EARTIP

ROHS: Yes CE: Yes Country of Origin: CN

Price: €100.00



1-Wire, IMPRES™ Single Earbud with Removable Earhook

Comfortably wear the 1-Wire Single Earbud with the optional earhook for additional support. This earpiece comes with 3 different sized rubber sleeves to provide additional friction when

worn.

Model No: PMLN8337A

Description: 1-WIRE SINGLE EARBUD WITH REMOVABLE

EARHOOK LOUD AUDIO EARPIECE

ROHS: Yes CE: Yes Country of Origin: N/A

Price: €50.00

| Weight (GM-Gram) | 1.8 |
|--------------------------------|---------------------------|
| Dimensions (MM- Millimeter) | 9.6 (W) 22.6 (H) 28.7 (L) |
| Earpiece Type | Earpiece part |
| Industry | N/A |
| Intrinsic Safety Rating | N/A |
| Microphone | N/A |
| PTT | N/A |
| Weight (GM-Gram) | 4 |
| Dimensions (MM- Millimeter) | 20 (W) 10 (H) 40 (L) |
| | |

| weight (Om Orani) | 7 |
|--------------------------------|----------------------|
| Dimensions (MM- Millimeter) | 20 (W) 10 (H) 40 (L) |
| Earpiece Type | Earpiece part |
| Industry | N/A |
| Intrinsic Safety Rating | N/A |
| Microphone | N/A |
| PTT | N/A |
| | |

| 14.8 |
|------------------------------|
| 24 (W) 19 (H) 490 (L) |
| RSM 3.5mm unthreaded rx only |
| N/A |
| TIA4950(UL) |
| N/A |
| N/A |
| |

| Weight (GM-Gram) | 43 |
|--------------------------------|------------------------|
| Dimensions (MM- Millimeter) | 19 (W) 13 (H) 1086 (L) |
| Earpiece Type | Over ear |
| Industry | N/A |
| Intrinsic Safety Rating | TIA4950(UL) |
| Microphone | In-line |
| PTT | In-line |

| Weight (GM-Gram) | 35 |
|--------------------------------|------------------------|
| Dimensions (MM- Millimeter) | 42 (W) 16 (H) 1095 (L) |
| Earpiece Type | Over ear |
| Industry | N/A |
| Intrinsic Safety Rating | N/A |
| Microphone | In-line |
| PTT | In-line |



1-Wire, IMPRES™ Surveillance Kit, with Audio Translucent Tube (PMLN8341)

Discreetly send and receive messages with this single-wire surveillance kit with an inline microphone and Push-to-Talk. The clear tube earpiece is replaceable with quick disconnect and supports loud audio features enabled by the device.


Model No: PMLN8341A

Description: 1-WIRE SURVEILLANCE KIT WITH LOUD AUDIO

TRANSLUCENT TUBE

ROHS: Yes CE: Yes Country of Origin: CN

Price: €60.00





2-Wire, IMPRES™ Surveillance Kit, with Audio Translucent Tube

This earpiece allows you to discreetly send and receive messages in loud environments. Equipped with one wire for receiving transmissions and a second wire with a combined microphone, programmable button and push-to-talk.

Model No: PMLN8342A

Description: 2-WIRE SURVEILLANCE KIT WITH LOUD AUDIO

TRANSLUCENT TUBE

ROHS: Yes CE: Yes Country of Origin: CN

Price: €120.00

| Weight (GM-Gram) | 45 |
|--------------------------------|-------------------------|
| Dimensions (MM- Millimeter) | 19 (W) 13 (H) 1286 (L) |
| Earpiece Type | Surveillance and covert |
| Industry | Police |
| Intrinsic Safety Rating | TIA4950(UL) |
| Microphone | In-line |
| PTT | In-line In-line |



3-Wire, IMPRES™ Survelliance Kit, with Audio Translucent

Discreetly send and receive messages in loud environments. Each wire with a designated purpose, receiving transmissions, connecting to the microphone, and for the programmable button and PTT. Supports loud audio features from the device.

Model No: PMLN8343A

Description: 3-WIRE SURVEILLANCE KIT WITH LOUD AUDIO

TRANSLUCENT TUBE

ROHS: Yes CE: Yes Country of Origin: N/A

Price: €150.00

| Weight (GM-Gram) | 54 |
|--------------------------------|-------------------------|
| Dimensions (MM- Millimeter) | 14 (W) 14 (H) 1286 (L) |
| Earpiece Type | Surveillance and covert |
| Industry | Police |
| Intrinsic Safety Rating | TIA4950(UL) |
| Microphone | In-line |
| PTT | In-line |



Rubber Sleeve for Earbud, Small

These rubber sleeves work with our 1-Wire Single Earbud with Removable Earhook (PMLN8337A).

Model No: PMLN8363A

Description: RUBBER SLEEVE FOR EARBUD, S "QTY 1,

PACK OF 25"

ROHS: Yes Country of Origin: N/A CE: N/A

Price: €23 00

| Industry Po | · · · |
|----------------------|----------|
| Intrinsic Safety TIA | |
| Rating | 4950(UL) |
| Microphone In- | ine |
| PTT In-l | ine |

000

Rubber Sleeve for Earbud, Medium

These rubber sleeves work with our 1-Wire Single Earbud with Removable Earhook (PMLN8337A).

Model No: PMLN8364A

Description: RUBBER SLEEVE FOR EARBUD, M "QTY 1,

PACK OF 25"

ROHS: Yes Country of Origin: CN CE: N/A

Price: €23.00

| Weight (GM-Gram) | 0.2 |
|---|---|
| Dimensions (MM- Millimeter) | 4.6 (W) 1.5 (H) 15 (L) |
| Earpiece Type | Earpiece part |
| Industry | N/A |
| Intrinsic Safety Rating | N/A |
| Microphone | N/A |
| PTT | N/A |
| | |
| | |
| Weight (GM-Gram) | 0.3 |
| Weight (GM-Gram) Dimensions (MM-Millimeter) | 0.3 4.6 (W) 1.5 (H) 16 (L) |
| Dimensions (MM- | |
| Dimensions (MM- Millimeter) | 4.6 (W) 1.5 (H) 16 (L) |
| Dimensions (MM-Millimeter) Earpiece Type | 4.6 (W) 1.5 (H) 16 (L) Earpiece part |
| Dimensions (MM-Millimeter) Earpiece Type Industry Intrinsic Safety | 4.6 (W) 1.5 (H) 16 (L) Earpiece part N/A |
| Dimensions (MM-Millimeter) Earpiece Type Industry Intrinsic Safety Rating | 4.6 (W) 1.5 (H) 16 (L) Earpiece part N/A N/A |

000

Rubber Sleeve for Earbud, Large

TRUE

Model No: PMLN8365A

Description: RUBBER SLEEVE FOR EARBUD, L "QTY 1,

PACK OF 25"

ROHS: Yes CE: N/A Country of Origin: CN

Price: €23.00

(

Small Clear Custom Earpiece for the Right Ear

Compatible with APX radios, this APX surveillance kit accessory is a small clear comfortable earpiece for your right ear.

Model No: RLN4760A

Description: RT CSTM EARPC SZ:SM USED W/NTN8371A **ROHS:** Yes **CE:** N/A **Country of Origin:** SG

Price: €25.00



Custom Earpiece, Small

Compatible with APX radios, this APX surveillance kit accessory is a small clear comfortable earpiece for your left ear.

Model No: RLN4763A

Description: LFT CSTM EARPC SM USED W/NTN8371A **ROHS:** Yes **CE:** N/A **Country of Origin:** SG

Price: €25.00



Medium Custom Earpiece, Left Ear

Compatible with XPR 6000, 7000, 7000e and SL 7000 and 7000e series, this MOTOTRBO custom left ear earpiece is a size medium and is compatible with the RLN6242 surveillance kit

Model No: RLN4764A

Description: LFT CSTM EARPC MED USED W/NTN8371A **ROHS:** Yes **CE:** N/A **Country of Origin:** SG

Price: €25.00

| Weight (GM-Gram) | 0.4 |
|--|---|
| Dimensions (MM- Millimeter) | 4.6 (W) 1.5 (H) 17 (L) |
| Earpiece Type | Earpiece part |
| Industry | N/A |
| Intrinsic Safety Rating | N/A |
| Microphone | N/A |
| PTT | N/A |
| | |
| Weight (-) | - |
| Dimensions (IN- Inch) | 0.5 (W) 1 (H) 0.75 (L) |
| Earpiece Type | Earpiece part |
| Industry | N/A |
| Intrinsic Safety Rating | N/A |
| Microphone | N/A |
| PTT | N/A |
| | |
| Weight (-) | - |
| Dimensions (IN- Inch) | 0.25 (W) 0.88 (H) 0.88 (L) |
| Earpiece Type | Earpiece part |
| Industry | N/A |
| Intrinsic Safety | N/A |
| Rating | |
| Microphone | N/A |
| | |
| Microphone | N/A |
| Microphone PTT | N/A |
| Microphone PTT Weight (-) | N/A N/A |
| Microphone PTT Weight (-) Dimensions (-) | N/A N/A - - (W) - (H) - (L) |
| Microphone PTT Weight (-) Dimensions (-) Earpiece Type | N/A N/A - - (W) - (H) - (L) Earpiece part |
| Microphone PTT Weight (-) Dimensions (-) Earpiece Type Industry Intrinsic Safety | N/A N/A (W) - (H) - (L) Earpiece part N/A |
| Microphone PTT Weight (-) Dimensions (-) Earpiece Type Industry Intrinsic Safety Rating | N/A N/A (W) - (H) - (L) Earpiece part N/A N/A |



MOTOTRBO R7A ACCESSORIES

BATTERIES

IMPRES™ Li-Ion, 2200mAh, IP68 Battery

The 2200mAh slim battery is equipped with our IMPRES Self Calibration feature which allows you to quickly charge the battery without long hours of calibration or reconditioning every month

Model No: PMNN4807A

Description: BATTERY PACK, BATT IMPRES LIION IP68 2200T

ROHS: Yes Country of Origin: MY CE: Yes

Price: €120.00

Li-lon, 2450mAh, IP68 Battery

Model No: PMNN4808A

Description: BATT LIION IP68 2450T

ROHS: Yes CE: Yes Country of Origin: MY

Price: €90.00

IMPRES™ Li-Ion, 2850mAh, IP68, Slim Battery

Powered by new generation high energy density lithium cells, the 2850mAh IMPRES battery provides more energy, despite being thinner and lighter, providing 25+ hours of talk time when used with MOTOTRBO R7 radio series. Equipped with our IMPRES Self Calibration feature which allows you to quickly charge the battery without long hours of calibration or reconditioning every month

Model No: PMNN4809A

Description: BATTERY PACK, BATTERY PACK, BATT IMPRES

LIION İP68 2850T

ROHS: Yes Country of Origin: MY

Price: €170.00

IMPRES™ Li-Ion, 3200mAh, IP68, TIA4950

The TIA4950 battery is certified as intrinsically safe. Equipped with our IMPRES Self Calibration feature which allows you to quickly charge the battery without long hours of calibration or reconditioning every month.

Model No: PMNN4810A

Description: BATTERY PACK, BATT IMPRES LIION TIA4950

IP68 3200T

ROHS: Yes CE: Yes Country of Origin: MY

Price: €210.00

| Weight (GM-Gram) | 120 |
|--------------------------------|-------------------------------|
| Dimensions (MM- Millimeter) | 55.58 (W) 17.15 (H) 116.3 (L) |
| Chemistry | Li-lon 2200 mAh |
| Intrinsic Safety Rating | No rating |
| IP Rating | IP68 |
| Technology | IMPRES |
| Туре | Battery |
| Weight (GM-Gram) | 150 |
| Dimensions (MM- Millimeter) | 55.58 (W) 17.15 (H) 116.3 (L) |
| Chemistry | Li-lon 2450 mAh |
| Intrinsic Safety Rating | No rating |
| IP Rating | IP68 |
| Technology | Original |
| Туре | Battery |
| Weight (GM-Gram) | 137 |
| Dimensions (MM- Millimeter) | 55.58 (W) 17.15 (H) 116.3 (L) |
| Chemistry | Li-lon 2850 mAh |
| Intrinsic Safety Rating | No rating |
| IP Rating | IP68 |
| Technology | IMPRES |
| Туре | Battery |
| | |

| Weight (GM-Gram) | 170 |
|--------------------------------|-------------------------------|
| Dimensions (MM- Millimeter) | 55.58 (W) 23.15 (H) 116.3 (L) |
| Chemistry | Li-lon 3200 mAh |
| Intrinsic Safety Rating | TIA4950(UL) |
| IP Rating | IP68 |
| Technology | IMPRES |
| Туре | Battery |